

## Main Board Quotation

## Issue Date :

Monday November 18, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	SCB	115.00	0.50	58,817	114.96	IVL19C2501A	-	-	-	-
Agribusiness	-	-	-	-	SCB01C2412A	-	-	-	-	IVL19C2502A	-	-	-	-
EE	0.20	-	33,909	0.19	SCB01C2502A	0.21	-	5,410	0.21	IVL19C2502B	0.13	-	27,470	0.13
EE-W1	-	-	-	-	SCB01P2501A	-	-	-	-	IVL19C2502C	0.14	-	18,610	0.15
GPPT	10.70	(0.20)	16,196	10.79	SCB11C2501A	0.15	-	2,500	0.16	IVL19P2502A	0.13	(0.01)	8,757	0.13
LEE	2.46	(0.02)	149	2.47	SCB13C2412A	0.04	(0.03)	3,400	0.04	IVL41C2412A	-	-	-	-
NER	4.90	0.02	35,788	4.88	SCB13C2502A	0.22	0.01	1,200	0.22	IVL41C2412B	-	-	-	-
NER-W2	0.57	(0.03)	12,483	0.57	SCB13P2412A	0.02	0.01	11	0.01	IVL41C2502A	-	-	-	-
PCE	2.78	(0.08)	268,125	2.78	SCB13P2502A	-	-	-	-	IVL41C2502B	0.13	(0.01)	31,516	0.13
PPP	0.68	(0.04)	20,978	0.70	SCB19C2412A	0.08	(0.01)	1,400	0.09	NFC	1.62	(0.12)	30	1.60
PPPM-W6	0.56	(0.06)	4,604	0.56	SCB19C2502A	0.18	-	4,434	0.18	PATO	8.60	(0.05)	72	8.61
STA	18.00	(0.20)	103,504	18.17	SCB19P2412A	-	-	-	-	PMTA	8.50	(0.15)	6	8.50
STA01C2412A	0.01	-	4	0.01	SCB41C2412A	-	-	-	-	PTTGC	25.00	0.90	233,140	24.84
STA01C2501A	0.04	(0.01)	222	0.04	SCB41C2502A	0.23	0.01	16,800	0.23	PTTGC01C2412A	-	-	-	-
STA01C2502A	-	-	-	-	TCAP	48.75	(0.25)	18,282	48.76	PTTGC01C2501A	-	-	-	-
STA01C2503A	0.18	(0.02)	23,377	0.19	TCAP-P	-	-	-	-	PTTGC01C2501B	0.18	0.01	82,179	0.16
STA01C2504A	0.43	(0.02)	10,339	0.46	TCAP-Q	-	-	-	-	PTTGC01C2502A	0.06	-	13	0.06
STA01P2502A	0.69	0.01	5,998	0.67	TCAP13C2501A	-	-	-	-	PTTGC01C2504A	0.53	0.10	30,057	0.50
STA13C2412A	-	-	-	-	TCAP13C2504A	0.18	(0.01)	6,035	0.19	PTTGC01P2412X	0.16	(0.06)	2	0.16
STA13C2502A	-	-	-	-	TISCO	96.50	0.25	10,353	96.31	PTTGC01P2501A	0.11	(0.04)	16,818	0.13
STA13C2502B	0.11	(0.01)	36,272	0.12	TISCO-P	-	-	-	-	PTTGC01P2503A	0.40	(0.06)	13,017	0.43
STA13C2503A	0.26	(0.03)	41,680	0.28	TISCO-Q	-	-	-	-	PTTGC11C2411A	-	-	-	-
STA13P2502A	0.64	0.01	17,982	0.62	TISCO11C2501A	-	-	-	-	PTTGC11C2412A	-	-	-	-
STA19C2412A	0.03	-	51	0.03	TISCO13C2502A	-	-	-	-	PTTGC11C2501A	0.13	0.03	4,600	0.13
STA19C2502A	-	-	-	-	TISCO19C2502A	-	-	-	-	PTTGC11C2502A	-	-	-	-
STA19C2502B	-	-	-	-	TTB	1.77	0.02	1,534,824	1.77	PTTGC13C2412A	-	-	-	-
STA19C2503A	0.15	(0.01)	54,028	0.17	TTB-W1	0.83	0.03	1,024	0.82	PTTGC13C2412B	0.01	-	40	0.01
STA19C2504A	0.29	(0.02)	15,877	0.31	TTB01C2503A	0.08	-	187	0.08	PTTGC13C2412C	-	-	-	-
STA19P2503A	0.59	0.01	18,827	0.58	TTB01C2504A	0.30	0.02	30,910	0.30	PTTGC13C2501A	0.03	0.01	1	0.03
STA41C2503A	0.31	(0.03)	14,257	0.34	TTB13C2501A	-	-	-	-	PTTGC13C2502A	0.08	0.01	35,234	0.08
TEGH	3.24	(0.06)	39,718	3.27	TTB13C2502A	0.21	-	1,288	0.21	PTTGC13C2503A	0.46	0.07	73,132	0.43
TFM	8.15	(0.15)	750	8.21	TTB19C2501A	0.12	0.02	1,576	0.11	PTTGC13C2504A	0.19	0.03	60,630	0.18
TRUBB	0.96	0.02	11,306	0.95	Construction Mat	-	-	-	-	PTTGC13P2412A	-	-	-	-
UPOIC	6.60	-	6	6.60	CCP	0.29	(0.01)	3,545	0.29	PTTGC13P2502A	0.39	(0.08)	6,368	0.41
UVAN	9.35	0.05	2,725	9.35	DCC	1.88	-	34,398	1.86	PTTGC13P2502B	0.19	(0.06)	32,973	0.20
VPO	0.63	(0.04)	26,835	0.66	DCON	0.31	-	24,389	0.31	PTTGC19C2412A	-	-	-	-
Banking	-	-	-	-	DCON-W3	0.01	(0.01)	1,629,952	0.01	PTTGC19C2412B	-	-	-	-
BAY	24.90	0.20	1,262	24.84	DRT	7.75	-	2,091	7.74	PTTGC19C2501A	0.19	0.04	48,289	0.17
BBL	151.00	2.50	81,128	150.57	EPG	4.96	0.16	34,867	4.91	PTTGC19C2501B	-	-	-	-
BBL11C2412A	-	-	-	-	GEL	0.10	0.01	6,041	0.09	PTTGC19C2502A	-	-	-	-
BBL11C2501A	-	-	-	-	GEL-W5	-	-	-	-	PTTGC19C2504A	0.15	0.02	39,337	0.14
BBL11C2502A	0.22	0.04	4,100	0.22	PPP	1.61	-	1	1.61	PTTGC19P2412A	-	-	-	-
BBL13C2412A	0.06	0.01	10,198	0.06	Q-CON	9.25	(0.30)	2,401	9.40	PTTGC19P2503A	0.21	(0.06)	23,856	0.23
BBL13C2501A	0.09	0.01	12,105	0.09	SCC	193.50	6.50	44,772	192.64	PTTGC41C2412A	-	-	-	-
BBL13C2503A	0.23	0.04	73,403	0.22	SCC01C2412A	0.02	0.01	4,007	0.01	PTTGC41C2412B	-	-	-	-
BBL13P2412A	0.01	(0.01)	1,750	0.01	SCC01C2502A	0.09	0.02	5,261	0.08	PTTGC41C2501A	0.15	0.04	47,400	0.15
BBL13P2501A	0.21	(0.04)	8,470	0.22	SCC01C2503A	0.04	0.01	53	0.03	PTTGC41C2502A	0.04	(0.01)	10	0.04
BBL19C2502A	0.10	0.01	51	0.10	SCC01P2503A	0.86	(0.14)	9,301	0.89	PTTGC41C2502B	-	-	-	-
BBL19C2503A	0.23	0.02	6,642	0.23	SCC13C2501A	0.02	0.01	1,795	0.01	PTTGC41C2503A	0.14	0.04	24,607	0.13
BBL19C2503B	0.34	0.05	54,190	0.33	SCC13C2501B	0.01	-	1,000	0.01	PTTGC41P2502A	-	-	-	-
BBL41C2412A	-	-	-	-	SCC13C2502A	0.05	0.01	4	0.05	SUTHA	3.00	-	199	3.00
BBL41C2502A	0.10	0.02	3,000	0.10	SCC13C2503A	0.10	0.02	59,288	0.10	TPA	-	-	-	-
BBL41C2504A	0.38	0.04	70,970	0.37	SCC13C2504A	0.58	(0.42)	128,639	0.56	UAC	3.66	0.06	2,790	3.66
CIMBT	0.55	0.01	6,303	0.55	SCC13P2502A	0.86	(0.13)	69,413	0.88	UP	17.30	0.30	20	17.25
CREDIT	22.20	(0.40)	774	22.17	SCC19C2501A	-	-	-	-	Commerce	-	-	-	-
KBANK	149.00	1.50	127,326	149.05	SCC19C2502A	0.03	-	193	0.03	ADVICE	5.85	(0.15)	69,857	5.95
KBANK01C2412A	0.28	0.04	2,104	0.28	SCC19C2503A	0.11	0.02	54,948	0.10	B52	0.35	0.01	1,630	0.35
KBANK01C2501A	0.29	0.03	12,289	0.29	SCC41C2503A	0.12	0.02	27,089	0.12	BEAUTY	0.40	-	25,413	0.40
KBANK01C2502A	0.10	0.01	4,107	0.10	SCCC	161.50	(0.50)	265	161.46	BIG	0.36	(0.02)	26,500	0.37
KBANK01C2503A	0.32	0.02	97,668	0.32	SCGD	6.05	-	1,688	6.07	BJC	22.70	0.30	50,910	22.61
KBANK01P2412X	0.01	-	1	0.01	SCP	6.95	-	2,177	6.98	BJC01C2412A	-	-	-	-
KBANK01P2502A	-	-	-	-	SKN	5.55	(0.15)	113	5.61	BJC01C2503A	0.06	(0.01)	11,000	0.06
KBANK01P2502B	0.43	(0.04)	11,035	0.43	STECH	1.10	0.02	367	1.11	BJC13C2412A	-	-	-	-
KBANK13C2412A	0.09	0.01	7,169	0.09	TASCO	18.60	0.10	78,598	18.67	BJC13C2502A	-	-	-	-
KBANK13C2501A	-	-	-	-	TASCO01C2501/	0.16	0.01	5,207	0.16	BJC13C2503A	0.26	0.02	30,743	0.25
KBANK13C2501B	0.05	-	534	0.04	TASCO13C2501/	0.12	-	14,507	0.12	BJC19C2502A	-	-	-	-
KBANK13C2503A	0.29	0.01	88,728	0.29	TASCO19C2502/	0.21	-	33,405	0.21	BJC19C2503A	0.22	0.01	15,698	0.22
KBANK13P2412A	0.02	0.01	2	0.02	TOA	16.70	0.20	3,780	16.58	COM7	26.75	0.25	29,537	26.77
KBANK13P2501A	-	-	-	-	TPPL	1.10	-	24,626	1.10	COM701C2412W	-	-	-	-
KBANK13P2501B	0.11	(0.03)	2,013	0.11	UMI	0.76	-	1,278	0.75	COM701C2501A	0.09	(0.01)	15	0.09
KBANK19C2501A	0.14	0.01	59,139	0.14	VNG	3.38	0.02	884	3.38	COM701C2503A	0.19	-	19,559	0.19
KBANK19C2502A	0.17	0.01	23,082	0.17	WIJK	1.09	0.03	5,718	1.07	COM701P2501A	0.13	(0.01)	991	0.13
KBANK19C2502B	0.10	-	4,000	0.11	WIJK-W3	0.07	0.01	5,643	0.06	COM713C2412A	-	-	-	-
KBANK19C2504A	0.38	(0.62)	39,844	0.38	WINDOW	0.82	0.01	18,868	0.82	COM713C2501A	0.10	-	69,955	0.10
KBANK19P2501A	-	-	-	-	Petrochemicals &	-	-	-	-	COM713P2501A	0.11	(0.01)	455	0.11
KBANK19P2502A	-	-	-	-	BCT	67.75	-	35	65.70	COM719C2501A	-	-	-	-
KBANK41C2501A	0.24	0.02	45,600	0.24	CMAN	2.10	0.04	4,815	2.09	COM719C2502A	0.17	-	2,582	0.18
KBANK41C2502A	0.10	(0.01)	6,400	0.11	GC	4.98	-	883	4.97	COM719P2412A	-	-	-	-
KBANK41C2604T	0.74	0.02	28,801	0.74	GGC	4.54	0.04	70	4.54	COM719P2502A	-	-	-	-
KBANK41P2502A	-	-	-	-	GIFT	2.34	-	2,124	2.33	COM741C2412A	-	-	-	-
KKP	51.50	0.75	20,542	51.45	GIFT-W2	0.35	(0.23)	5,721	0.40	COM741C2501A	-	-	-	-
KKP-W6	1.30	(0.04)	4,229	1.32	IVL	25.50	-	63,202	25.53	COM741C2501B	0.17	0.01	46,460	0.17
KKP13C2412A	-	-	-	-	IVL01C2412W	0.70	(0.05)	3,449	0.79	CPALL	63.25	(0.50)	187,624	63.61
KKP13C2412B	-	-	-	-	IVL01C2501W	1.36	-	266	1.38	CPALL01C2412A	0.05	(0.02)	7,383	0.06
KKP13C2501A	0.28	0.01	28,885	0.28	IVL01C2502A	0.57	(0.05)	794	0.61	CPALL01C2501A	0.32	(0.06)	582	0.33
KKP13C2502A	0.19	0.01	32,014	0.18	IVL01C2502B	0.33	(0.03)	5,047	0.36	CPALL01C2502A	0.11	(0.01)	16,971	0.12
KKP19C2501A	0.29	0.02	10,644	0.28	IVL01C2503A	0.11	(0.01)	12,122	0.12	CPALL01C2504A	0.26	(0.03)	36,672	0.29
KKP19C2503A	0.31	0.01	17,084	0.31</										

## Main Board Quotation

Issue Date :

Monday November 18, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPW	2.24	-	2,636	2.23	DITTO	17.60	(0.60)	39,473	17.87	DELTA06C2412A	-	-	-	-
CRC	33.50	-	51,869	33.44	DITTO-W1	0.87	0.01	552	0.82	DELTA06C2502A	1.00	(0.01)	4	1.00
CRC01C2412A	-	-	-	-	DTCENT	1.13	(0.01)	12,182	1.13	DELTA11C2411A	-	-	-	-
CRC01C2501A	0.28	(0.02)	2,122	0.29	FORTH	12.00	(0.20)	5,754	12.15	DELTA11C2501A	1.01	0.01	26,984	1.02
CRC01C2503A	0.14	(0.01)	3,903	0.15	FORTH13C2412	0.01	(0.01)	1	0.01	DELTA11C2501B	-	-	-	-
CRC11C2501A	-	-	-	-	FORTH19C2501	0.08	(0.01)	3,110	0.08	DELTA13C2412A	1.64	-	350	1.63
CRC13C2412A	-	-	-	-	GABLE	3.46	0.02	2,011	3.41	DELTA13C2501A	-	-	-	-
CRC13C2412B	-	-	-	-	HUMAN	9.65	(0.25)	1,400	9.69	DELTA13C2502A	1.68	0.01	2,177	1.67
CRC13C2502A	0.11	-	4,938	0.11	ICN	2.50	0.02	8,521	2.49	DELTA13C2502B	1.20	0.01	4,331	1.18
CRC13C2503A	0.22	(0.01)	6,523	0.22	ILINK	5.75	(0.30)	18,960	5.93	DELTA13C2503A	0.89	0.01	24,909	0.88
CRC19C2501A	0.26	-	50	0.26	INET	6.60	(0.40)	494,929	6.97	DELTA13C2503B	0.60	0.01	214,173	0.59
CRC19C2502A	0.16	(0.01)	3,294	0.16	INET-W3	-	-	-	-	DELTA13C2503C	0.29	-	104,953	0.29
CRC41C2503A	-	-	-	-	INSET	3.36	-	224,955	3.39	DELTA13P2412A	0.01	-	1	0.01
CSS	1.04	0.08	257,652	1.02	INTUCH	98.50	1.25	85,215	98.43	DELTA13P2502A	0.04	(0.01)	11,791	0.04
DOHOME	10.20	0.35	58,528	10.12	INTUCH01C241	0.83	-	7,466	0.86	DELTA13P2502B	0.12	(0.01)	73,230	0.12
DOHOME01C2501A	0.02	0.01	101	0.02	INTUCH01C250	0.14	0.01	22,967	0.14	DELTA13P2503A	0.28	(0.02)	262,641	0.29
DOHOME01C2503A	0.11	0.02	21,686	0.11	INTUCH13C241	0.28	(0.03)	1,120	0.28	DELTA13P2503B	0.69	(0.03)	263,678	0.70
DOHOME13C2412A	-	-	-	-	INTUCH13C250	0.32	-	123,872	0.32	DELTA19C2412A	-	-	-	-
DOHOME13C2502A	0.09	-	7,521	0.08	INTUCH13C250	0.17	0.01	43,936	0.18	DELTA19C2502A	-	-	-	-
DOHOME13C2503A	0.17	0.03	34,150	0.16	INTUCH13C250	0.08	(0.01)	61	0.08	DELTA19C2503A	1.07	(0.01)	3,817	1.04
DOHOME19C2501A	-	-	-	-	INTUCH13C250	0.63	0.02	141,898	0.63	DELTA19C2503B	0.73	0.01	54,465	0.72
DOHOME19C2502A	0.11	0.02	13,598	0.11	INTUCH13P241	0.01	-	80	0.01	DELTA19P2412A	-	-	-	-
DOHOME41C2412A	-	-	-	-	INTUCH13P250	0.39	(0.05)	38,532	0.40	DELTA19P2502A	0.05	0.01	4,060	0.05
DOHOME41C2501A	-	-	-	-	INTUCH19C241	0.44	(0.16)	844	0.45	DELTA19P2503A	0.19	(0.02)	36,645	0.20
FN	0.91	(0.02)	847	0.89	INTUCH19C250	0.42	0.02	125,877	0.42	DELTA19P2504A	0.49	(0.02)	32,510	0.49
GLOBAL	16.00	0.50	69,506	15.97	INTUCH19C250	0.22	0.01	59,449	0.22	DELTA41C2412A	-	-	-	-
GLOBAL01C2503A	0.23	0.03	82,152	0.23	INTUCH19C250	0.13	-	22,000	0.14	DELTA41C2502A	1.24	0.03	103	1.18
GLOBAL11C2501A	0.13	0.03	5,400	0.14	ITEL	2.24	-	41,966	2.24	DELTA41C2503A	0.64	0.01	111,531	0.63
GLOBAL13C2501A	0.19	0.04	42,254	0.19	JAS	2.28	(0.06)	411,427	2.31	DELTA41P2412A	-	-	-	-
GLOBAL19C2412A	-	-	-	-	JAS-W4	0.51	(0.01)	269,371	0.51	DELTA41P2502A	0.14	-	2,770	0.15
GLOBAL19C2503A	0.28	0.04	47,007	0.28	JAS13C2412A	-	-	-	-	HANA	31.00	0.75	74,901	30.52
HMPRO	9.70	0.30	212,217	9.65	JAS13C2502A	0.11	(0.02)	8,220	0.12	HANA01C2412W	-	-	-	-
HMPRO01C2501A	0.13	0.03	29,135	0.13	JAS13C2503A	0.27	(0.04)	24,642	0.29	HANA01C2501W	0.02	0.01	3	0.02
HMPRO01C2503A	-	-	-	-	JAS19C2412A	0.01	(0.01)	2	0.01	HANA01C2502W	0.03	0.01	521	0.03
HMPRO01C2504A	0.34	0.04	17,228	0.34	JAS19C2501A	0.08	(0.01)	202	0.08	HANA01C2504W	0.11	0.01	34,659	0.10
HMPRO11C2412A	0.23	0.06	3,000	0.23	JAS19C2503A	0.22	(0.04)	17,093	0.24	HANA01P2501W	0.47	-	3,150	0.49
HMPRO11C2412B	-	-	-	-	JMART	13.30	(0.20)	68,668	13.30	HANA01P2503W	0.95	-	4,432	0.96
HMPRO11C2502A	-	-	-	-	JMART-W5	0.57	(0.02)	42	0.57	HANA06C2412A	0.01	-	262	0.01
HMPRO11C2501A	0.21	0.03	42,532	0.21	JMART01C2501	0.08	(0.02)	1	0.08	HANA13C2412A	-	-	-	-
HMPRO13C2501B	-	-	-	-	JMART01C2503	0.22	(0.01)	37,877	0.23	HANA13C2412B	0.01	-	100	0.01
HMPRO19C2501A	0.34	0.06	1,454	0.33	JMART13C2412	-	-	-	-	HANA13C2502A	0.03	-	4,061	0.02
HMPRO19C2501B	-	-	-	-	JMART13C2501	0.14	(0.03)	8,218	0.16	HANA13C2503A	0.07	-	32,364	0.07
HMPRO19C2502A	0.07	0.02	2	0.07	JMART13C2501E	0.04	-	2,510	0.04	HANA13C2504A	0.14	0.01	61,836	0.13
HMPRO19C2503A	0.27	0.03	36,406	0.26	JMART13C2504	0.29	(0.71)	71,564	0.29	HANA13C2505A	0.28	(0.72)	51,920	0.26
HMPRO41C2503A	0.26	0.04	30,000	0.25	JMART19C2412	-	-	-	-	HANA13P2502A	0.80	(0.02)	1,008	0.79
ICC	32.75	0.50	93	31.51	JMART19C2501	0.32	(0.04)	10,964	0.34	HANA13P2503A	0.54	(0.04)	41,769	0.57
ILM	17.30	(0.10)	1,520	17.35	JMART19C2501E	-	-	-	-	HANA19C2501A	-	-	-	-
IT	5.05	0.13	2,874	4.96	JMART19C2501C	0.05	(0.04)	540	0.05	HANA19C2501B	0.02	-	1,013	0.02
KAMART	10.30	(0.30)	50,775	10.33	JMART19C2503	0.18	(0.01)	25,793	0.18	HANA19C2502A	0.07	-	1,584	0.07
LOXLEY	1.39	(0.01)	2,934	1.38	JMART19C2504	0.28	(0.03)	40,900	0.30	HANA19C2504A	0.30	(0.70)	73,543	0.28
MC	11.00	(0.10)	14,130	10.96	JMART41C2412	0.08	(0.02)	7,110	0.08	HANA19P2504A	-	-	-	-
MEGA	36.00	-	4,660	36.18	JMART41C2501	0.09	(0.01)	12,603	0.09	HANA41C2501A	-	-	-	-
MEGA13C2502A	0.08	(0.01)	7	0.08	JMART41C2504	0.28	(0.02)	66,536	0.29	HANA41C2502A	0.04	-	110	0.03
MEGA19C2502A	0.12	0.01	792	0.12	JTS	67.75	0.50	5,726	67.97	HANA41C2504A	0.23	(0.77)	15,400	0.22
MIDA	0.42	0.01	1,940	0.41	MFECC	6.10	-	764	6.07	KCE	28.00	-	81,801	27.93
MOSHI	48.50	1.00	14,133	48.46	MSC	7.90	(0.05)	20	7.83	KCE01C2412W	-	-	-	-
RS	6.00	0.10	49,906	5.89	PT	9.45	0.05	1,726	9.38	KCE01C2501W	0.02	-	398	0.02
RS-W5	4.78	-	50	4.78	ROCTEC	0.90	(0.03)	152,311	0.90	KCE01C2503A	0.03	-	4,325	0.03
RSP	1.94	(0.01)	582	1.91	ROCTEC-W3	0.03	-	20,543	0.02	KCE01C2504W	0.10	-	31,415	0.10
SABUY	0.47	(0.03)	801,766	0.44	ROCTEC-W5	0.06	-	135,858	0.06	KCE01P2412W	1.05	0.07	2,348	1.04
SCM	3.70	(0.14)	1,170	3.71	SAMART	7.70	0.35	103,769	7.54	KCE01P2501W	0.61	0.04	5,740	0.60
SCM-W2	0.84	0.02	1,095	0.81	SAMTEL	6.85	0.10	2,433	6.86	KCE01P2503W	0.93	0.03	3,915	0.93
SINGER	9.05	0.05	21,221	9.07	SDC	0.06	-	98,394	0.06	KCE01P2504A	0.44	0.01	26,345	0.45
SPC	60.00	1.00	372	59.42	SIS	28.25	0.75	3,125	28.16	KCE11C2501A	0.01	-	194	0.01
SPI	-	-	-	-	SKY	22.90	(0.10)	3,842	22.94	KCE11C2502A	-	-	-	-
SVT	1.59	(0.02)	4,128	1.60	SPREME	1.79	(0.02)	21,519	1.79	KCE13C2412A	-	-	-	-
TAN	8.35	(0.20)	3,584	8.40	SVOA	1.28	-	7,083	1.29	KCE13C2412B	-	-	-	-
Information & Comm	-	-	-	-	SYMC	8.20	0.05	3,666	8.17	KCE13C2501A	0.01	-	3,000	0.01
3BBIF	5.70	-	85,474	5.69	SYNEX	15.20	0.20	4,436	15.08	KCE13C2503A	0.03	(0.01)	2,005	0.03
ADVANC	286.00	-	39,274	285.62	THCOM	12.90	0.30	85,506	12.80	KCE13C2503B	0.06	-	12,180	0.06
ADVANC01C2412A	0.67	0.06	265	0.67	TKC	11.40	-	130	11.31	KCE13C2504A	0.12	(0.01)	39,901	0.13
ADVANC01C2501A	0.42	(0.01)	5,298	0.42	TRUE	11.80	(0.10)	184,657	11.87	KCE13C2504B	0.21	(0.79)	69,271	0.21
ADVANC01C2503A	0.36	(0.01)	55,235	0.35	TRUE01C2501A	0.15	(0.01)	10,335	0.16	KCE13P2412A	-	-	-	-
ADVANC01C2503B	0.40	-	22,497	0.40	TRUE01C2503A	0.16	(0.01)	15,154	0.17	KCE13P2501A	0.46	-	3,000	0.46
ADVANC01P2412X	-	-	-	-	TRUE01P2412W	-	-	-	-	KCE13P2503A	0.36	(0.01)	59,147	0.37
ADVANC01P2502X	0.07	(0.02)	162	0.07	TRUE01P2503A	0.26	-	6,339	0.26	KCE19C2412A	-	-	-	-
ADVANC01P2503X	0.31	(0.01)	63,353	0.32	TRUE11C2411A	-	-	-	-	KCE19C2501A	-	-	-	-
ADVANC06C2411A	-	-	-	-	TRUE11C2501A	0.21	0.01	1,800	0.21	KCE19C2503A	0.04	-	5,820	0.04
ADVANC06C2501A	0.30	0.01	14,837	0.31	TRUE11C2501B	0.12	(0.01)	9,800	0.13	KCE19C2503B	0.07	(0.01)	110	0.07
ADVANC11C2412A	0.49	0.03	1,600	0.48	TRUE13C2412A	-	-	-	-	KCE19C2504A	0.16	(0.01)	37,476	0.16
ADVANC13C2412A	-	-	-	-	TRUE13C2412B	0.06	(0.02)	100	0.06	KCE19P2412A	-	-	-	-
ADVANC13C2412B	-	-	-	-	TRUE13C2503A	0.16	-	15,868	0.16	KCE19P2501A	-	-	-	-
ADVANC13C2501A	0.20	(0.01)	29,732	0.19	TRUE13P2412A	-	-	-	-	KCE19P2504A	0.43	(0.01)	41,485	0.44
ADVANC13C2502A	0.13	(0.01)	27,401	0.13	TRUE13P2503A	0.19	(0.01)	2,400	0.19	KCE41C2501A	-	-	-	-
ADVANC13C2503A	0.39	(0.01)	21,422	0.39	TRUE19C2501A	0.18	(0.01)	4,890	0.18	KCE41C2502A	0.01	-	1	0.01
ADVANC13C2503B	0.24	-	38,184	0.24	TRUE19C2503A	0.17	-	17						

## Main Board Quotation

Issue Date :

Monday November 18, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANPU01C2503A	0.05	-	9,494	0.05	EA41C2412A	0.01	-	500	0.01	PTTEP	123.50	-	57,381	123.08
BANPU01C2504A	0.22	0.02	35,266	0.21	EASTW	3.00	(0.02)	7,360	2.99	PTTEP01C2412A	0.02	0.01	1	0.02
BANPU01P2501W	-	-	-	-	EGATIF	5.95	(0.05)	53,838	5.95	PTTEP01C2502A	0.05	-	516	0.05
BANPU01P2502A	0.31	(0.01)	7,376	0.31	EGCO	113.00	1.00	3,144	112.39	PTTEP01C2503A	0.13	-	28,729	0.13
BANPU11C2411A	-	-	-	-	EGCO13C2412A	-	-	-	-	PTTEP01C2504A	0.29	-	28,449	0.28
BANPU11C2412A	-	-	-	-	EGCO13C2502A	0.11	-	20,214	0.11	PTTEP01P2412X	-	-	-	-
BANPU11C2501A	-	-	-	-	EGCO19C2412A	-	-	-	-	PTTEP01P2503A	0.64	(0.01)	6,088	0.66
BANPU13C2412A	-	-	-	-	EGCO19C2502A	0.12	-	5,852	0.12	PTTEP06C2501A	-	-	-	-
BANPU13C2412B	-	-	-	-	EP	1.78	(0.02)	1,694	1.76	PTTEP11C2411A	-	-	-	-
BANPU13C2501A	0.05	0.01	5,002	0.04	EP-W4	0.02	-	954	0.02	PTTEP11C2501A	-	-	-	-
BANPU13C2502A	0.04	-	452	0.04	ETC	1.89	0.02	10,989	1.87	PTTEP11C2501B	-	-	-	-
BANPU13C2503A	0.14	-	48,400	0.14	GPSC	41.00	0.25	24,006	40.92	PTTEP11C2502A	0.13	0.01	1,800	0.12
BANPU13P2501A	-	-	-	-	GPSC01C2412A	-	-	-	-	PTTEP13C2412A	-	-	-	-
BANPU13P2502A	0.29	(0.01)	2,000	0.30	GPSC01C2501A	0.17	(0.01)	5,832	0.18	PTTEP13C2501A	0.02	-	601	0.01
BANPU19C2501A	-	-	-	-	GPSC01C2502A	0.06	-	2,300	0.06	PTTEP13C2502A	-	-	-	-
BANPU19C2502A	0.09	-	4,000	0.10	GPSC01C2504W	0.24	-	8,624	0.25	PTTEP13C2503A	0.14	-	28,913	0.13
BANPU19C2502B	0.04	(0.01)	500	0.04	GPSC01P2502A	0.24	-	17,742	0.23	PTTEP13C2504A	0.28	0.01	230,727	0.28
BANPU19C2504A	0.20	-	26,341	0.20	GPSC11C2411A	-	-	-	-	PTTEP13P2502A	0.49	(0.04)	31,048	0.50
BANPU41C2501A	0.14	-	74,600	0.14	GPSC11C2501A	-	-	-	-	PTTEP19C2412A	-	-	-	-
BANPU41C2502A	-	-	-	-	GPSC11C2502A	0.19	-	6,000	0.20	PTTEP19C2502A	0.06	-	300	0.06
BBGI	4.58	(0.06)	23,826	4.59	GPSC13C2412A	-	-	-	-	PTTEP19C2503A	0.16	-	35,643	0.16
BCP	30.50	1.25	121,085	30.23	GPSC13C2501A	0.13	-	24,288	0.13	PTTEP19C2504A	0.28	0.01	15,116	0.28
BCP01C2412A	-	-	-	-	GPSC13C2501B	-	-	-	-	PTTEP41C2412A	-	-	-	-
BCP01C2501A	0.04	0.01	600	0.04	GPSC13C2503A	0.15	-	4,907	0.15	PTTEP41C2502A	-	-	-	-
BCP01C2502A	0.02	-	4,503	0.02	GPSC13P2501A	0.24	(0.03)	12,272	0.24	PTTEP41C2503A	0.17	0.01	22,100	0.16
BCP01C2504A	0.15	0.03	35,516	0.15	GPSC19C2501A	0.14	-	8,050	0.14	PTTEP41C2604T	0.19	-	6,511	0.19
BCP01P2502A	0.38	(0.09)	11,974	0.41	GPSC19C2502A	0.08	(0.02)	15	0.08	PTTEP41P2412A	-	-	-	-
BCP11C2501A	-	-	-	-	GPSC19C2503A	0.16	-	28,250	0.17	PTTEP41P2503A	0.43	(0.04)	9,950	0.45
BCP11C2502A	-	-	-	-	GPSC41C2412A	-	-	-	-	RATCH	30.50	0.75	17,737	30.16
BCP13C2412A	-	-	-	-	GPSC41C2502A	-	-	-	-	RATCH01C2503A	0.11	-	18,342	0.11
BCP13C2501A	0.02	0.01	2	0.02	GPSC41C2504A	0.28	-	34,000	0.28	RATCH13C2412A	0.04	(0.04)	2	0.04
BCP13C2503A	0.10	0.03	20,238	0.09	GREEN	1.06	(0.01)	3,415	1.07	RATCH13C2503A	-	-	-	-
BCP13C2504A	0.25	(0.75)	67,617	0.23	GULF	62.25	1.25	218,545	62.08	RATCH19C2412A	-	-	-	-
BCP13P2501A	0.31	0.02	530	0.31	GULF01C2412A	0.67	0.06	6,962	0.66	RATCH19C2502A	-	-	-	-
BCP19C2412A	-	-	-	-	GULF01C2502A	0.39	0.05	24,868	0.38	RPC	0.46	(0.02)	3,434	0.46
BCP19C2501A	0.02	(0.02)	24,004	0.02	GULF01C2502B	0.26	0.04	126,328	0.26	SCG	3.50	0.02	10	3.49
BCP19C2503A	0.13	0.02	32,258	0.12	GULF01C2503A	0.16	0.02	35,409	0.16	SCN	0.73	0.01	14,554	0.72
BCP19C2503B	0.08	(0.02)	38,454	0.08	GULF01P2501A	0.02	(0.01)	77	0.02	SCN-W2	0.07	(0.01)	4,457	0.07
BCP41C2502A	-	-	-	-	GULF06C2503A	0.27	0.03	19,570	0.27	SCN-W3	-	-	-	-
BCP41C2504A	0.15	0.03	36,422	0.15	GULF13C2412A	0.87	0.07	10	0.87	SEA OIL	2.66	0.02	4,536	2.67
BCPG	5.65	0.10	20,609	5.62	GULF13C2412B	-	-	-	-	SGP	7.25	(0.05)	227	7.16
BCPG01C2502A	0.02	(0.02)	504	0.02	GULF13C2501A	0.26	0.03	128,940	0.26	SKE	0.32	(0.01)	16,936	0.32
BCPG13C2501A	0.02	(0.01)	370	0.02	GULF13C2502A	0.20	0.03	317,267	0.20	SKE-W1	0.07	-	7,204	0.07
BCPG13C2502A	-	-	-	-	GULF13C2502B	0.12	0.02	255,832	0.12	SOLAR	0.50	0.02	5,485	0.49
BCPG19C2503A	-	-	-	-	GULF13P2412A	-	-	-	-	SPCG	8.15	0.05	3,158	8.18
BGRIM	20.40	0.20	43,690	20.37	GULF13P2501A	0.01	-	801	0.01	SPRC	6.50	0.45	233,931	6.43
BGRIM01C2501A	0.10	-	33,471	0.10	GULF13P2502A	0.08	(0.01)	3,779	0.07	SPRC01C2502A	0.10	0.04	25,852	0.10
BGRIM01C2502A	-	-	-	-	GULF13P2502B	0.29	(0.06)	139,562	0.30	SPRC13C2412A	-	-	-	-
BGRIM01C2503A	-	-	-	-	GULF19C2412A	0.75	(0.49)	8,000	0.80	SPRC13C2501A	0.04	0.01	220	0.04
BGRIM01C2504A	0.23	-	39,196	0.24	GULF19C2501A	-	-	-	-	SPRC13C2503A	0.13	0.04	47,765	0.13
BGRIM11C2412A	-	-	-	-	GULF19C2502A	0.41	0.02	14,514	0.40	SPRC19C2501A	-	-	-	-
BGRIM11C2501A	-	-	-	-	GULF19C2503A	0.29	0.03	99,630	0.29	SPRC19C2503A	0.16	0.05	42,341	0.15
BGRIM11C2502A	0.17	-	1,000	0.17	GULF19C2503B	0.18	0.02	68,157	0.18	SSP	5.80	0.15	5,995	5.73
BGRIM13C2412A	-	-	-	-	GULF19P2501A	-	-	-	-	SSP-W2	0.05	(0.01)	2,873	0.06
BGRIM13C2502A	0.07	-	180	0.07	GULF19P2503A	0.37	(0.06)	143,474	0.37	SUPER	0.28	-	473,742	0.27
BGRIM13C2503A	0.18	-	5,698	0.18	GULF41C2502A	0.58	0.02	2,050	0.59	SUPEREIF	6.65	(0.05)	693	6.65
BGRIM13C2504A	0.34	0.01	39,457	0.34	GULF41C2502B	0.37	0.04	73,365	0.37	SUSCO	3.10	0.04	10,623	3.08
BGRIM19C2501A	0.13	0.01	12,882	0.13	GULF41C2605T	0.74	0.03	84,762	0.74	TAE	0.84	(0.02)	1,541	0.85
BGRIM19C2502A	0.10	-	14,416	0.10	GUNKUL	2.32	0.02	98,864	2.30	TCC	0.41	(0.04)	13,053	0.42
BGRIM19C2504A	0.37	(0.63)	108,007	0.37	GUNKUL13C241	-	-	-	-	TCC-W5	0.17	(0.01)	17,560	0.17
BGRIM41C2412A	0.01	-	1,002	0.01	GUNKUL13C250	0.05	(0.02)	800	0.05	TGE	2.36	(0.06)	3,024	2.39
BGRIM41C2502A	0.09	-	6,550	0.09	GUNKUL19C241	-	-	-	-	TGE-W1	1.38	0.14	152	1.28
BGRIM41C2504A	0.29	-	55,666	0.30	IRPC	1.39	0.03	125,347	1.39	TOP	40.75	0.75	147,491	40.41
BIOTEC	0.27	-	9,070	0.27	IRPC01C2502A	0.06	-	820	0.06	TOP01C2412A	-	-	-	-
BIOTEC-P	-	-	-	-	IRPC01C2504A	0.19	-	2,916	0.19	TOP01C2503A	0.05	-	7,490	0.05
BIOTEC-Q	-	-	-	-	IRPC13C2412A	-	-	-	-	TOP01C2504A	0.16	0.01	37,384	0.16
BIOTEC-W2	0.05	(0.01)	279	0.05	IRPC13C2501A	0.02	(0.01)	3	0.01	TOP01P2504A	0.36	(0.04)	52,194	0.39
BPP	11.40	0.10	5,128	11.25	IRPC13C2502A	-	-	-	-	TOP11C2412A	-	-	-	-
BRRGIF	3.78	0.02	3,861	3.80	IRPC13C2503A	0.17	0.01	8,318	0.17	TOP11C2501A	-	-	-	-
BSRC	7.40	0.10	12,438	7.36	IRPC19C2501A	-	-	-	-	TOP11C2502A	-	-	-	-
CKP	3.36	0.14	78,755	3.33	IRPC19C2502A	-	-	-	-	TOP13C2412A	-	-	-	-
CKP01C2504A	0.18	0.03	15,238	0.17	IRPC19C2503A	0.15	0.01	19,998	0.14	TOP13C2502A	0.03	-	11,815	0.03
CKP13C2412A	0.02	-	1	0.02	KBSPIF	8.00	0.20	1,865	7.92	TOP13C2503A	0.09	0.02	310	0.09
CKP13C2501A	-	-	-	-	LANNA	16.00	0.10	2,432	15.98	TOP13C2503B	0.13	0.01	129,704	0.13
CKP19C2502A	-	-	-	-	MDX	3.58	(0.24)	24,007	3.71	TOP13P2503A	0.31	(0.04)	60,474	0.34
CV	0.21	-	16,811	0.21	NOVA	9.90	(0.10)	68	9.90	TOP19C2412A	-	-	-	-
CV-W1	0.15	-	8,719	0.14	OR	14.60	0.40	65,850	14.50	TOP19C2502A	0.04	-	150	0.04
DEMCO	3.14	(0.12)	1,870	3.12	OR01C2412A	-	-	-	-	TOP19C2503A	0.09	(0.01)	102	0.09
DEMCO-W7	-	-	-	-	OR01C2502A	0.09	0.02	2	0.09	TOP19C2503B	0.16	0.02	263,835	0.15
EA	5.80	-	950,662	5.60	OR01C2503A	-	-	-	-	TOP41C2412A	-	-	-	-
EA01C2412A	0.01	(0.01)	1,000	0.01	OR13C2501A	-	-	-	-	TOP41C2502A	0.05	0.01	607	0.05
EA01C2412W	0.01	(0.01)	23	0.01	OR13C2501B	-	-	-	-	TOP41C2503A	0.21	0.02	81,002	0.21
EA06C2412A	0.05	(0.01)	1	0.05	OR13C2503A	0.17	0.03	26,748	0.16	TPIPP	3.02	0.02	13,596	3.01
EA13C2412A	0.02	-	3,938	0.01	OR19C2501A	-	-	-	-	TSE	0.91	-	8,967	0.91
EA13C2412B	-	-	-	-	OR19C2502A	0.03	(0.01)	66	0.03	TTW	8.95	0.05	6,665	8.92
EA13C2412C	0.15	(0.03)	74,160	0.12	OR19C2503A	0.10	0.01	600	0.10	UBE	0.77	0.02	20,233	0.76
EA13C2412D	0.01	(0.01)	100	0.01	OR19C2504A	0.22	0.03	51,508	0.21	WHAUP	4.80	-	53,298	4.77
EA13C2412E	-	-	-											

## Main Board Quotation

Issue Date :

Monday November 18, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
NATION-W4	-	-	-	-	MICRO	1.18	(0.06)	13,334	1.20	CPF01C2501A	-	-	-	-
ONEE	3.66	-	30,491	3.68	ML	0.63	0.01	213	0.62	CPF01C2502A	0.30	-	14,738	0.31
PLANB	7.40	(0.05)	130,417	7.44	MST	9.85	0.15	215	10.00	CPF01C2503A	-	-	-	-
PLANB-W1	0.08	-	34,136	0.09	MTC	47.00	-	58,967	47.68	CPF13C2412A	-	-	-	-
PLANB13C2412A	-	-	-	-	MTC01C2412A	0.13	(0.02)	34,127	0.16	CPF13C2501A	-	-	-	-
PLANB13C2503A	0.21	(0.01)	67,891	0.22	MTC01C2502A	0.09	(0.01)	15,607	0.11	CPF13C2502A	0.21	(0.02)	31,001	0.22
PLANB19C2412A	-	-	-	-	MTC01C2504A	0.31	(0.01)	45,605	0.34	CPF13C2503A	0.10	-	1	0.10
PLANB19C2503A	0.26	(0.02)	25,908	0.26	MTC01P2502A	0.36	(0.01)	35,803	0.34	CPF19C2501A	-	-	-	-
PRAKIT	10.80	(0.30)	211	10.84	MTC13C2412A	-	-	-	-	CPF19C2502A	0.23	(0.02)	48,220	0.25
PTECH	1.24	0.13	1	1.24	MTC13C2502A	0.12	(0.01)	31,030	0.14	CPF41C2503A	0.24	(0.01)	32,000	0.25
SE-ED	2.04	-	124	2.04	MTC13C2503A	0.25	-	212,273	0.27	CPI	2.98	(0.02)	5,649	3.03
TKS	6.70	0.05	1,982	6.66	MTC13P2412A	-	-	-	-	F&D	42.25	2.00	3	41.75
VGI	2.44	0.08	556,314	2.38	MTC13P2502A	0.29	(0.01)	40,236	0.27	FM	4.10	0.14	71,369	4.09
VGI-W3	0.09	0.01	12,791	0.08	MTC19C2412A	0.09	(0.02)	101,000	0.12	GLOCON	0.19	(0.01)	52,324	0.19
VGI01C2501A	0.94	0.08	3,599	0.84	MTC19C2502A	0.14	(0.02)	44,556	0.16	HTC	16.40	0.10	4,316	16.69
VGI01C2501B	0.17	0.01	33,394	0.16	MTC19C2504A	0.29	(0.01)	199,605	0.32	ICHI	15.40	0.10	72,017	15.33
VGI01C2502A	0.11	0.02	7,239	0.10	MTC19P2501A	-	-	-	-	ICHI01C2503A	0.19	0.01	39,143	0.18
VGI01P2412X	-	-	-	-	MT41C2412A	0.24	(0.01)	14,000	0.24	ICHI13C2501A	0.10	-	4,166	0.10
VGI01P2501X	0.07	(0.01)	2,980	0.07	MT41C2502A	0.12	-	96,466	0.14	ITC	21.00	(0.30)	51,111	21.10
VGI06C2502A	0.11	0.01	12,046	0.10	NCAP	1.79	(0.01)	49,873	1.80	ITC01C2412A	0.01	(0.01)	1	0.01
VGI13C2412A	0.39	(0.05)	250	0.39	PL	1.67	(0.03)	1,129	1.63	ITC01C2501A	0.12	(0.02)	20,739	0.13
VGI13C2501A	0.22	0.01	57,188	0.19	S11	2.44	(0.06)	871	2.46	ITC01C2503A	-	-	-	-
VGI13C2501B	0.11	0.02	38,033	0.09	SAK	5.40	0.05	11,738	5.39	ITC01C2504A	0.31	(0.02)	13,910	0.32
VGI13P2412A	-	-	-	-	SAWAD	38.75	1.00	30,210	38.73	ITC11C2501A	0.13	-	2,400	0.13
VGI13P2501A	0.19	(0.05)	5,110	0.21	SAWAD-W2	0.40	(0.01)	117	0.42	ITC11C2501B	-	-	-	-
VGI19C2501A	0.17	0.02	47,878	0.15	SAWAD01C2501	0.55	0.05	5,210	0.54	ITC13C2501A	0.08	(0.02)	310	0.08
VGI19C2502A	0.13	0.01	74,301	0.12	SAWAD01C2501	0.19	0.03	23,934	0.19	ITC13C2502A	0.03	(0.02)	500	0.03
VGI19P2501A	-	-	-	-	SAWAD01C2502	0.10	0.02	8,068	0.10	ITC13C2504A	0.34	(0.04)	30,036	0.35
VGI19P2503A	0.36	(0.64)	34,706	0.39	SAWAD01C2504	0.26	0.03	34,721	0.25	ITC19C2501A	0.12	(0.02)	15,996	0.13
VGI41C2412A	-	-	-	-	SAWAD01P2501	-	-	-	-	ITC19C2503A	-	-	-	-
VGI41C2412B	-	-	-	-	SAWAD01P2502	0.15	(0.03)	33,495	0.16	JDF	2.10	-	932	2.09
VGI41C2501A	0.24	0.04	57,490	0.21	SAWAD13C2412	-	-	-	-	KBS	5.85	0.05	3,083	5.85
VGI41C2502A	0.10	0.01	4,245	0.09	SAWAD13C2412	-	-	-	-	KCG	9.05	(0.10)	13,438	9.03
WORK	7.95	(0.15)	2,755	8.01	SAWAD13C2501	0.07	0.01	21,025	0.07	KSL	1.92	(0.02)	12,552	1.91
ZAA	0.90	0.04	2,980	0.90	SAWAD13C2503	0.22	0.03	49,660	0.21	KTIS	2.94	0.04	155	2.91
Finance & Securities					SAWAD13P2501	-	-	-	-	LST	4.98	0.04	636	4.98
AEONTS	125.00	(0.50)	2,535	124.62	SAWAD19C2412	0.11	0.02	19,638	0.11	M	25.75	0.75	10,230	25.21
AEONTS13C2412A	0.04	(0.01)	2,728	0.03	SAWAD19C2501	-	-	-	-	MALEE	8.80	(0.45)	49,124	8.90
AMANAHA	1.11	(0.04)	9,590	1.11	SAWAD19C2502	0.14	0.01	32,562	0.14	NRF	1.42	(0.12)	50,624	1.46
ASAP	2.14	-	81	2.15	SAWAD19C2504	0.26	0.02	64,457	0.26	NSL	32.75	(0.25)	7,412	32.85
ASK	10.60	0.20	5,093	10.45	SAWAD19P2501	-	-	-	-	OKJ	15.30	0.60	132,807	15.39
ASP	2.42	(0.04)	14,018	2.43	SAWAD19P2504	0.39	(0.61)	13,086	0.39	OSP	21.10	0.10	76,870	21.09
BAM	6.90	0.15	112,698	6.89	SAWAD41C2501	-	-	-	-	OSP01C2412A	-	-	-	-
BAM01C2501A	0.04	-	100	0.04	SAWAD41C2502	0.16	0.02	42,600	0.16	OSP01C2503A	0.12	-	19,963	0.12
BAM01C2502A	-	-	-	-	SAWAD41C2502	-	-	-	-	OSP01C2504A	0.36	0.01	21,817	0.36
BAM01C2504A	0.20	-	18,749	0.20	SCAP	2.02	0.02	30,643	2.03	OSP11C2501A	0.11	-	5,459	0.11
BAM13C2412A	-	-	-	-	SGC	1.31	0.02	116,699	1.31	OSP11C2502A	0.23	-	4,200	0.23
BAM13C2501A	-	-	-	-	SGC-W1	0.30	0.01	9,579	0.29	OSP13C2412A	-	-	-	-
BAM13C2503A	-	-	-	-	SGC-W2	0.38	0.01	12,935	0.38	OSP13C2412B	-	-	-	-
BAM13C2503B	0.12	(0.01)	18,114	0.13	SM	1.00	-	3,233	0.99	OSP13C2501A	-	-	-	-
BAM19C2412A	-	-	-	-	TH	0.79	(0.05)	49,211	0.80	OSP13C2503A	0.26	-	31,143	0.27
BAM19C2502A	0.03	(0.02)	604	0.03	TH-W3	0.14	(0.01)	1,352	0.14	OSP19C2412A	-	-	-	-
BAM19C2503A	0.12	-	12,654	0.12	THANI	1.76	0.03	30,389	1.74	OSP19C2502A	0.10	-	13,810	0.10
BAM19C2504A	0.26	0.01	118,664	0.26	THIDLOR	17.70	0.10	109,000	17.64	OSP19C2503A	0.28	0.01	50,668	0.28
BYD	0.83	0.04	285,169	0.79	TIDLOR13C2412	0.05	-	2,367	0.05	OSP41C2503A	0.26	0.01	81,110	0.26
BYD13C2412A	-	-	-	-	TIDLOR13C2501	0.05	(0.01)	160	0.05	PB	60.00	1.25	75	58.65
BYD13C2412B	-	-	-	-	TIDLOR13C2501	0.27	-	36,996	0.27	PLUS	5.25	0.05	1,859	5.27
BYD19C2501A	0.02	(0.01)	13	0.03	TIDLOR19C2501	0.42	(0.01)	442	0.43	PM	9.45	-	4,070	9.43
CGH	0.67	-	4,269	0.67	TIDLOR19C2501	0.17	-	94,977	0.17	PQS	2.54	0.02	1,340	2.53
CGH-W5	-	-	-	-	TIDLOR19C2504	0.33	(0.67)	26,314	0.33	PRG	9.00	(0.05)	2	9.00
CHASE	1.19	-	10,158	1.18	TK	4.54	(0.12)	313	4.57	PRG-W2	-	-	-	-
CHASE-W1	0.79	(0.01)	244	0.79	TNITY	4.24	(0.10)	5,244	4.33	PRG-W3	4.26	0.08	30	4.26
CHAYO	3.14	-	5,249	3.13	TNL	35.00	1.25	7	34.64	PRG-W4	-	-	-	-
CHAYO-W3	0.16	-	3,418	0.16	UOBKH	5.10	0.10	40	5.06	RBF	5.65	(0.10)	10,243	5.71
ECL	0.95	0.02	3,051	0.95	XPG	0.89	(0.01)	118,381	0.90	RBF01C2501W	0.09	(0.01)	4,137	0.09
FNS	2.38	-	214	2.38	Food & Beverag	-	-	-	-	RBF13C2412A	-	-	-	-
FSX	2.40	(0.06)	633	2.40	AAI	5.70	-	21,625	5.72	RBF13C2501A	-	-	-	-
GBX	0.68	0.01	10,238	0.66	APURE	4.12	(0.12)	3,009	4.16	RBF13C2503A	0.22	(0.01)	50	0.22
GL	-	-	-	-	APURE-W3	0.01	-	1,892	0.01	RBF19C2501A	-	-	-	-
HENG	1.23	(0.03)	21,809	1.23	ASIAN	8.85	-	11,009	8.82	RBF19C2503A	0.25	(0.02)	4,361	0.25
IFS	2.54	-	409	2.50	BR	1.87	0.01	3,518	1.86	SAPPE	73.50	(0.25)	14,019	72.96
JMT	17.90	0.30	116,370	17.82	BR-W1	0.07	-	7,430	0.06	SAPPE01C2502A	0.42	(0.02)	41,475	0.41
JMT-W4	0.01	-	60,639	0.01	BRR	4.80	0.20	15,573	4.81	SAPPE01C2504A	0.95	(0.02)	11,780	0.92
JMT01C2412A	1.06	(0.22)	15	1.06	BRR-W2	0.41	0.03	14,278	0.44	SAPPE13C2501A	0.07	(0.02)	302	0.07
JMT01C2412W	0.50	0.02	86	0.49	BTG	19.60	0.10	9,624	19.55	SAPPE13C2501B	0.20	(0.02)	42,312	0.20
JMT01C2501A	0.25	0.01	45,897	0.25	CBG	78.25	0.75	14,029	78.34	SAPPE13C2502A	0.56	(0.02)	224,146	0.55
JMT01C2502A	0.22	0.01	28,393	0.22	CBG01C2412W	0.12	0.01	12,062	0.13	SAPPE19C2501A	0.26	(0.02)	19,944	0.26
JMT01C2504A	0.49	0.01	31,373	0.49	CBG01C2501W	-	-	-	-	SAPPE19C2502A	0.62	(0.02)	106,056	0.60
JMT13C2412A	-	-	-	-	CBG01C2502W	0.42	0.03	8,670	0.43	SAUCE	39.75	0.25	353	39.55
JMT13C2412B	-	-	-	-	CBG01C2503A	0.35	0.02	19,015	0.35	SNNP	11.80	(0.20)	5,368	11.85
JMT13C2501A	0.26	0.01	68,534	0.25	CBG01P2412W	-	-	-	-	SNNP13C2412A	-	-	-	-
JMT13C2501B	0.12	-	22,954	0.12	CBG01P2502X	0.24	(0.03)	9,253	0.24	SNNP19C2501A	0.03	(0.02)	1	0.03
JMT13C2502A	0.12	0.01	35,267	0.12	CBG01P2504W	0.78	(0.03)	13,935	0.78	SNP	11.40	(0.10)	957	11.47
JMT19C2412A	-	-	-	-	CBG06C2411A	-	-	-	-	SORKON	4.40	0.04	1,028	4.38
JMT19C2501A	0.28	(0.01)	60,236	0.28	CBG13C2412A	0.15	-	2,600	0.16	SSC	62.50	(0.50)	95	62.50
JMT19C2503A	0.21	0.02	37,407	0.20	CBG13C2501A	0.23	-	23,885	0.24	SSF	6.80	(0.15)	870	6.78
JMT19C2504A	0.32	0.02	69,072	0.31	CBG13C2503A	0.49	0.01	66,202	0.49	SST	4.24	(0.56)	177	4.30

## Main Board Quotation

Issue Date :

Monday November 18, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TU19C2504A	0.15	(0.03)	42,377	0.15	ERW13C2503A	0.31	0.09	111,965	0.30	SCGP13C2503B	0.42	0.06	63,275	0.40
TVO	23.70	-	2,929	23.73	ERW19C2412A	0.01	(0.02)	710	0.01	SCGP13P2502A	0.37	(0.06)	7,000	0.39
TWPC	3.00	(0.02)	1,263	3.00	ERW19C2412B	0.06	(0.02)	6,506	0.06	SCGP19C2412A	-	-	-	-
W	0.69	-	73,618	0.68	ERW19C2503A	0.43	0.12	41,662	0.39	SCGP19C2412B	-	-	-	-
W-W6	0.17	(0.01)	404	0.17	GRAND	0.09	(0.01)	302,016	0.08	SCGP19C2501A	0.16	0.03	19,946	0.15
ZEN	7.20	-	274	7.16	LRH	39.25	-	16	38.55	SCGP19C2502A	0.06	0.01	5,792	0.06
Health Care Services					MANRIN	30.50	(0.25)	70	30.51	SCGP19C2503A	0.11	0.01	4,292	0.11
AHC	15.70	(0.10)	97	15.76	MINT	25.75	0.50	128,579	25.80	SCGP19C2504A	0.56	0.05	32,857	0.55
BCH	16.30	(0.10)	30,311	16.35	MINT01C2412A	0.01	-	19,000	0.01	SCGP41C2412A	-	-	-	-
BCH01C2412A	0.01	-	2	0.01	MINT01C2501A	0.04	0.01	10,411	0.04	SCGP41C2412B	-	-	-	-
BCH01C2502A	0.12	(0.01)	9,890	0.12	MINT01C2504A	0.16	0.02	27,713	0.16	SCGP41C2502A	0.18	0.03	32,600	0.18
BCH13C2412A	-	-	-	-	MINT11C2412A	-	-	-	-	SCGP41C2502B	-	-	-	-
BCH13C2501A	0.11	(0.01)	3,914	0.11	MINT11C2501A	-	-	-	-	SFLEX	3.10	(0.04)	26,278	3.11
BCH13C2501B	0.05	(0.01)	1,670	0.05	MINT13C2412A	-	-	-	-	SFLEX-W2	0.08	-	8,262	0.09
BCH19C2501A	0.14	(0.02)	8,598	0.15	MINT13C2412B	-	-	-	-	SITHAI	1.42	0.01	15,205	1.41
BCH19C2502A	0.11	(0.01)	17,431	0.11	MINT13C2503A	0.10	0.01	19,151	0.10	SLP	0.46	-	3,161	0.46
BDMS	27.00	-	175,673	27.11	MINT19C2501A	-	-	-	-	SMPC	9.15	(0.10)	768	9.15
BDMS01C2412A	-	-	-	-	MINT19C2502A	0.05	-	2,500	0.05	SPACK	1.80	(0.03)	1,814	1.81
BDMS01C2503A	0.05	-	2,582	0.05	MINT19C2504A	0.16	0.01	19,363	0.17	TCOAT	-	-	-	-
BDMS01C2503B	0.12	0.01	15,295	0.12	MINT41C2412A	0.01	-	1,001	0.01	TFI	0.07	-	3,735	0.07
BDMS11C2411A	-	-	-	-	MINT41C2501A	-	-	-	-	TFI-W1	0.03	-	33	0.03
BDMS11C2501A	-	-	-	-	MINT41C2502A	-	-	-	-	THIP	28.75	0.25	191	28.26
BDMS11C2502A	0.12	0.02	501	0.11	MINT41C2504A	0.15	0.01	13,507	0.16	TMD	24.20	(0.40)	63	24.27
BDMS13C2502A	0.04	(0.01)	4,000	0.04	MINT41C2604T	0.09	-	224	0.09	TOPP	-	-	-	-
BDMS13C2504A	0.15	-	8,953	0.16	OHTL	344.00	4.00	11	346.18	TPAC	11.00	-	212	10.91
BDMS19C2502A	-	-	-	-	ROH	2.26	(0.04)	10	2.22	TPBI	4.14	(0.06)	1,177	4.14
BDMS19C2503A	0.11	0.01	56	0.11	SHANG	48.50	(1.50)	2	48.50	TPP	12.60	-	32	12.51
BDMS41C2412A	-	-	-	-	SHR	2.14	0.08	30,673	2.13	Personal Products				
BDMS41C2502B	0.11	-	3,400	0.11	SPA	7.25	0.10	16,104	7.20	APCO	4.98	0.02	515	4.98
BH	206.00	(1.00)	61,571	207.15	VRANDA	5.30	-	868	5.20	BIZ	3.40	(0.04)	653	3.42
BH-P	-	-	-	-	Home & Office P					BLC	5.30	(0.15)	28,281	5.29
BH-Q	-	-	-	-	AJA	0.14	-	98,302	0.14	DDD	9.00	0.20	163	8.80
BH01C2412A	0.02	-	831	0.01	AJA-W4	0.01	-	147	0.01	IP	3.42	0.02	1,569	3.39
BH01C2502A	-	-	-	-	DTCI	31.50	1.50	7	32.61	IP-W2	0.23	(0.01)	437	0.23
BH01C2504A	0.30	(0.02)	52,559	0.32	FANCY	0.37	0.01	179	0.37	JCT	-	-	-	-
BH01P2412X	0.33	(0.03)	313	0.33	FTI	2.12	0.04	1,489	2.09	KISS	4.78	-	3,431	4.80
BH01P2502X	1.11	0.03	7,386	1.08	KYE	292.00	1.00	1	292.00	NAM	4.52	(0.06)	1,616	4.60
BH01P2504A	0.75	0.02	26,417	0.74	L&E	1.25	0.14	2,007	1.25	NEO	35.00	(1.25)	9,715	35.20
BH11C2411A	-	-	-	-	MODERN	2.62	0.02	41	2.60	NV	0.95	(0.01)	2,200	0.94
BH13C2501A	0.01	(0.01)	12,823	0.02	OGC	-	-	-	-	OCC	-	-	-	-
BH13C2503A	0.15	(0.01)	92,153	0.16	ROCK	11.10	0.20	105	10.33	S&J	38.50	1.50	89	37.83
BH13P2412A	0.06	(0.02)	590	0.04	SIAM	1.11	(0.01)	250	1.10	STGT	9.85	0.05	47,287	9.84
BH13P2501A	-	-	-	-	TCMC	0.72	-	3,310	0.71	STGT01C2412A	-	-	-	-
BH13P2503A	0.71	(0.01)	58,954	0.69	TSR	0.30	(0.02)	69,038	0.28	STGT01C2412B	0.05	(0.03)	23	0.05
BH19C2501A	-	-	-	-	TSR-W2	0.05	(0.02)	34,248	0.04	STGT01C2501A	-	-	-	-
BH19C2502A	0.02	-	20	0.02	Insurance					STGT01C2502A	-	-	-	-
BH19C2504A	0.15	(0.01)	47,815	0.16	AYUD	31.50	-	22	31.69	STGT01C2503A	0.15	-	19,089	0.15
BH19C2504B	0.32	(0.68)	103,375	0.34	BKIH	296.00	(1.00)	306	293.55	STGT01C2504A	0.58	(0.01)	87,961	0.59
BH19P2504A	0.89	0.01	5,822	0.84	BLA	20.60	0.30	21,385	20.45	STGT01P2502A	0.43	(0.01)	36,490	0.43
BH41C2504A	0.20	(0.01)	66,517	0.21	BLA01C2503A	-	-	-	-	STGT13C2412A	-	-	-	-
BH41C2605T	0.25	(0.01)	17,134	0.26	BLA13C2501A	0.15	-	33,820	0.15	STGT13C2412B	0.02	(0.02)	693	0.02
BKGI	2.26	(0.02)	36,734	2.28	BLA13C2502A	0.10	-	4,202	0.10	STGT13C2501A	0.02	-	34	0.02
CHG	2.74	(0.02)	221,969	2.74	BLA13C2502B	-	-	-	-	STGT13C2502A	0.10	-	88,150	0.10
CHG01C2501A	0.13	(0.02)	13,515	0.14	BLA19C2502A	0.27	0.02	16,660	0.26	STGT13C2503A	0.55	(0.01)	182,277	0.56
CHG13C2412A	-	-	-	-	BLA19C2502B	0.11	0.01	5,199	0.11	STGT13C2504A	0.22	(0.78)	17,156	0.23
CHG13C2504A	0.17	(0.02)	39,592	0.17	BLA19C2502C	-	-	-	-	STGT13P2502A	0.39	(0.02)	49,395	0.40
CHG19C2412A	-	-	-	-	BUI	16.30	(0.10)	85	16.24	STGT19C2412A	-	-	-	-
CMR	1.79	-	562	1.80	CHARAN	21.90	-	61	21.90	STGT19C2502A	-	-	-	-
EKH	6.45	(0.10)	1,346	6.46	INSURE	-	-	-	-	STGT19C2503A	0.13	-	6,154	0.13
KDH	97.00	0.25	13	96.85	KWI	0.36	0.03	8,521	0.35	STGT19C2504A	0.59	-	127,159	0.59
LPH	4.40	0.04	577	4.37	MTI	106.00	(0.50)	68	105.40	STGT19P2502A	0.45	-	47,798	0.44
M-CHAI	29.00	-	156	28.70	NKI	24.50	(0.40)	9	24.50	STGT41C2503A	0.17	-	46,000	0.17
MASTER	43.00	(3.00)	43,876	44.39	TGH	-	-	-	-	STHAI	-	-	-	-
MEDZEZ	7.70	0.05	17,443	7.73	THRE	0.59	-	17,370	0.57	TMAN	15.70	0.10	19,145	15.73
NEW	70.00	-	2	70.00	THREL	1.73	-	141	1.73	TNR	8.95	-	198	8.95
NTV	32.25	0.50	925	32.09	TIPH	24.20	0.40	1,449	24.07	TOG	10.00	-	35	10.04
PHG	16.00	-	3,280	16.00	TIPHI13C2502A	-	-	-	-	Professional Service				
PR9	26.00	0.50	26,007	25.68	TIPHI19C2412A	-	-	-	-	BWG	0.43	0.01	91,632	0.43
PRINC	3.16	(0.12)	37,155	3.19	TLI	10.20	0.35	97,035	10.15	BWG-W6	0.05	0.01	4,903	0.05
RAM	23.40	0.20	258	23.37	TLI01C2502A	0.50	0.11	1,152	0.44	GENCO	0.48	-	3,373	0.47
RJH	23.00	(1.20)	34,029	22.98	TLI01C2503A	0.15	0.03	10,024	0.14	PRO	-	-	-	-
RPH	5.55	-	4,496	5.51	TLI06C2503A	0.17	0.03	4,558	0.16	PRTR	4.36	0.02	620	4.39
SAFE	11.30	(0.80)	4,712	11.52	TLI13C2502A	0.32	0.01	820	0.32	SISB	31.25	(0.25)	4,268	31.39
SKR	9.20	0.05	618	9.19	TLI13C2502B	0.11	0.02	15,128	0.10	SISB13C2412A	-	-	-	-
THG	14.10	0.10	46,657	14.09	TLI19C2412A	-	-	-	-	SISB13C2502A	-	-	-	-
VIBHA	2.02	0.07	71,226	1.99	TLI19C2502A	0.12	0.02	1,785	0.11	SISB19C2502A	0.09	(0.01)	7	0.09
VIBHA-W4	0.04	-	15,563	0.04	TQM	23.40	(0.50)	6,031	23.54	SO	4.92	0.12	25	4.84
VIH	9.70	(0.40)	15,609	9.75	TSI	0.09	(0.01)	7,334	0.09	WAVE	0.12	-	50,203	0.12
VIH-W1	-	-	-	-	TVH	9.55	0.05	1,787	9.45	WAVE-W3	0.03	-	253	0.02
WPH	9.80	(0.70)	70,314	9.95	Packaging					WAVE-W4	0.04	-	3,318	0.04
Tourism & Leisure					AJ	4.98	0.04	377	4.96	Property Developmei				
ASIA	6.65	-	234	6.65	ALUCON	170.50	(0.50)	71	170.31	A	4.92	(0.02)	1	4.92
BEYOND	8.40	0.05	2,271	8.30	BGC	7.50	-	845	7.48	A5	2.86	0.12	30,886	2.78
CENTEL	37.25	1.25	66,716	37.44	CSC	45.50	-	1	45.50	A5-W3	-	-	-	-
CENTEL01C2412A	-	-	-	-	CSC-P	-	-	-	-	A5-W4	0.09	-	48,985	0.10
CENTEL01C2501A	0.13	0.04	31,411	0.14	CSC-Q	-	-	-	-	AKS	0.01	-	47,399	0.01
CENTEL01C2504A	0.30	0.06	27,810	0.31	NEP	0.23	-	3,072	0.22	AKS-W5	-	-	-	-
CENTEL11C2501A	-	-	-	-	PJW	2.54	0.06	4,358	2.51	AMATA	29.00	(0.75)	60,282	28.87
CENTEL13C2412A	-	-	-	-	PTL	12.90	0.20	2,111	12.88	AMATA01C2502A	1.14	(0.24)	1,811	1.16
CENTEL13C2501A	0.20	0.03	53,721	0.22	SCGP	24.30	0.70	71,887	24.18	AMATA01C2503A	0.24	(0.04)	20,719	0.25
CENTEL13C2501B	0.06	-	19,602	0.06	SCGP01C2412A	0.02	0.01	6	0.01	AMATA13C2412A	0.61			



## Main Board Quotation

Issue Date :

Monday November 18, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AP13C2502A	0.03	-	2	0.03	WHA01C2503A	0.11	(0.01)	28,165	0.12	NYT	2.98	-	13,172	2.99
AP13C2503A	0.19	0.02	71,424	0.19	WHA11C2412A	-	-	-	-	PORT	1.32	0.16	2,066	1.29
AP19C2501A	0.12	0.02	15,280	0.12	WHA13C2501A	0.09	0.01	300	0.09	PRM	8.80	(0.20)	257,984	8.89
AP19C2502A	-	-	-	-	WHA13C2503A	0.10	-	20,844	0.10	PSL	8.00	0.10	38,640	8.00
ASW	7.75	(0.25)	10,582	7.77	WHA13C2504A	0.18	-	4,732	0.18	RCL	27.25	(0.25)	60,852	27.56
AWC	3.56	0.16	735,618	3.55	WHA19C2412A	-	-	-	-	RCL01C2412A	0.40	0.10	3	0.40
AWC01C2501A	0.33	0.08	2,858	0.29	WHA19C2502A	0.10	(0.01)	2,205	0.10	RCL01C2502A	0.78	(0.04)	5,333	0.81
AWC01C2501B	0.11	0.03	28,861	0.11	WHA41C2501A	0.10	(0.01)	15,040	0.11	RCL01C2502B	0.21	(0.01)	33,866	0.22
AWC01C2504A	0.24	0.05	58,719	0.24	WIN	0.43	(0.02)	8,144	0.43	RCL13C2412A	0.03	(0.02)	1,000	0.03
AWC01P2502A	0.15	(0.05)	24,670	0.15	Paper & Printing	-	-	-	-	RCL13C2412B	0.16	(0.08)	181	0.22
AWC11C2411A	-	-	-	-	UTP	9.35	(0.30)	4,409	9.50	RCL13C2502A	0.18	(0.02)	65,550	0.19
AWC11C2412A	-	-	-	-	Fashion	-	-	-	-	RCL13C2502B	0.70	(0.08)	108	0.74
AWC11C2501A	0.35	0.10	8,800	0.32	AFC	4.80	0.08	22	4.80	RCL13P2501A	0.05	-	361	0.05
AWC13C2412A	0.18	0.08	40,780	0.15	AURA	13.60	0.20	14,481	13.42	RCL19C2412A	0.05	(0.02)	26,041	0.06
AWC13C2501A	0.11	0.03	115,896	0.11	BTNC	16.80	0.50	8	16.54	RCL19C2412B	-	-	-	-
AWC13C2504A	0.34	(0.66)	79,147	0.33	CPH	10.30	0.10	1,126	10.33	RCL19C2503A	-	-	-	-
AWC13P2501A	-	-	-	-	CPL	1.30	(0.03)	3,963	1.31	RCL19C2503B	0.26	(0.02)	64,353	0.27
AWC19C2501A	0.24	0.07	49,306	0.23	NC	2.78	0.04	1,343	2.79	RCL19P2412A	0.01	-	4	0.01
AWC19C2501B	0.09	0.02	1,010	0.08	PAF	1.00	(0.01)	176	1.01	RCL41C2412A	-	-	-	-
AWC19P2501A	0.04	(0.03)	3,000	0.04	PDJ	1.94	(0.03)	14,507	1.93	RCL41C2412B	0.62	(0.30)	1	0.62
AWC41C2502A	0.20	0.05	50,330	0.20	PG	8.95	(0.05)	286	8.95	RCL41C2502A	-	-	-	-
BLAND	0.61	-	51,154	0.60	SABINA	21.20	0.10	4,402	21.13	RCL41C2502B	0.17	(0.01)	49,010	0.18
BRI	4.28	0.08	3,942	4.22	SAWANG	12.10	0.80	2	12.20	SAV	22.90	-	7,763	22.75
BROCK	-	-	-	-	SUC	31.25	0.25	206	31.04	SINO	1.04	(0.01)	5,125	1.07
CGD	0.34	0.02	60,240	0.33	TR	39.25	-	296	39.25	SJWD	11.90	(0.20)	30,556	12.01
CI	0.50	0.01	1,677	0.49	TTI	-	-	-	-	SJWD13C2504A	0.24	(0.02)	47,976	0.25
CMC	1.04	-	846	1.02	TTT	54.50	0.50	16	53.69	TFFIF	6.40	(0.05)	3,031	6.44
CPN	61.00	0.75	33,192	61.03	UPF	33.50	(0.25)	29	33.61	THAI	-	-	-	-
CPN01C2412A	-	-	-	-	WACOAL	27.75	(0.25)	2	27.75	TSTE	15.60	2.70	3	14.40
CPN01C2503A	0.17	0.01	8,692	0.18	WFX	1.18	(0.05)	2,987	1.16	TTA	5.65	0.10	45,292	5.66
CPN11C2412A	0.09	(0.02)	5,500	0.10	Transportation &	-	-	-	-	WICE	5.05	(0.05)	4,986	5.09
CPN13C2501A	0.21	0.02	29,460	0.21	AAV	2.88	0.04	525,494	2.89	Automotive	-	-	-	-
CPN13C2501B	-	-	-	-	AAV01C2501A	0.30	-	680	0.31	3K-BAT	54.00	0.50	600	53.74
CPN13C2501C	0.20	0.01	69,301	0.20	AAV01C2503A	0.29	0.02	30,257	0.29	ACG	0.93	0.01	107	0.90
CPN19C2502A	0.10	0.01	2,027	0.10	AAV13C2501A	0.13	-	83,251	0.14	AH	19.60	(0.20)	7,149	19.73
CPN19C2503A	0.22	-	62,227	0.23	AAV19C2412A	-	-	-	-	CWT	1.02	(0.03)	3,378	1.02
ESTAR	0.23	-	13,214	0.23	AAV19C2502A	0.27	0.03	76,356	0.26	EASON	1.16	0.02	6,952	1.15
EVER	0.12	-	10,359	0.12	ANI	4.20	(0.02)	7,749	4.21	GYT	169.50	(0.50)	25	169.98
FPT	12.70	(0.10)	175	12.49	AOT	60.75	1.50	148,333	60.31	HFT	4.30	0.06	732	4.27
GLAND	1.54	(0.01)	68	1.54	AOT01C2412A	0.02	-	50	0.02	IHL	1.85	0.05	1,375	1.77
J	1.25	(0.03)	1,363	1.28	AOT01C2412B	0.06	0.01	1	0.06	INGRS	0.34	-	10,866	0.34
J-W3	0.25	0.05	5	0.22	AOT01C2502A	0.08	0.01	520	0.07	IRC	14.10	0.10	72	14.03
J-W4	-	-	-	-	AOT01C2504A	0.27	0.03	14,402	0.26	MGC	3.92	0.08	1,687	3.90
JCK	0.25	(0.01)	58,571	0.25	AOT01P2412X	-	-	-	-	NEX	0.77	0.04	238,007	0.73
KC	0.09	0.01	2,036	0.09	AOT01P2502A	0.19	(0.04)	6,662	0.20	NEX19C2501A	0.02	0.01	5,003	0.01
KUN	1.29	-	151	1.27	AOT11C2501A	-	-	-	-	PCSGH	4.40	0.10	305	4.37
KUN-W2	0.03	(0.01)	15,530	0.03	AOT13C2412A	-	-	-	-	POLY	8.90	(0.05)	22	8.90
LALIN	6.20	(0.05)	911	6.21	AOT13C2502A	0.06	0.01	3,740	0.05	SAT	11.20	0.30	7,120	11.08
LH	5.40	0.15	276,345	5.34	AOT13C2503A	0.17	0.02	38,162	0.16	SPG	-	-	-	-
LH13C2501A	-	-	-	-	AOT13P2412A	-	-	-	-	STANLY	219.00	1.00	48	218.42
LH19C2501A	-	-	-	-	AOT13P2501A	0.10	(0.03)	5,408	0.11	TKT	1.64	0.01	146	1.64
LPN	2.82	-	3,047	2.81	AOT19C2501A	0.13	0.02	1,921	0.12	TNPC	1.01	-	5	1.01
MBK	19.20	0.20	17,553	19.14	AOT19C2502A	0.09	0.01	1,790	0.09	TRU	3.18	(0.02)	205	3.16
MBK-W4	16.40	0.10	10	16.40	AOT19C2504A	0.33	(0.67)	9,877	0.31	TSC	14.00	-	143	14.01
MJD	1.05	(0.02)	305	1.05	AOT19P2412A	-	-	-	-	Industrial Materials	-	-	-	-
MK	1.79	(0.05)	1,129	1.82	AOT41C2412A	-	-	-	-	AKR	0.97	0.01	20,392	0.96
NCH	0.73	-	1,240	0.73	AOT41C2503A	0.18	0.04	20,080	0.17	ALLA	1.67	0.02	13,693	1.67
NNCL	1.70	(0.03)	730	1.70	AOT41C2605T	0.28	0.01	6,400	0.28	ASEFA	3.14	(0.04)	241	3.14
NOBLE	2.84	(0.02)	15,773	2.83	ASIMAR	1.58	0.01	1,223	1.58	CPT	0.90	(0.09)	77,893	0.98
NUSA	0.22	(0.02)	398,472	0.23	B	0.08	-	47,571	0.08	CRANE	0.63	-	2,664	0.63
NUSA-W5	0.02	(0.01)	736,147	0.02	B-W8	0.01	-	8,707	0.01	CTW	3.86	0.02	60	3.86
NVD	1.44	(0.03)	15	1.45	BA	24.00	0.20	22,043	23.93	FMT	31.25	(0.75)	34	31.25
ORI	4.24	0.08	30,093	4.18	BA01C2412A	0.13	(0.01)	41,109	0.12	FTE	1.52	0.01	4,140	1.51
ORI13C2412A	-	-	-	-	BA01C2503A	0.34	-	21,820	0.34	HTECH	4.38	(0.10)	46,180	4.37
ORI19C2501A	-	-	-	-	BA01C2504A	0.14	-	6,286	0.14	KKC	-	-	-	-
ORN	0.80	-	3,000	0.79	BA13C2412A	0.09	(0.02)	22,658	0.10	PCC	2.84	(0.02)	1,711	2.84
PEACE	2.60	0.02	231	2.57	BA13C2502A	0.08	(0.01)	10	0.08	PK	0.58	0.01	3,100	0.57
PF	0.18	0.01	27,743	0.18	BA13C2503A	0.39	0.01	70,988	0.38	PSP	4.34	-	2,129	4.34
PIN	6.35	0.05	26,725	6.30	BA19C2503A	0.12	0.01	6,269	0.11	QTC	3.72	(0.08)	245	3.79
PLAT	2.44	0.04	904	2.41	BEM	7.65	(0.05)	97,353	7.64	SCI	0.79	(0.02)	886	0.78
POLAR	-	-	-	-	BEM01C2412A	0.02	(0.03)	12	0.02	SE	0.62	-	409	0.62
PRECHA	1.13	0.02	1,199	1.13	BEM11C2411A	-	-	-	-	SNC	5.50	0.05	2,191	5.42
PRIN	2.14	(0.04)	1	2.14	BEM11C2502A	-	-	-	-	TCJ	-	-	-	-
PROUD	1.30	0.01	1,887	1.29	BEM13C2412A	-	-	-	-	TPCS	11.50	0.20	1	11.50
PSH	8.30	0.15	4,904	8.30	BEM19C2412A	-	-	-	-	VARO	4.72	(0.26)	2,851	4.76
QH	1.82	0.01	73,716	1.81	BEM19C2503A	-	-	-	-	Property Fund & REI	-	-	-	-
RABBIT	0.52	(0.02)	192,631	0.53	BTS	4.84	-	404,746	4.82	AIMCG	3.04	(0.02)	1,999	3.05
RABBIT-P	0.53	(0.02)	6,059	0.53	BTS-W8	0.07	-	7,662	0.07	AIMIRT	10.60	-	3,235	10.56
RABBIT-Q	-	-	-	-	BTS01C2412A	-	-	-	-	ALLY	5.25	0.10	1,892	5.20
RICHY	0.46	-	595	0.46	BTS01C2501A	0.21	(0.01)	13,004	0.21	AMATAR	6.75	0.05	21	6.75
RML	0.30	(0.01)	32,878	0.30	BTS01C2503A	0.47	-	7,390	0.46	B-WORK	4.86	(0.02)	3,662	4.84
ROJNA	6.55	(0.10)	65,614	6.56	BTS01C2504A	0.14	-	7,103	0.14	BAREIT	9.60	0.15	3,907	9.51
S	0.90	-	20,165	0.88	BTS01P2504A	0.42	-	10,080	0.42	BKKCP	9.05	0.30	215	8.77
SA	7.40	(0.05)	780	7.38	BTS13C2412A	0.05	(0.01)	40	0.05	BOFFICE	5.05	(0.05)	3,118	5.03
SA-W1	0.04	-	542	0.03	BTS13C2412B	-	-	-	-	CPNCG	6.40	-	11,035	6.38
SAMCO	0.94	0.01	491	0.94	BTS13C2502A	0.35	(0.01)	47,680	0.34	CPNREIT	11.60	0.30	8,707	11.54
SC	2.82	(0.06)	42,109	2.80	BTS13C2503A	0.13	-	4,130	0.13	CPTGF	-	-	-	-
SENA	2.32	-	1,025	2.31	BTS13P2503A	0.46	(0.01)	25,250	0.46	CTARAF	4.50	(0.06)	114	4.52
SIRI	1.76	0.04	507,647	1.74	BTS19C2412A	0.12	(0.02)	29,577	0.12	DREIT	5.00	0.02	415	4.97
SIRI01C2412A	0.03	(0.03)	1,000	0.03	BTS19C2503A	0.45</								

## Main Board Quotation

Issue Date :

Monday November 18, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
LPF	12.70	(0.10)	2,192	12.62	CHINA	6.24	-	1,305	6.24	HSI28C2411E	0.01	-	10	0.01
LUXF	8.10	-	109	8.00	ENGY	4.63	-	6	4.62	HSI28C2411F	0.01	-	4	0.01
M-II	6.40	-	70	6.38	GLD	3.60	0.03	10,916	3.59	HSI28C2411G	0.01	-	251	0.01
M-PAT	-	-	-	-	TDEX	9.21	0.05	2,402	9.22	HSI28C2412A	0.48	0.02	362,474	0.48
M-STOR	-	-	-	-	UBOT	14.00	(0.07)	22	14.00	HSI28C2412B	-	-	-	-
MIPF	-	-	-	-	UHERO	7.91	(0.09)	132	7.87	HSI28C2412C	-	-	-	-
MIT	0.38	0.01	3,888	0.39	Warrant Foreign	-	-	-	-	HSI28C2412D	0.06	-	42,528	0.06
MJLF	4.16	-	373	4.12	AIA28C2411A	-	-	-	-	HSI28C2412E	0.04	0.01	100	0.04
MNIT	2.22	0.08	3	2.21	AIA41C2411A	-	-	-	-	HSI28C2412F	0.01	(0.02)	810	0.01
MNIT2	-	-	-	-	AIA41C2502A	-	-	-	-	HSI28C2412H	0.04	(0.01)	5,005	0.04
MNRF	2.18	(0.04)	2	2.18	AIA41P2411A	-	-	-	-	HSI28C2412I	0.21	0.02	375,010	0.20
POPF	6.15	(0.05)	5,226	6.13	ALIEA41C2502	0.77	(0.02)	6	0.77	HSI28C2412J	0.30	0.01	237,454	0.30
PROSPECT	8.60	0.05	3,528	8.59	BABA28C2412A	-	-	-	-	HSI28C2412K	-	-	-	-
QHHRREIT	6.80	-	934	6.76	BABA28C2503A	0.06	-	101	0.06	HSI28C2501A	0.61	0.04	3,329	0.62
QHOP	3.48	-	78	3.40	BABA28P2503A	0.45	-	10	0.45	HSI28C2501B	0.08	-	2,345	0.09
QHOF	4.80	(0.04)	4,819	4.81	BABA41C2502A	0.03	-	668	0.03	HSI28C2501C	0.05	-	4,450	0.05
SIRIPRT	8.30	-	10	8.30	BABA41C2503A	0.15	(0.01)	4,268	0.15	HSI28C2501D	0.25	-	1,975,180	0.27
SPRIME	4.16	-	2,201	4.17	BABA41P2411A	-	-	-	-	HSI28C2501E	0.18	-	12,375	0.19
SRIPANWA	5.80	0.05	276	5.76	BABA41P2502A	0.40	0.02	2	0.40	HSI28C2501F	0.08	(0.01)	3,500	0.08
SSPF	4.16	(0.74)	879	4.08	BABA41P2502B	0.72	0.05	6	0.72	HSI28C2501G	-	-	-	-
SSTRT	4.90	0.02	197	4.90	BIDU28C2411A	-	-	-	-	HSI28C2501H	0.16	0.01	10	0.16
TIFI	7.70	-	405	7.70	BIDU41C2502A	0.42	(0.03)	3,011	0.44	HSI28C2501I	0.39	(0.61)	480,733	0.40
TLHPF	2.96	0.04	310	2.94	BIDU41C2502B	0.04	-	9	0.04	HSI28C2502A	0.50	0.04	4,144	0.49
TNPF	1.52	(0.06)	16	1.55	BYDCOM28C250	0.54	0.02	4	0.57	HSI28C2502B	0.16	0.03	873	0.15
TPRIME	7.30	(0.05)	8	7.34	BYDCOM28C250	0.15	-	22	0.15	HSI28C2502C	0.23	-	6,290	0.23
TTLPF	15.70	0.10	979	15.70	BYDCOM28P250	0.10	(0.01)	6	0.10	HSI28C2503A	0.98	0.01	766	0.98
TU-PF	0.71	-	11	0.71	BYDCOM28P250	0.61	(0.07)	52	0.61	HSI28C2503B	0.21	-	81,120	0.21
WHABT	7.30	0.05	40	7.29	BYDCOM41C250	0.54	0.05	111	0.54	HSI28C2503D	0.15	-	27,065	0.16
WHAIR	6.65	0.15	20,965	6.60	BYDCOM41P250	-	-	-	-	HSI28C2503E	0.14	0.01	2,712	0.14
WHART	9.90	0.30	10,892	9.77	CATHAY41C241	-	-	-	-	HSI28C2503F	0.48	(0.52)	141,178	0.49
Steel and Metal Prod	-	-	-	-	CATHAY41C250	0.39	0.05	7	0.39	HSI28P2411A	-	-	-	-
2S	2.76	(0.16)	1,640	2.79	CHMOBI28C241	-	-	-	-	HSI28P2411B	-	-	-	-
AMC	2.88	(0.08)	1,843	2.90	DJI28C2412A	0.64	(0.25)	8	0.64	HSI28P2411C	-	-	-	-
BSBM	0.71	-	930	0.72	DJI28C2412B	-	-	-	-	HSI28P2411D	0.06	(0.05)	1,165	0.05
CEN	1.99	(0.01)	275	1.99	DJI28C2503A	0.59	(0.08)	1	0.59	HSI28P2411E	0.23	(0.12)	3,323,661	0.23
CEN-W5	0.15	-	593	0.15	DJI28P2412A	-	-	-	-	HSI28P2411F	0.76	(0.13)	156	0.72
CITY	1.95	-	6	1.90	DJI28P2412B	0.13	(0.03)	1,250	0.13	HSI28P2411G	-	-	-	-
CSP	0.59	-	3,876	0.58	DJI28P2503A	0.42	(0.01)	652	0.42	HSI28P2412A	0.07	(0.02)	2	0.08
GJS	0.15	-	41,454	0.15	DJI41C2412A	0.59	(0.11)	4	0.58	HSI28P2412B	-	-	-	-
GSTEEL	-	-	-	-	DJI41C2503A	0.56	(0.04)	260	0.56	HSI28P2412C	0.13	(0.04)	4,033	0.13
INOX	0.52	(0.01)	3,924	0.52	DJI41P2412A	0.03	-	158	0.03	HSI28P2412D	0.25	(0.05)	4,869,168	0.25
LHK	3.86	0.02	1,316	3.88	DJI41P2503A	0.38	0.02	723	0.38	HSI28P2412E	0.50	(0.10)	210,245	0.50
MCS	7.35	(0.05)	1,454	7.28	GEELY28C2411A	-	-	-	-	HSI28P2412F	-	-	-	-
MILL	0.09	(0.02)	47,676	0.09	GEELY41C2411A	-	-	-	-	HSI28P2412G	-	-	-	-
MILL-W7	-	-	-	-	GEELY41C2411E	-	-	-	-	HSI28P2501A	0.11	(0.02)	12,439	0.11
PAP	1.88	(0.01)	42	1.89	GEELY41C2502A	0.78	0.14	9	0.73	HSI28P2501B	0.85	(0.07)	1,258	0.85
PERM	0.74	(0.01)	1,004	0.73	HAI41C2411A	0.08	(0.08)	1	0.08	HSI28P2501C	-	-	-	-
SAM	-	-	-	-	HKEX41C2411A	-	-	-	-	HSI28P2501D	0.29	(0.05)	1,519,310	0.30
SMIT	4.14	0.04	312	4.13	HKEX41C2502A	-	-	-	-	HSI28P2501E	0.47	(0.07)	142,852	0.46
SSSC	2.24	0.04	376	2.23	HKEX41C2502B	0.22	-	1	0.22	HSI28P2502A	-	-	-	-
TGPRO	0.10	-	48,190	0.10	HSBC41C2411A	-	-	-	-	HSI28P2502B	0.54	(0.07)	57,681	0.56
THE	0.82	(0.03)	1,815	0.81	HSBC41C2502A	0.28	0.03	1	0.28	HSI28P2503A	0.23	(0.03)	1,891	0.23
TMT	3.46	(0.04)	3,320	3.47	HSIO6C2411A	0.14	0.01	4,045,144	0.14	HSI28P2503B	0.60	(0.05)	5,824	0.59
TSTH	0.66	-	1,832	0.66	HSIO6C2411B	-	-	-	-	HSTECH28C2412A	1.11	0.01	2	1.11
TWP	1.51	0.02	31	1.50	HSIO6C2411C	1.95	0.15	40	1.95	HSTECH28C2503A	-	-	-	-
TYCN	2.04	(0.02)	1,493	2.05	HSIO6C2411D	0.22	0.01	3,358,568	0.23	HSTECH28P2412A	-	-	-	-
Construction Service	-	-	-	-	HSIO6C2411E	0.02	-	7,766	0.02	HSTECH28P2503A	0.51	(0.01)	101	0.51
APCS	2.04	0.05	2	2.04	HSIO6C2411F	-	-	-	-	JD41C2411A	-	-	-	-
BJCHI	1.19	(0.02)	3,744	1.21	HSIO6C2412A	0.40	(0.02)	2,204,127	0.42	JD41C2502A	1.21	0.10	4	1.21
BKD	1.40	-	197	1.40	HSIO6C2412B	-	-	-	-	JD41C2502B	0.13	0.03	5	0.13
CIVIL	1.85	-	382	1.83	HSIO6C2412C	-	-	-	-	KUAI5H41C2502A	0.54	(0.08)	495	0.55
CK	17.90	(0.10)	19,475	17.99	HSIO6C2412D	0.21	0.01	2,298,870	0.22	LENOVO41C2502A	0.19	(0.03)	611	0.19
CK01C2503A	0.10	(0.02)	10,524	0.11	HSIO6C2412E	0.05	0.01	14,113	0.05	MCA5041C2503A	0.35	(0.02)	461	0.37
CK13C2412A	0.01	(0.01)	8	0.01	HSIO6C2412F	0.03	-	870	0.03	MCA5041P2503A	0.62	-	536	0.61
CK13C2503A	0.16	(0.01)	35,956	0.17	HSIO6C2412G	0.02	-	318	0.02	MEITUA28C2501A	-	-	-	-
CK19C2412A	-	-	-	-	HSIO6C2412H	0.08	0.01	123,978	0.08	MEITUA28C2503A	-	-	-	-
CK19C2503A	0.18	(0.02)	10,669	0.20	HSIO6C2501A	0.07	-	7,039	0.07	MEITUA28C2504A	0.12	(0.01)	1,067	0.11
CNT	1.17	0.03	212	1.16	HSIO6C2501B	0.05	-	10	0.05	MEITUA28P2503A	0.22	-	30	0.21
EMC	0.10	-	44,001	0.09	HSIO6C2501C	0.13	0.01	343,929	0.14	MEITUA28P2504B	0.45	-	6	0.44
EMC-W7	0.07	-	20,105	0.07	HSIO6C2501D	0.34	0.02	4,015,910	0.34	MEITUA41C2411A	-	-	-	-
ITD	0.51	(0.06)	233,304	0.50	HSIO6C2502A	0.19	0.01	449,525	0.19	MEITUA41C2502A	0.41	(0.01)	3,235	0.43
JR	3.08	-	4,967	3.04	HSIO6C2502B	0.46	0.02	976,364	0.46	MEITUA41P2411A	-	-	-	-
NL	1.19	0.02	1,220	1.15	HSIO6C2503A	0.95	0.01	1,018	0.96	MEITUA41P2502A	-	-	-	-
NWR	0.19	(0.01)	9,716	0.19	HSIO6C2503B	0.42	0.02	879,300	0.42	MEITUA41P2503A	0.63	0.02	2	0.64
PLE	0.37	-	6,721	0.37	HSIO6C2503C	0.19	0.01	329,702	0.19	NDX28C2412A	-	-	-	-
PREB	4.38	0.12	1,057	4.35	HSIO6C2503D	0.12	-	205,962	0.12	NDX28C2412B	1.35	(0.69)	13	1.35
PYLON	1.88	(0.09)	9,088	1.82	HSIO6P2411A	0.01	-	296	0.01	NDX28C2412C	-	-	-	-
RT	0.48	-	5,246	0.47	HSIO6P2411B	-	-	-	-	NDX28C2503A	0.32	(0.07)	2,323	0.33
SEAFCO	1.97	0.13	7,666	1.95	HSIO6P2411C	-	-	-	-	NDX28P2412A	0.08	-	278	0.08
SQ	0.91	-	592	0.91	HSIO6P2411D	-	-	-	-	NDX28P2412B	-	-	-	-
SRICHA	4.98	-	456	4.92	HSIO6P2411E	0.10	(0.05)	3,229,340	0.10	NDX28P2412C	-	-	-	-
STECON	8.15	0.35	8,221	8.04	HSIO6P2411F	0.58	(0.14)	19,540	0.58	NDX28P2412D	0.19	(0.01)	2,000	0.19
STI	3.10	(0.06)	592	3.08	HSIO6P2411G	-	-	-	-	NDX28P2503A	0.25	0.01	717	0.24
STPI	3.40	(0.12)	29,869	3.45	HSIO6P2411H	-	-	-	-	NDX41C2412A	0.06	(0.01)	10,403	0.05
SYNTEC	1.59	0.02	2,504	1.59	HSIO6P2412A	-	-	-	-	NDX41C2412B	-	-	-	-
TEAMG	3.70	(0.06)	38,940	3.68	HSIO6P2412B	-	-	-	-	NDX41C2412C	0.36	(0.14)	1,365	0.37
TEAMG-W1	0.30	-	6,828	0.26	HSIO6P2412C	-	-	-	-	NDX41C2503A	0.50	(0.08)	16,485	0.52
TEKA	2.20	(0.02)	1,706	2.16	HSIO6P2412D	0.31	(0.06)	4,725,681	0.32	NDX41P2412A	0.12	0.02	40,499	0.11
TPOLY	0.67	0.03	43,725	0.65	HSIO6P2412E	0.64	(0.11)	226,820	0.66	NDX41P2412B	-	-	-	-
TRC	1.14	0.16	41,947											

## Main Board Quotation

Issue Date :

Monday November 18, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
NTES41C2502A	-	-	-	-	SET5019P2412E	0.02	(0.01)	1,613	0.02	0	-	-	-	-
PINGAN41C2411A	-	-	-	-	SET5019P2412F	0.04	(0.03)	8,540	0.04	0	-	-	-	-
PINGAN41C2502A	0.15	-	2,617	0.16	SET5019P2412G	0.13	(0.05)	263,806	0.14	0	-	-	-	-
SET01C2412A	1.15	0.14	2,833	1.13	SET5019P2412H	0.29	(0.09)	223,204	0.31	0	-	-	-	-
SET01C2501A	0.58	0.06	6,187	0.57	SET5019P2503A	0.27	(0.03)	388,002	0.27	0	-	-	-	-
SET01C2501B	0.30	0.04	16,589	0.28	SET5027C2412A	-	-	-	-	0	-	-	-	-
SET01C2503A	0.39	0.04	175,735	0.38	SET5027C2412B	-	-	-	-	0	-	-	-	-
SET01P2412A	0.01	(0.01)	5,849	0.01	SET5027C2412T	0.10	-	25,407	0.10	0	-	-	-	-
SET01P2501A	0.02	-	2	0.02	SET5027P2412A	-	-	-	-	0	-	-	-	-
SET01P2501B	0.08	(0.04)	31	0.08	SET5027P2412T	-	-	-	-	0	-	-	-	-
SET01P2502A	0.38	(0.05)	76,761	0.39	SET5028C2412A	0.18	0.01	1,199	0.20	0	-	-	-	-
SET01P2502B	0.61	(0.07)	58,497	0.62	SET5028C2412B	-	-	-	-	0	-	-	-	-
SET01P2503A	0.65	(0.06)	92,869	0.65	SET5028C2412C	0.50	0.06	5,000	0.52	0	-	-	-	-
SET5001C2412A	1.32	0.13	3,891	1.30	SET5028C2503A	0.31	0.01	143,529	0.31	0	-	-	-	-
SET5001C2412F	0.19	0.03	149,476	0.18	SET5028P2412A	-	-	-	-	0	-	-	-	-
SET5001C2412T	0.54	0.05	101,958	0.53	SET5041C2412A	-	-	-	-	0	-	-	-	-
SET5001C2412W	0.11	0.03	28,578	0.10	SET5041C2412B	0.42	-	354	0.46	0	-	-	-	-
SET5001C2501A	0.35	0.04	13,871	0.34	SET5041C2412C	0.30	0.03	346,820	0.30	0	-	-	-	-
SET5001C2503A	0.39	0.02	45,171	0.39	SET5041C2412T	0.27	0.02	243,000	0.25	0	-	-	-	-
SET5001C2503F	0.45	0.03	66,636	0.45	SET5041C2412U	0.24	0.03	346,908	0.24	0	-	-	-	-
SET5001P2412A	0.02	-	22,179	0.01	SET5041C2412V	1.17	0.09	1,436	1.02	0	-	-	-	-
SET5001P2412F	0.02	-	4,147	0.01	SET5041C2412X	-	-	-	-	0	-	-	-	-
SET5001P2412T	0.01	-	1	0.01	SET5041C2503A	0.33	0.03	784,958	0.33	0	-	-	-	-
SET5001P2412W	0.01	-	1,450	0.01	SET5041C2503B	0.21	0.01	83,809	0.21	0	-	-	-	-
SET5001P2501A	0.02	-	1,234	0.01	SET5041C2503C	0.30	0.04	1,016,193	0.28	0	-	-	-	-
SET5001P2501B	0.01	(0.02)	81	0.02	SET5041C2503E	0.13	0.01	4,881	0.12	0	-	-	-	-
SET5001P2502A	0.39	(0.06)	30,046	0.40	SET5041P2412A	-	-	-	-	0	-	-	-	-
SET5001P2503F	0.25	(0.04)	35,243	0.25	SET5041P2412B	0.03	(0.02)	2	0.03	0	-	-	-	-
SET5006C2412A	-	-	-	-	SET5041P2412C	-	-	-	-	0	-	-	-	-
SET5006C2412B	-	-	-	-	SET5041P2412D	0.20	(0.07)	72,937	0.22	0	-	-	-	-
SET5006C2412C	-	-	-	-	SET5041P2412T	0.02	-	2,149	0.01	0	-	-	-	-
SET5006C2412D	0.37	0.04	2,002	0.37	SET5041P2412U	0.01	(0.01)	1	0.01	0	-	-	-	-
SET5006C2412E	0.16	0.02	133,588	0.16	SET5041P2412V	0.02	-	4,107	0.01	0	-	-	-	-
SET5006C2412F	0.09	0.02	4,016	0.09	SET5041P2503A	0.25	(0.04)	5,199	0.26	0	-	-	-	-
SET5006C2412G	-	-	-	-	SET5041P2503B	0.52	(0.04)	1,518,881	0.52	0	-	-	-	-
SET5006C2503A	0.34	0.03	111,286	0.34	SET5041P2503C	0.40	(0.05)	1,125,373	0.42	0	-	-	-	-
SET5006C2503B	0.25	0.02	190,953	0.24	SET5041P2503D	0.17	(0.83)	400	0.17	0	-	-	-	-
SET5006P2412A	0.03	-	169	0.03	SPX28C2412A	-	-	-	-	0	-	-	-	-
SET5006P2412B	-	-	-	-	SPX28C2412B	-	-	-	-	0	-	-	-	-
SET5006P2412C	-	-	-	-	SPX28C2412C	-	-	-	-	0	-	-	-	-
SET5006P2412D	0.01	-	4	0.01	SPX28C2503A	0.33	(0.05)	39	0.33	0	-	-	-	-
SET5006P2412E	-	-	-	-	SPX28P2412A	0.04	(0.01)	80	0.04	0	-	-	-	-
SET5006P2412F	0.04	(0.01)	869	0.04	SPX28P2412B	-	-	-	-	0	-	-	-	-
SET5006P2412G	0.16	(0.05)	214,411	0.18	SPX28P2412C	-	-	-	-	0	-	-	-	-
SET5006P2412H	0.38	(0.10)	7,489	0.41	SPX28P2503A	0.48	(0.01)	564	0.48	0	-	-	-	-
SET5006P2503A	0.11	(0.02)	18,195	0.11	SPX41C2412A	0.15	(0.16)	100	0.15	0	-	-	-	-
SET5006P2503B	0.28	(0.04)	280,824	0.29	SPX41C2412B	-	-	-	-	0	-	-	-	-
SET5006P2503C	0.57	(0.06)	46,112	0.58	SPX41C2412C	-	-	-	-	0	-	-	-	-
SET5013C2411A	-	-	-	-	SPX41C2503A	0.60	(0.08)	25,504	0.62	0	-	-	-	-
SET5013C2412A	1.45	0.18	1,714	1.43	SPX41P2412A	0.05	-	4,000	0.05	0	-	-	-	-
SET5013C2412B	2.00	0.28	283	1.97	SPX41P2412B	-	-	-	-	0	-	-	-	-
SET5013C2412C	2.52	0.24	394	2.66	SPX41P2412C	-	-	-	-	0	-	-	-	-
SET5013C2412D	-	-	-	-	SPX41P2503A	0.44	0.02	4	0.44	0	-	-	-	-
SET5013C2412E	1.10	0.03	190	1.10	SUNNY41C2411	-	-	-	-	0	-	-	-	-
SET5013C2412F	0.66	0.13	2,806	0.65	SUNNY41C2502	0.71	0.04	4	0.71	0	-	-	-	-
SET5013C2412G	0.53	0.07	49,959	0.52	TENCEN28C250	-	-	-	-	0	-	-	-	-
SET5013C2412H	0.22	0.03	2,708,308	0.22	TENCEN28C250	0.10	(0.01)	11	0.10	0	-	-	-	-
SET5013C2412I	0.09	0.02	466,364	0.09	TENCEN28P250	0.57	(0.02)	2	0.57	0	-	-	-	-
SET5013C2412J	0.11	0.02	65,415	0.11	TENCEN41C250	0.56	0.02	437	0.55	0	-	-	-	-
SET5013C2412K	0.04	0.01	40,615	0.04	TENCEN41C250	0.10	-	20	0.10	0	-	-	-	-
SET5013C2412L	0.22	0.03	1,426,433	0.22	TENCEN41P250	-	-	-	-	0	-	-	-	-
SET5013C2412M	0.17	0.03	537,240	0.16	TENCEN41P250	0.43	(0.02)	3	0.42	0	-	-	-	-
SET5013C2412N	0.10	0.01	13,823	0.10	TRIPDC41C2411	0.84	0.13	90	0.83	0	-	-	-	-
SET5013C2412U	0.36	0.05	903,779	0.35	XIAOMI28C2412	-	-	-	-	0	-	-	-	-
SET5013C2503A	0.33	0.04	1,744,054	0.33	XIAOMI28C2504	0.62	0.06	1,028	0.61	0	-	-	-	-
SET5013C2503B	0.44	0.05	964,589	0.44	XIAOMI28P2502	0.05	(0.01)	1	0.05	0	-	-	-	-
SET5013C2503C	0.66	0.06	440,588	0.66	XIAOMI28P2505	0.28	(0.04)	74	0.28	0	-	-	-	-
SET5013C2503T	0.17	0.02	79,685	0.17	XIAOMI41C2411	-	-	-	-	0	-	-	-	-
SET5013P2412A	0.01	-	5,800	0.01	XIAOMI41C2502	-	-	-	-	0	-	-	-	-
SET5013P2412B	0.01	-	1	0.01	XIAOMI41C2503	0.66	0.07	911	0.64	0	-	-	-	-
SET5013P2412C	-	-	-	-	XIAOMI41P2502	-	-	-	-	0	-	-	-	-
SET5013P2412D	-	-	-	-	ZIJIN41C2502A	0.28	-	103	0.29	0	-	-	-	-
SET5013P2412E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5013P2412F	0.01	-	100	0.01	0	-	-	-	-	0	-	-	-	-
SET5013P2412G	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5013P2412H	0.01	-	31,078	0.01	0	-	-	-	-	0	-	-	-	-
SET5013P2412I	0.01	-	5,470	0.01	0	-	-	-	-	0	-	-	-	-
SET5013P2412J	0.02	(0.01)	1,753	0.02	0	-	-	-	-	0	-	-	-	-
SET5013P2412K	0.02	(0.02)	1,522	0.02	0	-	-	-	-	0	-	-	-	-
SET5013P2412L	0.05	-	3,853	0.05	0	-	-	-	-	0	-	-	-	-
SET5013P2412M	0.11	(0.05)	101,886	0.12	0	-	-	-	-	0	-	-	-	-
SET5013P2412N	0.14	(0.07)	1,497,931	0.16	0	-	-	-	-	0	-	-	-	-
SET5013P2412O	0.31	(0.10)	3,895,433	0.33	0	-	-	-	-	0	-	-	-	-
SET5013P2412T	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5013P2503A	0.42	(0.07)	575,172	0.44	0	-	-	-	-	0	-	-	-	-
SET5013P2503B	0.61	(0.10)	1,225,984	0.63	0	-	-	-	-	0	-	-	-	-
SET5013P2503T	0.08	(0.02)	49,160	0.09	0	-	-	-	-	0	-	-	-	-
SET5019C2412A	0.36	0.06	10,081	0.36	0	-	-	-	-	0	-	-	-	-
SET5019C2412B	3.10	0.36	12	3.10	0	-	-	-	-	0	-	-	-	-
SET5019C2412C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2412D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2412E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2412F	0.18	0.02	403,826	0.18	0	-	-	-	-	0	-	-	-	-
SET5019C2412G	0.17	0.02	376,581	0.17	0	-	-	-	-	0	-	-	-	-
SET5019C2412H	0.07	0.01	48,646	0.07	0	-	-	-	-	0	-	-	-	-
SET5019C2412I	0.02	(0.01)	1,166	0.04	0	-	-	-	-	0	-	-	-	-
SET5019C2412J	0.15	0.02	316,807	0.15	0	-	-	-	-	0	-	-	-	-
SET5019C2503A	0.30	0.03	270,979	0.29	0	-	-	-	-	0	-	-	-	-
SET5019C2503B	0.16	0.01	74,230	0.15	0	-	-	-	-	0	-	-	-	-
SET5019P2412A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2412B	-	-</												





## Main Board Quotation

Issue Date :

Monday November 18, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>Warrant - MAI</b>														
Agro & Food Indust			-		TRT	4.12	0.12	72,968	00 4.1	LDC	0.51	(0.02)	2,997	00 0.5
APO	2.14	0.04	4,404	00 2.1	TRV	2.02	(0.02)	30	00 2.0	LEO	3.70	(0.04)	1,244	00 3.6
AU	10.50	-	15,867	00 10.4	UBIS	1.72	(0.07)	492	00 1.7	MCA	1.50	0.03	7,162	00 1.4
CFARM	1.00	-	24,134	00 1.0	UEC	1.27	(0.01)	271	00 1.2	MEB	29.25	1.25	7,360	00 28.4
JCKH	0.02	-	78,484	00 0.0	UKEM	0.64	-	2,160	00 0.6	MORE	0.04	0.01	1,068,864	00 0.0
KASET	0.90	(0.01)	633	00 0.8	UREKA	0.47	-	13,147	00 0.4	MPJ	3.96	0.18	99,318	00 3.9
MAGURO	17.70	(0.60)	25,170	00 17.6	YUASA	10.70	(0.30)	164	00 10.7	MVP	0.73	0.07	33,540	00 0.6
MUD	1.37	-	311	00 1.3	ZIGA	1.85	(0.04)	24,407	00 1.8	NCL	0.37	-	13,555	00 0.3
NTSC	10.40	(0.10)	612	00 10.4	ZIGA-W2	0.20	0.01	43,340	00 0.1	NCP	1.04	0.02	5,191	00 1.0
TACC	4.70	(0.02)	10,564	00 4.6	Property	-	-	-	-	NEWS	0.01	-	468,341	00 0.0
TMILL	3.06	(0.36)	5,430	00 3.0	24CS	3.58	(0.06)	4,672	00 3.6	PEER	0.31	-	55,851	00 0.3
WINNER	2.06	-	255	00 2.0	ARIN	0.71	(0.04)	40,147	00 0.7	PEER-W1	-	-	-	00 0.0
XO	20.00	(0.10)	32,155	00 19.4	ARROW	5.70	(0.05)	256	00 5.6	PICO	3.34	(0.28)	5	00 3.0
<b>Consumer Products</b>					BC	1.08	(0.02)	4,736	00 1.0	PLT	0.76	-	5,269	00 0.7
ALPHAX	0.64	-	10,356	00 0.6	BC-W2	0.13	-	773	00 0.1	QLT	2.04	(0.02)	2,056	00 2.0
BGT	0.53	(0.02)	336	00 0.5	BLESS	0.38	-	1,099	00 0.3	RP	1.09	(0.01)	392	00 1.0
DOD	2.24	-	1,295	00 2.2	BSM	-	-	-	00 0.0	SONIC	1.63	0.01	7,936	00 1.6
ECF	0.41	-	4,657	00 0.4	BTW	0.26	(0.02)	2,927	00 0.2	THMUI	0.54	0.01	339	00 0.5
ECF-W5	0.04	(0.01)	3,925	00 0.0	CAZ	2.36	(0.04)	3,294	00 2.3	TNDT	0.26	-	2,651	00 0.2
EFORL	0.27	-	243,476	00 0.2	CHEWA	0.40	0.02	2,290	00 0.3	TNDT-W1	0.02	(0.01)	121	00 0.0
EFORL-W6	0.05	-	17,974	00 0.0	CPANEL	3.96	(0.02)	91	00 3.8	TNH	36.50	-	528	00 36.5
EURO	5.10	(0.10)	327	00 5.1	CPANEL-W1	0.19	0.02	484	00 0.1	TNP	3.56	0.06	5,241	00 3.5
HPT	0.47	0.01	87,034	00 0.4	CRD	0.44	-	533	00 0.4	TPL	0.99	(0.03)	8,266	00 0.9
ITTHI	1.99	-	208	00 1.9	DHOUSE	0.59	0.01	237	00 0.5	TRP	9.25	-	1,150	00 9.2
JSP	2.04	-	23,752	00 2.0	DIMET	0.25	(0.01)	4,062	00 0.2	TURTLE	-	-	-	00 0.0
JUBILE	11.90	0.10	897	00 11.8	DPaint	1.52	(0.07)	2,705	00 1.5	TVDH	0.18	-	34,644	00 0.1
LTS	13.60	1.10	29,481	00 13.2	FLOYD	0.72	0.01	519	00 0.7	TVDH-W3	-	-	-	00 0.0
LTI	10.20	(0.90)	22,074	00 10.3	HYDRO	0.15	(0.03)	20,594	00 0.1	TVDH-W4	-	-	-	00 0.0
MGI-W1	2.00	(0.42)	19,143	00 2.0	HYDRO-W2	0.11	-	5,347	00 0.0	TVT	0.42	(0.01)	3,147	00 0.4
MOONG	2.12	-	1,818	00 2.1	IND	0.81	-	13,774	00 0.8	UBA	0.98	-	1,962	00 0.9
NPK	12.30	(0.70)	61	00 12.5	JAK	1.26	(0.05)	1	00 1.2	VL	1.21	(0.01)	43,389	00 1.2
SEI	4.78	(0.10)	41,686	00 4.9	K	1.25	(0.02)	1,434	00 1.2	VS	0.64	(0.01)	359	00 0.6
SMD	5.40	0.72	57,894	00 5.4	K-W3	0.13	(0.01)	1,541	00 0.1	YGG	0.54	(0.03)	108,548	00 0.5
TM	1.17	(0.02)	578	00 1.1	META	0.14	0.01	22,237	00 0.1	Technology	-	-	-	-
TM-W1	0.06	(0.01)	277	00 0.0	META-W7	0.01	-	1,165	00 0.0	APP	1.73	0.03	3,146	00 1.7
WARRIX	4.16	(0.12)	38,142	00 4.1	PANEL	1.27	0.02	2,876	00 1.2	BBIK	42.25	(0.50)	5,226	00 42.9
WINMED	1.99	(0.01)	11,819	00 2.2	PPS	0.22	-	1,705	00 0.2	BEB	14.10	(0.30)	13,676	00 14.2
<b>Financials</b>					PRI	9.05	(0.05)	6,429	00 9.0	BEB-W1	1.99	(0.59)	4	00 1.9
ACAP	-	-	-	00 0.0	PROS	1.10	-	788	00 1.0	BVG	2.88	-	598	00 2.8
AF	0.58	(0.01)	14	00 0.5	PROS-W1	0.13	(0.01)	3,858	00 0.1	COMAN	0.78	0.08	2,293	00 0.7
AIRA	-	-	-	00 0.0	PSG	0.50	0.01	46,625	00 0.5	I2	1.49	(0.11)	41,800	00 1.5
ASN	1.81	0.11	134	00 1.7	QTCG	0.35	(0.01)	33,003	00 0.3	IIG	5.00	(0.10)	1,576	00 5.0
BTC	0.70	0.05	2,683,558	00 0.6	SENX	0.36	-	871	00 0.3	IIG-W1	0.34	(0.01)	37	00 0.2
BTC-W7	0.37	0.03	71,329	00 0.3	SK	0.64	0.05	11,811	00 0.6	IRCP	0.54	0.01	5,772	00 0.5
GCAP	0.47	(0.01)	44,301	00 0.4	SMART	0.77	(0.02)	17,422	00 0.7	ITNS	1.46	0.04	4,311	00 1.4
KCC	2.54	(0.06)	810	00 2.5	STC	0.56	(0.01)	1,619	00 0.5	NAT	4.58	(0.06)	1,598	00 4.5
LIT	0.90	(0.01)	4,520	00 0.8	STX	1.44	(0.03)	1,517	00 1.4	NETBAY	16.00	(0.20)	5,429	00 16.0
LIT-W2	0.03	-	7,590	00 0.0	SVR	1.19	(0.01)	5,920	00 1.1	PLANET	1.61	(0.05)	25,586	00 1.5
MITSIB	0.73	-	1,608	00 0.7	TAPAC	-	-	-	00 0.0	PROEN	4.36	0.56	634,284	00 4.1
SGF	0.25	-	8,276	00 0.2	THANA	1.24	0.01	1,090	00 1.2	PROEN-W2	2.30	0.38	275,202	00 2.1
SGF-P1	-	-	-	00 0.0	TIGER	0.62	0.01	926	00 0.6	READY	5.10	(0.05)	724	00 5.1
SGF-Q1	-	-	-	00 0.0	TITLE	4.24	-	321	00 4.2	SECURE	12.70	0.20	635	00 12.5
TQR	6.00	(0.05)	398	00 6.0	WELL	-	-	-	00 0.0	SICT	4.42	(0.04)	31,212	00 4.3
<b>Industrials</b>					YONG	1.24	(0.01)	2,059	00 1.2	SIMAT	2.36	0.02	111,138	00 2.3
ADB	0.80	(0.06)	2,319	00 0.8	<b>Resources</b>					SIMAT-W3	0.12	(0.01)	13,520	00 0.1
BM	3.14	0.02	8,153	00 3.1	ABM	1.30	-	11,375	00 1.2	SPVI	2.24	(0.02)	878	00 2.2
BM-W3	1.51	0.03	85	00 1.4	ABM-W1	-	-	-	00 0.0	SRS	5.20	(0.05)	1,443	00 5.3
BPS	0.53	0.01	4,636	00 0.5	GTV	0.13	-	55,295	00 0.1	TBN	6.00	0.10	3,091	00 5.9
CHO	0.05	0.01	33,687	00 0.0	PSTC	0.45	(0.03)	93,327	00 0.4	TERA	1.29	(0.04)	4,180	00 1.3
CHO-W4	0.01	-	2	00 0.0	PSTC-W2	0.01	(0.01)	1,127	00 0.0	TPS	2.86	0.02	2,875	00 2.8
CHOW	2.28	-	333	00 2.2	PSTC-W3	0.16	-	7,762	00 0.1	VCOM	2.58	0.10	2,093	00 2.5
CIG	0.05	-	5,736	00 0.0	PTC	1.55	-	12	00 1.5	-	-	-	-	-
CIG-W10	-	-	-	00 0.0	SAAM	5.95	(0.10)	526	00 5.9	-	-	-	-	-
CIG-W9	-	-	-	00 0.0	SR	0.60	(0.06)	561	00 0.5	-	-	-	-	-
COLOR	1.09	-	210	00 1.0	STOWER	0.08	0.01	5,123	00 0.0	-	-	-	-	-
CPR	4.14	0.08	41,794	00 4.1	TAKUNI	0.72	0.02	19,021	00 0.7	-	-	-	-	-
FPI	1.95	(0.01)	417	00 1.9	TPCH	5.65	(0.05)	11,967	00 5.6	-	-	-	-	-
GTB	0.73	(0.01)	2,335	00 0.7	UMS	0.61	(0.27)	2,111	00 0.6	-	-	-	-	-
HARN	2.10	(0.02)	739	00 2.0	<b>Services</b>					-	-	-	-	-
KCM	0.31	0.01	892	00 0.3	ADD	4.56	(0.04)	581	00 4.4	-	-	-	-	-
KJL	6.75	(0.05)	806	00 6.7	AKP	0.76	0.02	10,687	00 0.7	-	-	-	-	-
KUMWEL	1.64	0.01	216	00 1.6	AMA	4.12	(0.02)	4,334	00 4.1	-	-	-	-	-
KWM	1.28	0.02	415	00 1.2	AMARC	1.44	0.03	7,000	00 1.4	-	-	-	-	-
MBAX	2.42	0.02	314	00 2.4	ARIP	0.58	-	2,448	00 0.5	-	-	-	-	-
MGT	2.02	(0.02)	1,218	00 2.0	ATP30	0.98	(0.02)	19,326	00 1.0	-	-	-	-	-
MTW	1.17	0.02	10,880	00 1.2	AUCT	8.60	(0.05)	3,030	00 8.6	-	-	-	-	-
MTW-W1	0.11	-	24,292	00 0.1	BIS	3.46	(0.04)	853	00 3.5	-	-	-	-	-
NDR	2.74	0.16	9,766	00 2.7	BOL	5.95	(0.05)	1,769	00 5.9	-	-	-	-	-
PACO	1.35	(0.01)	4,000	00 1.3	CEYE	3.00	-	96	00 2.9	-	-	-	-	-
PACO-W1	0.07	(0.01)	6,461	00 0.0	CHIC	0.49	(0.02)	12	00 0.5	-	-	-	-	-
PDG	2.66	-	441	00 2.6	CMO	0.80	(0.01)	1,133	00 0.8	-	-	-	-	-
PHOL	3.04	-	1,985	00 3.0	D	3.18	(0.02)	3,261	00 3.1	-	-	-	-	-