

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Wednesday December 25, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	SCB19C2504A	0.25	-	27,496	0.25	IVL19C2505A	0.18	(0.01)	40,124	0.19
Agribusiness	-	-	-	-	SCB41C2502A	0.12	(0.01)	9,000	0.12	IVL19P2502A	-	-	-	-
EE	0.58	(0.02)	64,806	0.59	SCB41P2504A	-	-	-	-	IVL41C2502A	-	-	-	-
EE-W1	0.04	-	92,493	0.04	TCAP	50.25	-	7,678	50.12	IVL41C2502B	0.07	(0.01)	4,460	0.07
GFPT	9.80	(0.05)	6,777	9.83	TCAP-P	-	-	-	-	NFC	1.64	-	34	1.64
LEE	2.36	-	2,910	2.38	TCAP-Q	-	-	-	-	PATO	8.35	-	104	8.35
NER	4.70	(0.06)	24,614	4.73	TCAP13C2501A	-	-	-	-	PMTA	-	-	-	-
NER-W2	0.34	-	1,047	0.33	TCAP19C2504A	0.14	-	6,052	0.14	PTTGC	23.80	(0.60)	119,953	23.92
PCE	2.86	-	39,670	2.85	TISCO	99.00	-	15,075	98.97	PTTGC01C2501A	-	-	-	-
PPP	0.56	(0.01)	1,585	0.57	TISCO-P	-	-	-	-	PTTGC01C2501B	-	-	-	-
PPPM-W6	0.46	-	779	0.45	TISCO-Q	-	-	-	-	PTTGC01C2502A	-	-	-	-
STA	17.60	(0.50)	63,502	17.72	TISCO11C2501A	-	-	-	-	PTTGC01C2504A	0.27	(0.05)	42,870	0.29
STA01C2501A	-	-	-	-	TISCO13C2502A	-	-	-	-	PTTGC01C2505A	0.09	(0.01)	6,146	0.10
STA01C2502A	-	-	-	-	TISCO19C2502A	0.13	(0.01)	1,005	0.13	PTTGC01P2501A	-	-	-	-
STA01C2503A	-	-	-	-	TTB	1.86	0.01	704,488	1.85	PTTGC01P2503A	0.38	0.05	112,442	0.36
STA01C2504A	0.28	(0.04)	32,735	0.30	TTB-W1	0.87	0.01	6,955	0.87	PTTGC11C2501A	-	-	-	-
STA01P2502A	0.57	0.02	20,212	0.55	TTB01C2503A	-	-	-	-	PTTGC11C2502A	-	-	-	-
STA13C2502A	-	-	-	-	TTB01C2504A	0.25	(0.01)	3,100	0.25	PTTGC11C2503A	0.20	(0.05)	2,250	0.20
STA13C2502B	0.03	(0.01)	51	0.02	TTB13C2501A	-	-	-	-	PTTGC13C2501A	0.01	-	50	0.01
STA13C2503A	0.13	(0.03)	22,067	0.14	TTB13C2503A	0.15	-	9,276	0.15	PTTGC13C2502A	-	-	-	-
STA13C2505A	0.34	(0.05)	46,671	0.36	TTB19C2501A	0.01	(0.07)	10	0.01	PTTGC13C2503A	0.20	(0.04)	32,219	0.22
STA13P2502A	0.42	0.04	26,034	0.40	TTB19C2504A	0.25	-	8,620	0.25	PTTGC13C2504A	0.10	(0.02)	25,382	0.11
STA19C2502A	-	-	-	-	Construction Mat	-	-	-	-	PTTGC13C2505A	0.47	(0.06)	63,846	0.49
STA19C2502B	-	-	-	-	CCP	0.27	-	7,216	0.26	PTTGC13P2502A	0.28	0.03	23,672	0.27
STA19C2503A	-	-	-	-	DCC	1.78	(0.03)	20,764	1.78	PTTGC13P2502B	0.11	-	7,273	0.10
STA19C2504A	0.18	(0.03)	28,822	0.18	DCON	0.30	0.01	3,313	0.30	PTTGC19C2501A	-	-	-	-
STA19C2505A	0.34	(0.66)	30,536	0.36	DCON-W3	0.02	-	9,955	0.01	PTTGC19C2501B	-	-	-	-
STA19P2503A	0.42	0.01	20,888	0.41	DRT	7.60	0.05	1,014	7.56	PTTGC19C2502A	-	-	-	-
STA41C2503A	0.18	(0.04)	21,401	0.19	EPG	3.94	(0.06)	7,471	3.97	PTTGC19C2504A	0.09	(0.01)	2,197	0.09
TEGH	3.56	(0.04)	10,997	3.56	GEL	0.08	(0.01)	12,577	0.09	PTTGC19C2505A	0.34	(0.06)	54,054	0.37
TFM	7.80	0.10	600	7.73	GEL-W5	-	-	-	-	PTTGC19P2503A	0.18	0.03	7,417	0.16
TRUBB	1.01	(0.03)	2,615	1.01	PPP	1.42	0.01	477	1.43	PTTGC41C2501A	-	-	-	-
UPOIC	9.50	0.20	40	6.42	Q-CON	9.05	(0.10)	280	9.14	PTTGC41C2502A	-	-	-	-
UVAN	6.20	0.05	464	9.21	SCC	169.50	(2.00)	17,310	169.98	PTTGC41C2502B	-	-	-	-
VPO	0.57	0.01	3,575	0.56	SCC01C2502A	-	-	-	-	PTTGC41C2503A	0.06	(0.02)	50	0.06
Banking	-	-	-	-	SCC01C2503A	0.01	(0.01)	4,500	0.01	PTTGC41C2505A	0.31	(0.06)	86,418	0.33
BAY	24.70	(0.10)	833	24.65	SCC01C2505A	0.24	(0.02)	15,527	0.26	PTTGC41P2502A	0.19	0.02	4,000	0.19
BBL	150.50	-	31,535	150.52	SCC01C2505B	0.47	(0.05)	24,909	0.50	RSXYZ	1.58	(0.03)	9,532	1.60
BBL11C2501A	-	-	-	-	SCC01P2503A	-	-	-	-	RSXYZ-W2	-	-	-	-
BBL11C2502A	-	-	-	-	SCC13C2501A	-	-	-	-	SUTHA	2.86	(0.10)	11	2.86
BBL13C2501A	0.01	(0.01)	548	0.01	SCC13C2501B	-	-	-	-	TPA	3.44	(0.16)	2	3.35
BBL13C2503A	-	-	-	-	SCC13C2502A	-	-	-	-	UAC	3.04	(0.02)	324	3.00
BBL13C2504A	0.25	(0.01)	20,684	0.25	SCC13C2503A	0.01	-	5,060	0.01	UP	17.30	-	125	17.00
BBL13P2501A	0.01	(0.01)	3	0.01	SCC13C2504A	0.12	(0.01)	25,015	0.13	Commerce	-	-	-	-
BBL19C2502A	-	-	-	-	SCC13C2504B	0.22	(0.03)	102,141	0.24	ADVCE	6.20	-	25,500	6.22
BBL19C2503A	0.11	-	10,962	0.11	SCC13C2505A	0.44	(0.04)	86,596	0.46	B52	0.38	-	1,724	0.38
BBL19C2503B	0.18	-	250	0.18	SCC13P2502A	1.06	(0.34)	2	1.08	BEAUTY	0.32	(0.02)	94,537	0.33
BBL41C2502A	-	-	-	-	SCC13P2504A	0.76	0.06	50,886	0.71	BIG	0.33	(0.01)	3,715	0.34
BBL41C2504A	0.24	(0.01)	22,000	0.24	SCC19C2501A	-	-	-	-	BJC	23.30	(0.40)	35,855	23.46
CIMBT	0.46	-	11,944	0.46	SCC19C2502A	-	-	-	-	BJC01C2503A	-	-	-	-
CREDIT	18.80	0.30	2,225	18.86	SCC19C2503A	-	-	-	-	BJC13C2502A	-	-	-	-
KBANK	157.00	1.00	53,450	156.87	SCC19C2504A	0.09	(0.02)	25,144	0.10	BJC13C2503A	0.16	(0.03)	19,937	0.17
KBANK01C2501A	0.20	0.01	6,005	0.20	SCC19C2505A	0.26	(0.02)	10,598	0.27	BJC13C2505A	0.37	(0.04)	61,955	0.38
KBANK01C2502A	0.05	-	210	0.05	SCC19C2505B	0.42	(0.05)	32,062	0.46	BJC19C2502A	-	-	-	-
KBANK01C2503A	0.31	0.01	19,651	0.30	SCC19P2505A	0.82	0.04	43,158	0.80	BJC19C2503A	0.15	(0.02)	6,296	0.16
KBANK01P2502A	-	-	-	-	SCC41C2503A	-	-	-	-	COM7	26.50	0.25	133,689	26.84
KBANK01P2502B	0.11	(0.03)	11,873	0.12	SCC41C2504A	0.14	(0.02)	32,000	0.15	COM701C2501A	-	-	-	-
KBANK13C2501A	-	-	-	-	SCC41C2505A	0.30	(0.03)	38,000	0.32	COM701C2503A	0.11	0.01	28,891	0.12
KBANK13C2501B	-	-	-	-	SCCC	163.50	-	340	163.81	COM701P2501A	-	-	-	-
KBANK13C2503A	0.25	0.01	56,154	0.24	SCGD	4.82	(0.14)	32,600	4.87	COM713C2501A	0.02	0.01	1	0.02
KBANK13P2501A	-	-	-	-	SCP	6.80	0.05	91	6.76	COM713C2504A	0.15	-	19,126	0.17
KBANK13P2501B	-	-	-	-	SKN	5.25	-	32	5.25	COM713P2501A	-	-	-	-
KBANK13P2504A	0.22	(0.01)	2,446	0.22	STECH	1.10	0.01	48	1.10	COM719C2501A	-	-	-	-
KBANK19C2501A	-	-	-	-	TASCO	18.20	(0.20)	42,696	18.30	COM719C2502A	0.10	0.01	4,355	0.10
KBANK19C2502A	0.11	-	14,190	0.11	TASCO01C2501/	-	-	-	-	COM719C2505A	0.21	-	51,003	0.22
KBANK19C2502B	-	-	-	-	TASCO13C2501/	-	-	-	-	COM719P2502A	0.05	(0.01)	168	0.05
KBANK19C2504A	0.39	0.01	10,457	0.38	TASCO19C2502/	0.08	(0.03)	2,860	0.09	COM741C2501A	0.24	(0.30)	2,000	0.24
KBANK19C2505A	0.30	0.01	14,160	0.29	TOA	14.70	-	20,098	14.71	COM741C2501B	0.05	(0.03)	8,250	0.05
KBANK19P2501A	-	-	-	-	TPPL	1.07	(0.01)	23,657	1.07	COM741C2503A	0.10	-	46,402	0.11
KBANK19P2502A	-	-	-	-	UMI	0.67	-	577	0.66	CPALL	56.50	(0.50)	189,618	56.59
KBANK41C2501A	-	-	-	-	VNG	3.08	(0.06)	5,488	3.10	CPALL01C2501A	0.01	(0.01)	444	0.01
KBANK41C2502A	-	-	-	-	WIJK	1.13	0.02	1,785	1.12	CPALL01C2502A	-	-	-	-
KBANK41C2604T	0.82	0.03	34,004	0.81	WIJK-W3	0.06	0.01	7,003	0.05	CPALL01C2504A	0.05	(0.01)	48,234	0.05
KBANK41P2502A	-	-	-	-	WINDOW	0.80	-	1,994	0.80	CPALL01C2505A	0.30	(0.02)	57,926	0.31
KKP	52.75	0.25	32,390	52.56	Petrochemicals &	-	-	-	-	CPALL01P2501X	-	-	-	-
KKP-W6	1.28	-	766	1.29	BCT	66.25	(0.75)	20	65.50	CPALL01P2502X	0.22	(0.01)	1	0.22
KKP13C2501A	-	-	-	-	CMAN	2.22	-	1,388	2.21	CPALL01P2505A	0.39	0.01	33,642	0.38
KKP13C2502A	-	-	-	-	GC	4.98	-	340	4.97	CPALL06C2504A	0.20	(0.01)	8,818	0.20
KKP13C2504A	0.32	0.01	25,836	0.31	GGC	4.38	0.16	101	4.35	CPALL11C2501A	-	-	-	-
KKP19C2501A	-	-	-	-	IVL	25.50	(0.50)	111,120	25.72					

Main Board Quotation

Issue Date :

Wednesday December 25, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CRC01C2501A	0.17	(0.01)	6,669	0.17	INET	5.45	(0.20)	79,392	5.62	DELTA19C2502A	-	-	-	-
CRC01C2503A	0.10	(0.01)	52,747	0.11	INSET	3.18	(0.02)	179,015	3.24	DELTA19C2503A	0.62	0.03	32,583	0.60
CRC11C2501A	-	-	-	-	INTUCH	98.25	0.75	45,169	97.89	DELTA19C2503B	0.34	0.02	49,760	0.33
CRC13C2502A	-	-	-	-	INTUCH01C250	0.04	(0.01)	150	0.04	DELTA19P2502A	-	-	-	-
CRC13C2503A	0.16	(0.02)	30,119	0.18	INTUCH01C250	0.22	-	32,409	0.22	DELTA19P2503A	0.12	(0.01)	11	0.12
CRC19C2501A	-	-	-	-	INTUCH13C2501	-	-	-	-	DELTA19P2504A	0.42	(0.01)	353	0.42
CRC19C2502A	0.11	(0.01)	16,359	0.12	INTUCH13C250	0.06	-	500	0.06	DELTA41C2502A	0.75	0.02	4,501	0.75
CRC41C2503A	0.18	(0.02)	38,823	0.20	INTUCH13C250	0.02	-	400	0.02	DELTA41C2503A	0.36	0.02	13,710	0.36
CSS	0.88	-	12,727	0.88	INTUCH13C250	0.34	0.01	34,271	0.34	DELTA41C2503B	0.39	0.02	44,668	0.38
DOHOME	9.10	(0.10)	30,449	9.10	INTUCH13C250	0.22	0.01	19,538	0.22	DELTA41P2502A	-	-	-	-
DOHOME01C2501A	0.02	-	701	0.01	INTUCH13C250	0.77	0.03	61,819	0.75	DELTA41P2504A	0.56	(0.02)	7,501	0.56
DOHOME01C2503A	-	-	-	-	INTUCH13P250	0.11	(0.01)	7,332	0.11	HANA	25.50	(0.50)	60,595	25.55
DOHOME13C2502A	-	-	-	-	INTUCH19C250	0.16	-	6,990	0.16	HANA01C2501W	0.01	-	1,000	0.01
DOHOME13C2503A	-	-	-	-	INTUCH19C250	0.12	-	14,495	0.12	HANA01C2502A	-	-	-	-
DOHOME13C2505A	0.39	(0.02)	29,757	0.39	INTUCH19C250	-	-	-	-	HANA01C2504A	0.12	(0.01)	23,153	0.12
DOHOME19C2501A	-	-	-	-	INTUCH19C250	0.47	0.02	82,421	0.47	HANA01C2504W	0.02	(0.01)	5,217	0.02
DOHOME19C2502A	-	-	-	-	INTUCH19C250	0.26	-	50,913	0.26	HANA01C2505A	0.72	(0.06)	15,178	0.73
DOHOME19C2504A	-	-	-	-	ITEL	2.04	0.02	73,796	2.01	HANA01P2501W	0.52	0.06	12,161	0.51
DOHOME41C2501A	-	-	-	-	JAS	2.14	(0.02)	193,809	2.13	HANA01P2503W	1.15	-	7,068	1.13
FN	0.76	(0.03)	157	0.77	JAS-W4	0.43	(0.02)	460,454	0.43	HANA01P2504A	0.34	0.01	48,263	0.34
GLOBAL	14.30	(0.10)	31,665	14.32	JAS13C2502A	0.03	-	13,597	0.03	HANA06C2412A	-	-	-	-
GLOBAL01C2503A	0.05	(0.02)	200	0.05	JAS13C2503A	0.14	-	22,889	0.13	HANA06C2504A	0.12	(0.01)	26,643	0.12
GLOBAL11C2501A	-	-	-	-	JAS19C2501A	0.01	-	30,000	0.01	HANA13C2502A	-	-	-	-
GLOBAL13C2501A	-	-	-	-	JAS19C2503A	0.11	(0.01)	14,482	0.11	HANA13C2503A	0.01	(0.01)	25	0.01
GLOBAL13C2504A	0.14	-	8,135	0.14	JMART	13.30	(0.10)	18,475	13.26	HANA13C2504A	0.03	-	1,000	0.03
GLOBAL19C2503A	0.08	(0.01)	6,000	0.09	JMART-W5	0.36	-	1,327	0.38	HANA13C2504B	0.07	(0.01)	201	0.07
HMPRO	9.65	(0.05)	222,648	9.71	JMART01C2501	-	-	-	-	HANA13C2504C	0.14	(0.01)	33,247	0.14
HMPRO01C2501A	-	-	-	-	JMART01C2503	0.12	(0.01)	15,448	0.12	HANA13C2505A	0.60	(0.05)	3,583	0.61
HMPRO01C2503A	-	-	-	-	JMART13C2501	-	-	-	-	HANA13C2505B	0.21	(0.02)	149,632	0.21
HMPRO01C2504A	0.23	(0.01)	24,099	0.24	JMART13C2501E	-	-	-	-	HANA13P2502A	-	-	-	-
HMPRO11C2502A	-	-	-	-	JMART13C2504	0.19	(0.02)	18,757	0.19	HANA13P2503A	-	-	-	-
HMPRO13C2501A	-	-	-	-	JMART19C2501	-	-	-	-	HANA13P2504A	0.38	0.02	56,380	0.38
HMPRO13C2501B	-	-	-	-	JMART19C2501E	-	-	-	-	HANA19C2501A	-	-	-	-
HMPRO13C2504A	0.25	(0.01)	25,666	0.27	JMART19C2501C	-	-	-	-	HANA19C2501B	-	-	-	-
HMPRO19C2501A	0.12	-	50	0.12	JMART19C2503	0.11	(0.01)	17,762	0.11	HANA19C2503A	-	-	-	-
HMPRO19C2501B	-	-	-	-	JMART19C2504	0.21	(0.01)	13,557	0.21	HANA19C2504A	0.09	(0.01)	3,204	0.09
HMPRO19C2502A	-	-	-	-	JMART41C2501	-	-	-	-	HANA19C2505A	0.17	(0.02)	125,775	0.17
HMPRO19C2503A	0.16	(0.01)	17,830	0.16	JMART41C2504	0.20	(0.01)	28,100	0.20	HANA19C2505B	0.64	(0.10)	101	0.64
HMPRO41C2503A	0.13	(0.02)	12,000	0.15	JTS	64.25	2.50	5,631	63.51	HANA19P2504A	-	-	-	-
ICC	32.25	(0.25)	39	31.12	MFEC	6.05	-	2,905	5.94	HANA19P2504B	0.36	-	40,256	0.36
ILM	16.20	0.10	311	16.07	MSC	7.80	-	13	7.81	HANA41C2501A	-	-	-	-
IT	4.52	0.02	240	4.51	PT	9.15	(0.05)	807	9.12	HANA41C2502A	-	-	-	-
KAMART	11.10	(0.30)	18,343	11.24	ROCTEC	1.05	0.01	115,176	1.06	HANA41C2504A	-	-	-	-
LOXLEY	1.38	(0.01)	687	1.38	ROCTEC-W3	0.02	(0.01)	21,699	0.02	HANA41C2504B	-	-	-	-
MC	10.70	-	4,483	10.72	ROCTEC-W5	0.06	(0.01)	22,665	0.07	HANA41C2505A	0.17	(0.02)	22,503	0.18
MEGA	34.00	1.00	15,339	34.01	SAMART	6.70	0.05	7,459	6.76	KCE	24.80	(0.20)	186,935	24.60
MEGA13C2502A	0.02	-	5,662	0.02	SAMTEL	6.35	0.15	1,429	6.34	KCE01C2501W	-	-	-	-
MEGA19C2502A	-	-	-	-	SDC	0.04	-	13,079	0.04	KCE01C2503A	-	-	-	-
MIDA	0.31	(0.01)	3,082	0.32	SIS	28.75	-	5,479	28.23	KCE01C2504A	0.12	0.01	70,598	0.11
MOSHI	42.75	(0.75)	4,997	42.75	SKY	24.10	-	3,804	23.99	KCE01C2504W	-	-	-	-
RS	5.50	(0.05)	3,200	5.51	SPREME	1.68	(0.02)	10,243	1.68	KCE01P2501W	0.68	0.07	1,752	0.65
RS-W5	4.52	0.04	292	4.51	SVOA	1.18	(0.02)	2,817	1.19	KCE01P2503W	1.02	(0.01)	22,798	1.06
RSP	1.89	0.02	227	1.88	SYMC	8.00	0.05	2,230	7.91	KCE01P2504A	0.46	(0.01)	84,489	0.49
SABUY	0.57	(0.06)	582,969	0.60	SYNEX	15.00	(0.10)	6,288	14.94	KCE11C2501A	-	-	-	-
SCM	0.88	(0.38)	166,572	0.89	THCOM	12.90	(0.40)	40,524	13.00	KCE11C2502A	-	-	-	-
SCM-W2	0.39	0.14	951,842	0.32	TKC	10.50	(0.10)	140	10.42	KCE13C2501A	-	-	-	-
SINGER	7.85	(0.30)	19,299	7.97	TRUE	10.90	0.10	325,747	10.92	KCE13C2503A	-	-	-	-
SPC	58.25	(0.25)	9	58.56	TRUE01C2501A	-	-	-	-	KCE13C2503B	0.01	-	700	0.01
SPI	63.50	(0.50)	1	63.50	TRUE01C2503A	-	-	-	-	KCE13C2504A	0.03	(0.01)	2,802	0.03
SVT	1.55	0.04	3,709	1.53	TRUE01C2505A	0.24	0.02	27,541	0.23	KCE13C2504B	0.07	(0.01)	34,955	0.07
TAN	7.00	(0.05)	2,516	7.09	TRUE01P2503A	0.22	(0.03)	17,008	0.23	KCE13C2504C	0.37	(0.03)	616,097	0.34
Information & Comr	-	-	-	-	TRUE11C2501A	-	-	-	-	KCE13C2504D	0.12	-	47,094	0.12
3BBIF	5.25	(0.05)	137,194	5.28	TRUE11C2501B	-	-	-	-	KCE13C2505A	0.73	(0.03)	45,586	0.72
ADVANC	287.00	1.00	22,956	286.29	TRUE13C2503A	-	-	-	-	KCE13P2501A	-	-	-	-
ADVANC01C2501A	0.13	-	4,200	0.13	TRUE13C2504A	0.11	-	17,013	0.11	KCE13P2503A	0.37	(0.03)	2,328	0.36
ADVANC01C2503A	0.22	0.01	14,726	0.22	TRUE13C2505A	0.19	0.01	23,099	0.19	KCE13P2504A	0.55	0.01	146,966	0.56
ADVANC01C2503B	0.24	-	15,141	0.25	TRUE13P2503A	0.15	-	3,601	0.14	KCE13P2505A	0.36	-	52,025	0.37
ADVANC01P2502X	-	-	-	-	TRUE19C2501A	-	-	-	-	KCE19C2501A	0.01	-	100	0.01
ADVANC01P2503X	0.15	(0.01)	15,041	0.15	TRUE19C2503A	-	-	-	-	KCE19C2503A	0.01	-	10	0.01
ADVANC01P2505A	0.53	(0.01)	15,308	0.53	TRUE19C2504A	0.16	0.01	4,306	0.16	KCE19C2503B	-	-	-	-
ADVANC06C2501A	0.13	(0.01)	20,444	0.14	TRUE41C2501A	-	-	-	-	KCE19C2504A	0.05	(0.01)	613	0.06
ADVANC13C2501A	0.01	-	30	0.01	TRUE41C2503A	-	-	-	-	KCE19C2504B	0.11	-	12,372	0.11
ADVANC13C2502A	0.03	-	120	0.03	TRUE41C2505A	0.18	0.01	32,000	0.18	KCE19C2505A	0.48	(0.02)	217,775	0.47
ADVANC13C2503A	0.23	-	30,816	0.22	TRUE41C2604T	0.56	0.01	17,277	0.56	KCE19P2501A	-	-	-	-
ADVANC13C2503B	0.11	-	15,721	0.11	TRUE41P2504A	0.28	(0.01)	2,001	0.28	KCE19P2504A	0.46	-	80,652	0.47
ADVANC13C2505A	0.48	0.01	35,228	0.47	TWZ	0.03	-	234,481	0.03	KCE19P2505A	0.43	-	50,805	0.45
ADVANC13P2501A	-	-	-	-	TWZ-W8	-	-	-	-	KCE41C2501A	-	-	-	-
ADVANC13P2502A	0.04	(0.01)	32	0.04	TWZ-W9	-	-	-	-	KCE41C2502A	0.01	-	60	0.01
ADVANC13P2504A	0.35	(0.02)	7,686	0.35	Electronic Comp	-	-	-	-	KCE41C2504A	-	-	-	-
ADVANC19C2501A	-	-	-	-	CCET	9.60	0.50	1,268,836	9.54	KCE41C2504B	0.10	(0.01)	16,000	0.10
ADVANC19C2502A	0.11	(0.01)	9,202	0.12	DELTA	152.50	2.00	50,795	151.83	KCE41C2505A	0.38	(0.01)	26,386	0.38
ADVANC19C2503A	0.11	-	11,411	0.11	DELTA01C2501	0.78	0.01	17,656	0.76	METCO	171.50	0.50	22	171.77
ADVANC19C2505A	0.30	0.02	48,001	0.29	DELTA01C2502	0.56	0.01	13,632	0.56	SMT	1.58	(0.02)	1,221	1.59
ADVANC19P2503A	-	-	-	-	DELTA01C2503	0.27	-	5,066	0.27	SVI	7.30	(0.05)	5,794	7.27
ADVANC19P2504A	0.31	-	13,770	0.31	DELTA01P2502	0.01	-	300	0.01	TEAM	2.70	-	777	2.68
ADVANC41C2501A	0.11	(0.02)	4,000	0.12	DELTA01P2503	0.16	(0.01)	55,155	0.17	Energy & Utilities	-	-	-	-
ADVANC41C2502A	0.20	(0.01)	40,100	0.21	DELTA01P2504	0.60	(0.03)	43,012	0.62	ACC	0.57	(0.02)	21,778	0.58
ADVANC41C2503A	0.15	0.01	3,200	0.15	DELTA06C2412	-	-	-	-	ACC-W2	0.			

Main Board Quotation

Issue Date :

Wednesday December 25, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BANPU13C2501A	-	-	-	-	GPSC	38.75	(1.00)	177,318	38.40	PTTEP11C2501A	-	-	-	-
BANPU13C2502A	0.02	-	80	0.02	GPSC01C2501A	-	-	-	-	PTTEP11C2501B	-	-	-	-
BANPU13C2503A	0.12	(0.02)	23,492	0.14	GPSC01C2502A	-	-	-	-	PTTEP11C2502A	-	-	-	-
BANPU13C2504A	0.20	(0.03)	57,879	0.23	GPSC01C2504W	0.11	(0.02)	27,809	0.11	PTTEP11C2503A	0.10	-	4,000	0.10
BANPU13P2501A	-	-	-	-	GPSC01P2502A	0.14	0.01	177,939	0.16	PTTEP13C2501A	-	-	-	-
BANPU13P2502A	0.07	0.01	7,390	0.06	GPSC11C2501A	-	-	-	-	PTTEP13C2502A	-	-	-	-
BANPU13P2504A	0.11	0.01	13,787	0.10	GPSC11C2502A	-	-	-	-	PTTEP13C2503A	-	-	-	-
BANPU19C2501A	-	-	-	-	GPSC13C2501A	-	-	-	-	PTTEP13C2504A	0.12	(0.01)	4,845	0.12
BANPU19C2502A	0.07	(0.01)	20,954	0.08	GPSC13C2501B	-	-	-	-	PTTEP13C2505A	0.24	(0.02)	10,780	0.25
BANPU19C2502B	0.03	(0.01)	889	0.03	GPSC13C2503A	-	-	-	-	PTTEP13P2502A	0.34	-	23,221	0.34
BANPU19C2504A	0.21	(0.02)	44,388	0.23	GPSC13C2504A	0.12	(0.02)	82,729	0.12	PTTEP19C2502A	-	-	-	-
BANPU41C2501A	0.11	(0.03)	2,000	0.11	GPSC13C2505A	0.29	(0.04)	169,118	0.28	PTTEP19C2503A	-	-	-	-
BANPU41C2502A	-	-	-	-	GPSC13P2501A	0.05	-	24,669	0.07	PTTEP19C2504A	0.13	(0.01)	700	0.13
BANPU41C2505A	0.23	(0.03)	30,076	0.25	GPSC13P2505A	0.30	0.02	172,631	0.32	PTTEP19C2505A	0.26	(0.02)	16,911	0.27
BBDI	4.44	(0.10)	40,933	4.53	GPSC19C2501A	-	-	-	-	PTTEP41C2502A	-	-	-	-
BCP	34.75	0.25	166,160	34.47	GPSC19C2502A	-	-	-	-	PTTEP41C2503A	-	-	-	-
BCP01C2501A	-	-	-	-	GPSC19C2503A	-	-	-	-	PTTEP41C2504A	0.12	(0.02)	19,857	0.13
BCP01C2502A	-	-	-	-	GPSC19C2505A	0.18	(0.03)	53,998	0.18	PTTEP41C2604T	-	-	-	-
BCP01C2504A	0.21	-	7,598	0.21	GPSC41C2502A	-	-	-	-	PTTEP41P2503A	0.36	(0.03)	4,800	0.35
BCP01C2505A	0.34	-	4,959	0.34	GPSC41C2504A	0.14	(0.03)	101,247	0.13	RATCH	30.25	(0.25)	20,471	30.26
BCP01P2502A	0.10	(0.01)	8,854	0.11	GREEN	1.06	0.02	257	1.06	RATCH01C2503A	-	-	-	-
BCP11C2501A	-	-	-	-	GULF	59.50	(0.25)	111,797	59.39	RATCH13C2503A	-	-	-	-
BCP11C2502A	-	-	-	-	GULF01C2502A	0.10	(0.03)	16,519	0.11	RATCH19C2502A	-	-	-	-
BCP11C2503A	0.34	0.02	21,658	0.32	GULF01C2502B	0.06	(0.02)	3	0.06	RPC	0.40	-	2,524	0.41
BCP13C2501A	0.01	(0.01)	3,834	0.01	GULF01C2503A	0.05	(0.01)	252	0.05	SCG	3.48	-	9	3.48
BCP13C2503A	0.11	-	87,194	0.11	GULF01C2504A	0.24	-	52,070	0.23	SCN	0.63	-	8,389	0.61
BCP13C2504A	0.35	-	194,990	0.34	GULF01P2501A	-	-	-	-	SCN-W2	0.05	-	8,837	0.05
BCP13P2501A	-	-	-	-	GULF01P2504A	0.62	-	28,706	0.62	SEA01L	2.52	-	166	2.51
BCP13P2505A	0.27	(0.73)	106,627	0.28	GULF06C2503A	0.11	(0.01)	13,221	0.11	SGP	7.05	(0.05)	49	6.99
BCP19C2501A	-	-	-	-	GULF13C2501A	-	-	-	-	SKE	0.29	-	1,779	0.29
BCP19C2503A	0.18	0.01	73,172	0.17	GULF13C2502A	0.04	(0.01)	362	0.04	SKE-W1	0.05	-	4	0.05
BCP19C2503B	0.12	-	13,960	0.11	GULF13C2502B	-	-	-	-	SOLAR	0.41	-	6,093	0.41
BCP19C2504A	0.37	(0.01)	26,581	0.36	GULF13C2504A	0.16	(0.01)	48,879	0.16	SPCG	8.40	-	1,186	8.46
BCP41C2502A	-	-	-	-	GULF13C2505A	0.29	(0.01)	100,299	0.29	SPRC	6.55	(0.10)	85,457	6.56
BCP41C2504A	0.22	-	90,000	0.21	GULF13P2501A	-	-	-	-	SPRC01C2502A	-	-	-	-
BCP41C2505A	0.35	0.01	45,702	0.33	GULF13P2502A	-	-	-	-	SPRC13C2501A	-	-	-	-
BCPG	5.50	(0.05)	29,627	5.48	GULF13P2502B	0.11	-	9,316	0.11	SPRC13C2503A	0.07	0.01	2,428	0.07
BCPG01C2502A	-	-	-	-	GULF13P2504A	0.57	0.01	106,159	0.57	SPRC13C2504A	0.18	(0.02)	40,855	0.19
BCPG13C2501A	-	-	-	-	GULF19C2501A	0.08	(0.06)	400	0.08	SPRC19C2501A	-	-	-	-
BCPG13C2502A	-	-	-	-	GULF19C2502A	0.14	(0.02)	15,192	0.14	SPRC19C2503A	0.10	(0.02)	5,524	0.10
BCPG13C2504A	0.11	-	8,765	0.11	GULF19C2503A	0.11	(0.02)	36,450	0.11	SPRC19C2505A	0.29	(0.02)	21,564	0.29
BCPG19C2503A	0.03	(0.01)	200	0.03	GULF19C2503B	-	-	-	-	SSP	5.30	-	1,998	5.29
BCPG19C2505A	0.15	(0.01)	12,750	0.14	GULF19C2505A	0.29	(0.01)	54,523	0.29	SSP-W2	0.05	-	185	0.05
BGRIM	19.20	(0.30)	133,596	19.09	GULF19P2501A	-	-	-	-	SUPER	0.25	-	40,228	0.25
BGRIM01C2501A	-	-	-	-	GULF19P2503A	0.27	-	48,180	0.27	SUPEREIF	6.50	0.05	1,300	6.47
BGRIM01C2502A	-	-	-	-	GULF19P2504A	0.50	-	26,916	0.50	SUSCO	2.84	0.02	1,761	2.85
BGRIM01C2503A	-	-	-	-	GULF41C2502A	0.26	(0.04)	37,280	0.27	TAE	0.77	0.01	654	0.76
BGRIM01C2504A	0.10	(0.01)	11,391	0.09	GULF41C2502B	0.12	(0.01)	100,690	0.12	TCC	0.38	(0.02)	2,461	0.38
BGRIM11C2501A	-	-	-	-	GULF41C2504A	0.14	(0.02)	17,406	0.14	TCC-W5	0.18	-	212	0.17
BGRIM11C2502A	-	-	-	-	GULF41C2605T	0.65	(0.01)	46,769	0.65	TGE	2.28	0.02	131	2.28
BGRIM13C2502A	0.01	-	300	0.01	GULF41P2504A	0.50	0.01	24,052	0.51	TGE-W1	1.00	(0.15)	65	1.00
BGRIM13C2503A	-	-	-	-	GUNKUL	2.22	(0.12)	331,841	2.25	TOP	27.75	(0.25)	108,906	28.08
BGRIM13C2504A	0.15	(0.02)	55,183	0.15	GUNKUL13C250	-	-	-	-	TOP01C2503A	-	-	-	-
BGRIM13C2505A	0.29	(0.03)	238,675	0.29	GUNKUL13C250	0.12	(0.03)	24,579	0.13	TOP01C2504A	-	-	-	-
BGRIM19C2501A	0.01	(0.08)	73	0.01	GUNKUL13C250	0.20	(0.05)	43,153	0.21	TOP01C2505A	0.03	-	6,255	0.03
BGRIM19C2502A	-	-	-	-	GUNKUL19C250	0.15	(0.04)	18,417	0.15	TOP01P2504A	1.02	(0.04)	1,464	0.98
BGRIM19C2504A	0.19	(0.02)	39,254	0.18	IRPC	1.24	(0.04)	381,302	1.25	TOP11C2501A	-	-	-	-
BGRIM19C2505A	0.34	(0.05)	41,064	0.34	IRPC01C2502A	-	-	-	-	TOP11C2502A	-	-	-	-
BGRIM41C2502A	-	-	-	-	IRPC01C2504A	0.06	(0.01)	1,380	0.06	TOP13C2501A	-	-	-	-
BGRIM41C2504A	0.13	(0.02)	33,400	0.12	IRPC13C2501A	-	-	-	-	TOP13C2503A	0.02	-	24	0.02
BIOTEC	0.24	(0.01)	1,922	0.24	IRPC13C2502A	-	-	-	-	TOP13C2503B	0.01	-	20	0.01
BIOTEC-P	-	-	-	-	IRPC13C2503A	0.04	(0.02)	162	0.04	TOP13C2504A	-	-	-	-
BIOTEC-Q	-	-	-	-	IRPC19C2501A	-	-	-	-	TOP13C2504B	0.02	0.01	1	0.02
BIOTEC-W2	0.05	-	1,103	0.05	IRPC19C2502A	-	-	-	-	TOP13C2505A	0.03	-	79,936	0.03
BPP	10.80	-	7,221	10.80	IRPC19C2503A	-	-	-	-	TOP13C2505B	0.15	-	73,603	0.16
BRRGIF	3.94	0.04	249	3.92	KBSPIF	7.95	(0.05)	423	8.00	TOP13C2505C	0.27	(0.01)	18,856	0.29
BSRC	7.60	(0.20)	10,870	7.66	LANNA	15.90	(0.10)	1,245	15.91	TOP13P2503A	-	-	-	-
CKP	3.14	(0.06)	18,438	3.14	MDX	3.24	0.16	5,789	3.25	TOP13P2505A	0.66	-	171	0.65
CKP01C2504A	0.07	0.01	100	0.08	NOVA	8.30	(0.30)	12	8.83	TOP13P2505B	0.32	0.01	38,207	0.31
CKP13C2501A	-	-	-	-	OR	13.50	-	48,676	13.50	TOP19C2502A	-	-	-	-
CKP19C2502A	-	-	-	-	OR01C2502A	0.01	-	110	0.01	TOP19C2503A	0.01	(0.01)	1	0.01
CV	0.19	0.03	447,173	0.19	OR01C2503A	-	-	-	-	TOP19C2503B	0.01	(0.08)	1	0.01
CV-W1	0.12	0.02	76,320	0.13	OR01C2505A	-	-	-	-	TOP19C2504A	-	-	-	-
DEMCO	3.20	0.02	2,890	3.21	OR13C2501A	-	-	-	-	TOP19C2505A	0.04	-	1,955	0.03
EA	3.98	(0.22)	1,501,694	4.10	OR13C2501B	-	-	-	-	TOP19C2505B	0.24	(0.01)	42,039	0.26
EA06C2412A	-	-	-	-	OR13C2503A	0.04	-	3,225	0.04	TOP19P2505A	0.18	0.01	54,273	0.17
EA13C2501A	0.07	(0.05)	260	0.07	OR13C2504A	0.12	-	1	0.12	TOP41C2502A	0.01	(0.01)	100	0.01
EA13C2501B	-	-	-	-	OR19C2501A	-	-	-	-	TOP41C2503A	0.01	(0.01)	2,000	0.01
EA13C2501C	-	-	-	-	OR19C2502A	-	-	-	-	TOP41C2505A	0.03	-	5,000	0.02
EA13C2502A	-	-	-	-	OR19C2503A	-	-	-	-	TOP41C2506B	0.35	(0.02)	19,170	0.37
EA13C2503A	0.06	(0.01)	6,057	0.07	OR19C2504A	0.08	(0.01)	214	0.09	TPIPP	2.98	-	9,261	2.97
EA13C2503B	0.12	(0.02)	16,052	0.13	OR19C2505A	0.20	0.01	75,458	0.20	TSE	0.91	(0.01)	4,685	0.91
EA13C2503C	0.16	(0.06)	4,291	0.18	OR41C2501A	-	-	-	-	TTW	9.05	-	9,417	9.02
EA13C2504A	0.33	(0.07)	193,219	0.37	OR41C2502A	-	-	-	-	UBE	0.68	-	5,960	0.68
EA13C2504B	0.45	(0.10)	190,244	0.51	OR41C2605T	0.10	-	200	0.10	WHAUP	4.86	(0.08)	36,246	4.84
EA13P2501A	0.05	-	36	0.05	PRIME	0.22	-	14,619	0.22	WP	3.48	0.02	47	3.49
EA13P2504A	0.76	0.04	94,997	0.74	PTG	8.30	-	11,837	8.31	Media & Publishing	-	-	-	-
EA19C2501A	-	-	-	-	PTT	31.25	(0.25)	167,592	31.55	AMARIN	-	-	-	-
EA19C2503A	0.07	(0.03)	5,854	0.09	PTT01C2502A	-	-	-	-	AQUA	0.33	-	383,614	0.33
EA19C2503B														

Main Board Quotation

Issue Date :

Wednesday December 25, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PLANB	7.10	(0.10)	104,592	7.10	MTC13P2502A	-	-	-	-	CPI	2.90	(0.02)	2,513	2.87
PLANB-W1	-	-	-	-	MTC19C2502A	-	-	-	-	F&D	-	-	-	-
PLANB13C2503A	0.11	(0.01)	32,439	0.11	MTC19C2504A	0.22	(0.01)	33,427	0.22	FM	3.66	(0.06)	41,773	3.66
PLANB19C2503A	0.15	(0.01)	12,356	0.15	MTC19P2501A	-	-	-	-	GLOCON	0.20	-	104,582	0.20
PRAKIT	11.50	0.20	45	11.48	MTC41C2502A	-	-	-	-	HTC	16.20	0.10	922	16.20
PTECH	0.88	0.08	7	0.85	MTC41C2505A	0.23	(0.02)	49,800	0.24	ICHI	14.70	(0.10)	35,582	14.59
SE-ED	-	-	-	-	NCAP	1.47	(0.07)	40,349	1.49	ICHI01C2503A	-	-	-	-
TKS	5.90	(0.05)	804	5.88	PL	1.50	-	310	1.50	ICHI13C2501A	-	-	-	-
VGI	3.32	(0.08)	506,118	3.34	S11	2.24	(0.08)	2,578	2.26	ICHI13C2504A	0.17	(0.01)	30,870	0.17
VGI-W3	0.09	-	23,214	0.09	SAK	4.82	(0.06)	6,227	4.84	ITC	22.10	(0.40)	48,911	22.19
VGI-W4	1.50	(0.04)	178,167	1.54	SAWAD	40.50	-	24,571	40.60	ITC01C2501A	-	-	-	-
VGI01C2501A	-	-	-	-	SAWAD-W2	0.40	(0.02)	8,452	0.47	ITC01C2503A	-	-	-	-
VGI01C2501B	0.54	(0.13)	6,952	0.60	SAWAD01C2501	0.49	(0.03)	2,568	0.52	ITC01C2504A	0.27	(0.04)	24,268	0.28
VGI01C2502A	0.26	(0.06)	27,764	0.28	SAWAD01C2501	0.09	-	300	0.09	ITC11C2501A	-	-	-	-
VGI01C2505A	0.49	(0.05)	29,642	0.51	SAWAD01C2502	-	-	-	-	ITC11C2501B	-	-	-	-
VGI01P2501X	-	-	-	-	SAWAD01C2504	0.22	-	11,593	0.23	ITC13C2501A	-	-	-	-
VGI06C2502A	0.32	(0.05)	11,657	0.33	SAWAD01P2501	-	-	-	-	ITC13C2502A	-	-	-	-
VGI13C2501A	-	-	-	-	SAWAD01P2502	-	-	-	-	ITC13C2504A	0.31	(0.04)	54,834	0.33
VGI13C2501B	-	-	-	-	SAWAD13C2501	-	-	-	-	ITC19C2501A	-	-	-	-
VGI13C2504A	0.59	(0.06)	604	0.60	SAWAD13C2503	0.17	0.01	23,764	0.17	ITC19C2503A	-	-	-	-
VGI13C2505A	0.40	(0.04)	59,061	0.41	SAWAD13C2505	0.33	-	22,241	0.34	ITC19C2505A	0.35	(0.05)	73,627	0.36
VGI13P2501A	0.01	-	340	0.01	SAWAD13P2501	-	-	-	-	JDF	2.02	0.02	1,654	2.02
VGI13P2504A	0.18	0.01	42,746	0.18	SAWAD13P2504	0.30	(0.01)	7,944	0.30	KBS	5.65	(0.05)	1,169	5.64
VGI19C2501A	-	-	-	-	SAWAD19C2501	-	-	-	-	KCG	8.20	-	7,662	8.31
VGI19C2502A	0.33	(0.06)	32,029	0.34	SAWAD19C2502	-	-	-	-	KSL	1.89	0.01	1,561	1.89
VGI19C2504A	0.52	(0.06)	23,777	0.53	SAWAD19C2504	0.22	-	18,102	0.22	KTIS	2.76	(0.04)	1,668	2.73
VGI19C2505A	0.40	(0.05)	56,314	0.42	SAWAD19C2505	0.33	-	14,912	0.33	LST	4.90	0.02	44	4.88
VGI19P2501A	-	-	-	-	SAWAD19P2501	-	-	-	-	M	24.70	(0.20)	2,979	24.58
VGI19P2503A	0.06	-	1,622	0.06	SAWAD19P2504	0.23	-	4,664	0.22	MALEE	9.00	0.45	116,117	8.99
VGI41C2501A	-	-	-	-	SAWAD41C2501	-	-	-	-	NRF	0.98	(0.04)	20,466	0.98
VGI41C2502A	0.29	(0.05)	41,223	0.30	SAWAD41C2502	-	-	-	-	NSL	31.75	-	3,950	31.92
WORK	6.30	-	1,331	6.27	SAWAD41C2502	-	-	-	-	OKJ	15.40	(0.10)	27,385	15.44
ZAA	0.81	(0.01)	157	0.81	SAWAD41C2505	0.31	(0.01)	18,389	0.32	OSP	21.30	(0.20)	18,205	21.32
Finance & Securities					SCAP	1.52	(0.06)	4,611	1.54	OSP01C2503A	-	-	-	-
AEONTS	124.00	(0.50)	456	123.72	SGC	1.16	(0.04)	77,449	1.17	OSP01C2504A	0.26	(0.01)	1,769	0.26
AMANAHA	1.00	(0.02)	3,781	1.01	SGC-W1	0.22	(0.01)	1,965	0.22	OSP11C2501A	-	-	-	-
ASAP	1.89	-	134	1.89	SGC-W2	0.34	(0.01)	1,015	0.34	OSP11C2502A	-	-	-	-
ASK	10.20	(0.20)	1,904	10.30	SM	1.00	-	1,662	0.98	OSP13C2501A	-	-	-	-
ASP	2.34	-	3,546	2.34	TH	0.72	(0.03)	14,796	0.73	OSP13C2503A	0.16	(0.02)	7,044	0.16
BAM	6.05	(0.05)	148,682	6.09	TH-W3	0.09	0.01	18,673	0.08	OSP13C2505A	0.36	(0.02)	5,228	0.36
BAM01C2501A	-	-	-	-	THANI	1.60	-	67,616	1.60	OSP19C2502A	-	-	-	-
BAM01C2502A	-	-	-	-	TIDLOR	16.50	(0.40)	60,879	16.63	OSP19C2503A	-	-	-	-
BAM01C2504A	0.06	(0.01)	618	0.07	TIDLOR13C2501	-	-	-	-	OSP41C2503A	0.15	(0.02)	6,000	0.15
BAM13C2501A	-	-	-	-	TIDLOR13C2501	-	-	-	-	PB	59.75	-	9	59.28
BAM13C2503A	-	-	-	-	TIDLOR13C2504	0.21	(0.03)	30,369	0.23	PLUS	5.05	(0.20)	8,231	5.16
BAM13C2503B	-	-	-	-	TIDLOR13C2505	0.41	(0.04)	38,517	0.43	PM	8.80	(0.05)	2,192	8.78
BAM13C2504A	-	-	-	-	TIDLOR19C2501	0.10	(0.04)	874	0.10	PQS	2.32	-	582	2.34
BAM13C2505A	0.20	(0.01)	37,709	0.20	TIDLOR19C2501	0.01	-	190	0.01	PRG	-	-	-	-
BAM19C2502A	0.01	-	500	0.01	TIDLOR19C2504	0.16	(0.02)	8,402	0.17	PRG-W2	-	-	-	-
BAM19C2503A	-	-	-	-	TIDLOR19C2505	0.28	(0.04)	28,934	0.30	PRG-W3	-	-	-	-
BAM19C2504A	0.10	-	2,427	0.10	TIDLOR19C2505	0.41	(0.05)	12,231	0.43	PRG-W4	-	-	-	-
BAM19C2505A	0.21	(0.01)	70,719	0.22	TK	4.64	0.02	17	4.64	PRG-W5	-	-	-	-
BAM41C2504A	-	-	-	-	TNITY	4.38	0.02	96	4.36	RBF	7.00	(0.05)	47,838	7.03
BYD	0.83	(0.03)	107,062	0.85	TNL	35.50	(0.25)	11	35.41	RBF01C2501W	0.09	-	3,566	0.10
BYD19C2501A	0.02	0.01	11	0.02	UOBKH	5.10	0.05	524	5.20	RBF01C2504A	0.34	(0.01)	10,528	0.34
CGH	0.65	-	12,907	0.65	XPG	0.90	0.01	135,639	0.90	RBF13C2501A	0.01	-	18,661	0.01
CGH-W5	-	-	-	-	Food & Beverag					RBF13C2503A	0.38	(0.03)	300	0.38
CHASE	0.99	(0.03)	6,540	1.00	AAI	6.00	(0.20)	34,020	6.07	RBF13C2504A	0.27	(0.01)	22,207	0.27
CHASE-W1	0.59	(0.02)	606	0.59	APURE	4.18	0.04	1,477	4.15	RBF19C2501A	-	-	-	-
CHAYO	2.80	(0.08)	6,491	2.83	APURE-W3	-	-	-	-	RBF19C2503A	-	-	-	-
CHAYO-W3	0.15	0.01	406	0.14	ASIAN	8.05	(0.10)	2,995	8.08	RBF19C2505A	0.31	(0.01)	25,121	0.32
ECL	0.96	(0.04)	32,159	0.98	BR	1.86	0.01	2,203	1.85	SAPPE	70.00	-	5,487	70.21
FNS	2.00	0.02	50	2.00	BR-W1	0.05	-	1,081	0.04	SAPPE01C2502A	0.12	-	12,507	0.13
FSX	2.00	-	1,798	2.00	BRR	4.38	(0.02)	958	4.38	SAPPE01C2504A	0.63	0.01	190	0.62
GBX	0.66	-	155	0.66	BRR-W2	0.25	-	510	0.25	SAPPE13C2501A	0.01	(0.04)	3,960	0.01
GL	-	-	-	-	BTG	18.70	-	3,450	18.70	SAPPE13C2501B	0.01	-	2,000	0.01
HENG	1.11	(0.07)	12,573	1.13	CBG	79.00	(0.75)	11,274	78.90	SAPPE13C2502A	0.21	-	30,616	0.21
IFS	2.40	-	68	2.36	CBG01C2501W	-	-	-	-	SAPPE19C2501A	-	-	-	-
JMT	18.40	(0.60)	141,205	18.58	CBG01C2502W	0.21	(0.02)	10,134	0.21	SAPPE19C2502A	0.29	-	29,346	0.27
JMT-W4	-	-	-	-	CBG01C2503A	0.21	(0.01)	8,026	0.21	SAUCE	38.00	(0.25)	53	37.90
JMT01C2501A	0.05	(0.04)	2,100	0.05	CBG01C2504A	0.55	(0.04)	12,730	0.56	SNNP	11.90	-	6,867	11.91
JMT01C2502A	0.10	(0.03)	19,972	0.11	CBG01P2502X	-	-	-	-	SNNP19C2501A	-	-	-	-
JMT01C2504A	0.38	(0.06)	44,550	0.41	CBG01P2504W	0.52	0.02	6,721	0.52	SNP	11.20	-	213	11.16
JMT13C2501A	0.04	(0.03)	241	0.05	CBG13C2501A	-	-	-	-	SORKON	4.26	-	62	4.22
JMT13C2501B	-	-	-	-	CBG13C2503A	0.31	(0.03)	26,000	0.31	SSF	6.55	0.05	12	6.54
JMT13C2502A	-	-	-	-	CBG13P2502A	0.05	(0.02)	4,084	0.05	SST	3.90	-	150	3.90
JMT13C2504A	0.36	(0.05)	87,391	0.37	CBG13P2504A	0.54	0.01	14,376	0.55	SUN	3.88	-	2,346	3.88
JMT19C2501A	0.08	(0.06)	2,200	0.10	CBG19C2502A	0.19	(0.03)	52,777	0.20	TC	6.95	(0.05)	369	6.97
JMT19C2503A	0.13	(0.03)	5,280	0.15	CBG19C2504A	0.40	(0.04)	30,734	0.41	TFG	3.40	(0.02)	25,303	3.39
JMT19C2504A	0.24	(0.03)	27,316	0.26	CBG19P2502A	-	-	-	-	TFG-W4	0.50	(0.01)	1,818	0.51
JMT19C2504B	0.37	(0.06)	47,050	0.40	CBG41C2503A	0.26	(0.03)	36,400	0.26	TFMAMA	200.00	-	2	200.00
JMT41C2501A	0.13	(0.06)	14,700	0.14	CFRESH	1.17	(0.01)	409	1.17	TIPCO	10.20	(0.10)	2,749	10.26
JMT41C2505A	0.40	(0.06)	18,143	0.42	CH	2.00	(0.02)	2,246	2.00	TKN	8.15	-	8,963	8.10
KCAR	4.62	-	123	4.61	CHAO	6.45	(0.35)	14,725	6.54	TKN01C2501A	-	-	-	-
KGI	4.22	0.02	4,417	4.22	CHOTI	66.00	0.75	9	65.14	TU	12.90	0.10	155,929	12.97
KTC	49.25	0.50	15,695	48.85	CM	1.96	(0.01)	43	1.97	TU01C2501A	-	-	-	-
KTC01C2503A	0.20	0.01	22,876	0.18	COCOCO	12.00	(0.10)	33,321	12.00	TU01C2505A	0.13	0.01	27,447	0.13
KTC11C2502A	-	-	-	-	CPF	23.00	0.10	39,521	22.98	TU11C2501A	-	-	-	-
KTC13C2502A	-	-	-	-	CPF01C2501A	-	-	-	-	TU13C2502A	-	-	-	-
KTC13C2503A	0.17	0.01	18,240	0.16	CPF01C2502A	-	-	-	-	TU13C2504A	0.08	(0.01)	11,598	0.08
KTC19C2502A	-	-	-	-	CPF01C2503A	-	-	-	-	TU13C2505A	0.20	-		

Main Board Quotation

Issue Date :

Wednesday December 25, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BCH13C2501A	-	-	-	-	LRH	39.25	-	10	39.25	SCGP41C2502B	-	-	-	-
BCH13C2501B	-	-	-	-	MANRIN	30.50	(0.50)	125	30.60	SCGP41C2505A	0.26	(0.01)	81,300	0.27
BCH13C2504A	0.13	(0.01)	113	0.13	MINT	26.25	(0.25)	112,750	26.21	SFLEX	2.92	-	24,656	2.95
BCH19C2501A	-	-	-	-	MINT01C2501A	-	-	-	-	SFLEX-W2	0.07	-	2,748	0.07
BCH19C2502A	-	-	-	-	MINT01C2504A	0.12	(0.01)	46,221	0.12	SITHAI	1.21	(0.02)	1,060	1.22
BCH19C2505A	0.12	(0.02)	32,826	0.13	MINT11C2501A	-	-	-	-	SLP	0.43	-	1,028	0.41
BDMS	24.50	-	361,765	24.45	MINT13C2503A	-	-	-	-	SMPC	9.35	-	974	9.38
BDMS01C2503A	0.02	0.01	50	0.02	MINT13C2505A	0.17	(0.01)	11,009	0.17	SPACK	1.80	-	628	1.81
BDMS01C2503B	0.02	(0.01)	154	0.02	MINT19C2501A	-	-	-	-	TCOAT	-	-	-	-
BDMS01C2504A	0.07	(0.01)	700	0.07	MINT19C2502A	-	-	-	-	TFI	0.07	0.01	1,123	0.07
BDMS11C2501A	-	-	-	-	MINT19C2504A	0.13	(0.01)	16,279	0.13	TFI-W1	-	-	-	-
BDMS11C2502A	-	-	-	-	MINT41C2501A	-	-	-	-	THIP	28.75	0.25	135	28.40
BDMS11C2503A	-	-	-	-	MINT41C2502A	-	-	-	-	TMD	-	-	-	-
BDMS13C2502A	-	-	-	-	MINT41C2504A	0.12	(0.01)	30,718	0.12	TOPP	-	-	-	-
BDMS13C2504A	0.05	-	2,613	0.05	MINT41C2604T	0.09	-	30	0.09	TPAC	10.40	-	327	10.31
BDMS13C2505A	0.36	(0.01)	36,604	0.36	OHTL	-	-	-	-	TPBI	4.08	-	86	4.04
BDMS19C2502A	-	-	-	-	ROH	2.20	-	3	2.20	TPP	12.40	0.30	4	12.35
BDMS19C2503A	-	-	-	-	SHANG	46.25	(0.25)	1	46.25	Personal Products	-	-	-	-
BDMS19C2504A	-	-	-	-	SHR	2.44	(0.02)	26,781	2.45	APCO	4.94	-	1,111	4.87
BDMS19C2505A	0.33	-	28,739	0.33	SPA	6.95	-	24,136	6.97	BIZ	3.40	(0.02)	259	3.40
BDMS41C2502B	-	-	-	-	VRANDA	5.00	0.04	357	5.00	BLC	4.46	(0.12)	32,411	4.53
BDMS41C2505A	0.36	(0.01)	18,042	0.36	Home & Office P	-	-	-	-	DDD	8.40	(0.05)	56	8.36
BH	197.50	(0.50)	9,791	198.36	AJA	0.15	-	21,506	0.14	IP	3.20	0.02	575	3.19
BH-P	-	-	-	-	AJA-W4	0.01	-	86	0.01	IP-W2	0.21	-	3,121	0.21
BH-Q	-	-	-	-	DTCI	35.00	-	1	35.00	JCT	81.00	1.75	3	81.00
BH01C2502A	0.01	-	2,380	0.01	FANCY	0.37	(0.01)	75	0.37	KISS	3.96	(0.06)	6,697	3.97
BH01C2504A	0.16	(0.01)	11,596	0.16	FTI	2.08	(0.02)	421	2.10	NAM	4.54	(0.06)	479	4.58
BH01C2505A	0.80	(0.05)	4,033	0.86	KYE	286.00	(2.00)	17	287.18	NEO	32.75	(0.75)	1,133	32.91
BH01P2502X	-	-	-	-	L&E	-	-	-	-	NV	0.83	(0.01)	732	0.84
BH01P2504A	0.62	0.01	42,121	0.61	MODERN	2.22	0.02	4	2.22	OCC	-	-	-	-
BH06C2503A	0.16	0.01	2,150	0.16	OGC	18.00	(0.30)	100	18.00	S&J	32.50	-	3	32.50
BH11C2503A	-	-	-	-	ROCK	10.50	0.30	5	10.42	SNPS	5.20	-	139,440	5.24
BH13C2501A	-	-	-	-	SIAM	1.02	-	720	1.01	STGT	9.90	(0.10)	25,918	9.92
BH13C2503A	0.06	-	400	0.06	TCMC	0.65	-	25	0.64	STGT01C2501A	-	-	-	-
BH13C2504A	0.16	(0.01)	11,469	0.17	TSR	0.36	0.01	13,895	0.34	STGT01C2502A	0.01	(0.01)	1,110	0.01
BH13C2504B	0.66	(0.02)	57,812	0.68	TSR-W2	0.04	-	8,761	0.04	STGT01C2503A	-	-	-	-
BH13P2501A	-	-	-	-	Insurance	-	-	-	-	STGT01C2504A	0.46	(0.03)	1,457	0.47
BH13P2503A	0.55	-	21,013	0.54	AYUD	31.50	-	199	31.52	STGT01P2502A	0.25	-	14,811	0.25
BH19C2501A	-	-	-	-	BKIH	288.00	(1.00)	226	288.29	STGT13C2501A	0.01	-	108	0.01
BH19C2502A	-	-	-	-	BLA	20.50	(0.10)	5,379	20.53	STGT13C2502A	-	-	-	-
BH19C2504A	-	-	-	-	BLA01C2503A	0.07	-	43	0.07	STGT13C2503A	0.39	(0.03)	2,917	0.39
BH19C2504B	0.17	(0.01)	6,524	0.17	BLA13C2501A	-	-	-	-	STGT13C2504A	0.16	(0.01)	15,681	0.17
BH19C2505A	0.64	(0.03)	34,356	0.66	BLA13C2502A	-	-	-	-	STGT13P2502A	0.21	0.01	3,470	0.21
BH19P2504A	0.75	(0.01)	56,431	0.75	BLA13C2502B	-	-	-	-	STGT19C2502A	-	-	-	-
BH41C2503A	0.17	(0.02)	34,960	0.18	BLA13C2504A	0.22	(0.01)	43,736	0.22	STGT19C2503A	-	-	-	-
BH41C2504A	-	-	-	-	BLA19C2502A	0.13	(0.01)	2,875	0.14	STGT19C2504A	0.47	(0.03)	6,750	0.48
BH41C2505A	0.69	(0.09)	66,378	0.72	BLA19C2502B	-	-	-	-	STGT19C2504B	0.16	(0.01)	41,252	0.17
BH41C2605T	0.20	(0.01)	12,000	0.21	BLA19C2502C	-	-	-	-	STGT19P2502A	0.27	0.01	2,495	0.27
BH41P2504A	-	-	-	-	BUI	16.00	0.20	357	15.87	STGT41C2503A	0.10	(0.01)	500	0.10
BKGI	2.16	0.02	21,091	2.17	CHARAN	21.80	1.80	6	21.28	STHAI	-	-	-	-
CHG	2.46	-	193,745	2.45	INSURE	-	-	-	-	TMAN	14.30	(0.30)	5,742	14.37
CHG01C2501A	-	-	-	-	KWI	0.34	0.01	3,264	0.32	TNR	8.85	-	171	8.87
CHG13C2504A	-	-	-	-	MTI	106.50	1.00	3	105.83	TOG	9.80	(0.20)	2,991	9.84
CHG19C2505A	-	-	-	-	NKI	24.00	-	1	24.00	Professional Service	-	-	-	-
CMR	1.70	0.02	392	1.71	TGH	-	-	-	-	BWG	0.38	(0.02)	146,224	0.38
EKH	6.15	0.05	10,894	6.21	THRE	0.55	-	2,388	0.54	BWG-W6	0.04	-	5,451	0.03
KDH	92.00	(0.25)	2	92.00	THREL	1.60	-	594	1.59	GENCO	0.41	(0.03)	4,901	0.41
LPH	4.38	0.02	467	4.35	TIPH	20.90	(0.30)	2,883	20.98	PRO	-	-	-	-
M-CHAI	26.50	(0.25)	128	26.88	TIPH13C2502A	-	-	-	-	PRTR	4.14	(0.02)	645	4.14
MASTER	45.25	-	34,539	45.25	TLI	10.50	0.10	79,350	10.45	SISB	30.50	(0.25)	8,514	30.57
MEDZE	7.30	0.10	44,792	7.36	TLI01C2502A	0.32	0.01	3,695	0.33	SISB13C2502A	-	-	-	-
NEW	102.00	(1.00)	3	102.00	TLI01C2503A	0.09	0.01	6,000	0.09	SISB13C2504A	0.19	(0.01)	8,637	0.19
NKT	6.75	(0.50)	215,063	7.02	TLI06C2503A	0.14	0.01	5	0.14	SISB19C2502A	-	-	-	-
NTV	30.00	(0.25)	74	30.16	TLI13C2502A	-	-	-	-	SO	4.42	(0.06)	124	4.42
PHG	15.50	-	2,094	15.50	TLI13C2502B	-	-	-	-	WAVE	0.08	0.01	1,024,069	0.08
PR9	25.75	0.25	18,473	25.82	TLI19C2502A	-	-	-	-	WAVE-W3	0.02	0.01	240,151	0.01
PRINC	2.88	(0.04)	971	2.90	TQM	24.50	0.90	8,649	24.20	WAVE-W4	0.03	-	266,021	0.03
RAM	22.70	(0.10)	445	22.85	TSI	0.10	0.01	659	0.09	Property Developme	-	-	-	-
RJH	21.40	0.10	436	21.34	TVH	8.60	-	30	8.47	A	4.92	-	1	4.92
RPH	5.45	-	5,144	5.40	Packaging	-	-	-	-	A5	2.68	0.06	9,110	2.64
SAFE	12.20	0.10	1,239	11.98	AJ	3.58	0.04	394	3.56	A5-W4	0.09	-	24,727	0.09
SKR	9.45	-	1,003	9.40	ALUCON	-	-	-	-	AKS	0.01	-	2,895	0.01
THG	15.80	(0.30)	5,920	15.90	BGC	7.80	-	1,942	7.80	AMATA	28.25	0.25	52,112	28.27
VIBHA	1.96	(0.04)	18,155	1.96	CSC	46.00	-	2	46.00	AMATA01C2502A	0.80	(0.01)	1,624	0.82
VIBHA-W4	0.02	0.01	20,701	0.01	CSC-P	-	-	-	-	AMATA01C2503A	0.14	0.01	91,002	0.14
VIH	8.25	-	3,346	8.28	CSC-Q	-	-	-	-	AMATA13C2501A	-	-	-	-
VIH-W1	-	-	-	-	NEP	0.24	-	1,230	0.23	AMATA13C2501B	0.05	(0.01)	3,000	0.05
WPH	8.90	0.05	2,917	8.90	PJW	2.30	-	930	2.30	AMATA13C2503A	0.08	-	4,424	0.08
Tourism & Leisure	-	-	-	-	PTL	11.50	0.10	1,618	11.41	AMATA13C2505A	0.19	-	37,064	0.19
ASIA	6.50	-	20	6.50	SCGP	19.80	(0.10)	114,466	19.77	AMATA19C2501A	-	-	-	-
BEYOND	8.15	(0.10)	1,173	8.12	SCGP01C2502A	-	-	-	-	AMATA19C2502A	0.12	0.01	24,206	0.12
CENTEL	35.00	0.75	32,053	34.89	SCGP01C2502B	-	-	-	-	AMATA19C2503A	-	-	-	-
CENTEL01C2501A	0.01	(0.05)	435	0.01	SCGP01C2504A	0.16	(0.02)	75,938	0.17	AMATA19C2505A	0.22	(0.78)	75,740	0.22
CENTEL01C2504A	0.15	0.02	34,387	0.14	SCGP01C2504W	-	-	-	-	AMATA41C2502A	0.10	0.01	24,300	0.10
CENTEL11C2501A	-	-	-	-	SCGP01P2503A	0.99	0.04	26,077	0.96	AMATAV	4.76	0.02	128	4.76
CENTEL11C2503A	0.13	0.02	4,200	0.12	SCGP11C2501A	-	-	-	-	ANAN	0.61	0.01	5,630	0.61
CENTEL13C2501A	-	-	-	-	SCGP13C2501A	-	-	-	-	AP	8.45	(0.10)	122,433	8.51
CENTEL13C2501B	-	-	-	-	SCGP13C2501B	-	-	-	-	AP01C2503A	-	-	-	-
CENTEL13C2504A	0.14	0.02	49,944	0.13	SCGP13C2503A	-	-	-	-	AP13C2502A	-	-	-	-
CENTEL19C2501A	-	-	-	-	SCGP13C2503B	0.04	(0.02)	3,001	0.04	AP13C2503A	0.07	(0.01)	3,324	0.08
CENTEL19C2502A	-	-	-	-	SCGP13C2504A	0.13	(0.01)	84,737	0.13	AP19C2501A	-	-	-	-
CENTEL19C2504A	0.14	0.02	7,997	0.13	SCGP13C2504B	0.24	(0.01)	184,488	0.24	AP19C2502A	-	-	-	-
CENTEL41C2502A	-	-	-	-	SCGP13P2502A	-	-	-	-	ASW	7.85	(0.05)	2,617	7.80
CENTEL41C2504A	0.20	0.02	47,127	0.19	SCGP13P2504A									

Main Board Quotation

Issue Date :

Wednesday December 25, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AWC19C2501B	-	-	-	-	AURA	14.80	-	8,067	14.85	THAI	-	-	-	-
AWC19C2504A	0.18	(0.03)	64,352	0.17	BTNC	15.00	(0.10)	7	15.00	TSTE	10.40	(0.80)	60	10.10
AWC19P2501A	0.01	(0.03)	3,000	0.01	CPH	8.85	(0.10)	160	8.87	TTA	5.15	(0.15)	42,163	5.21
AWC41C2502A	-	-	-	-	CPL	1.13	(0.02)	843	1.14	WICE	3.92	(0.04)	5,828	3.93
BLAND	0.57	-	26,238	0.57	NC	2.58	-	812	2.60	Automotive	-	-	-	-
BRI	3.74	(0.02)	4,890	3.73	PAF	0.92	(0.05)	774	0.93	ACG	0.89	-	9	0.89
BROCK	1.50	0.02	1	1.50	PDJ	1.96	-	1,174	1.96	AH	16.30	(0.30)	1,790	16.39
CGD	0.33	(0.01)	7,088	0.33	PG	9.15	-	41	9.15	CWT	0.95	-	522	0.94
CI	0.46	-	153	0.46	SABINA	20.20	(0.30)	1,120	20.35	EASON	1.11	(0.01)	1,562	1.11
CMC	1.06	(0.04)	175	1.03	SAWANG	-	-	-	-	GYT	176.50	0.50	1	176.50
CPN	58.00	(0.50)	72,419	57.91	SUC	31.00	(0.25)	208	31.20	HFT	4.18	-	312	4.20
CPN01C2503A	0.04	-	1,010	0.05	TR	38.75	-	98	38.75	IHL	1.61	0.01	2,800	1.60
CPN01C2505A	0.27	(0.01)	38,247	0.26	TTI	29.00	(1.00)	2	29.00	INGRS	0.34	-	15,658	0.35
CPN13C2501A	-	-	-	-	TTT	55.50	0.25	10	54.88	IRC	14.10	0.10	175	14.09
CPN13C2501B	-	-	-	-	UPF	-	-	-	-	MGC	4.22	0.02	395	4.20
CPN13C2503A	-	-	-	-	WACOAL	-	-	-	-	NEX	0.66	(0.02)	77,921	0.67
CPN13C2504A	0.19	(0.02)	46,427	0.19	WFX	1.16	0.04	1,279	1.12	NEX19C2501A	-	-	-	-
CPN13C2505A	0.36	(0.04)	62,337	0.36	Transportation &	-	-	-	-	PCSGH	4.30	-	3	4.30
CPN19C2502A	-	-	-	-	AAV	2.68	(0.02)	142,265	2.68	POLY	8.45	-	183	8.49
CPN19C2503A	0.08	(0.01)	300	0.08	AAV01C2501A	-	-	-	-	SAT	10.90	(0.10)	3,717	10.85
CPN19C2504A	0.14	(0.01)	11,328	0.13	AAV01C2503A	0.11	(0.01)	13,342	0.12	SPG	13.60	-	10	13.60
CPN19C2505A	0.31	(0.03)	26,266	0.30	AAV13C2501A	0.01	(0.01)	1,181	0.01	STANLY	219.00	(1.00)	8	219.00
CPN41C2504A	0.14	-	43,666	0.13	AAV13C2504A	0.18	(0.01)	13,113	0.18	TKT	1.53	0.05	135	1.47
ESTAR	0.20	(0.02)	8,216	0.21	AAV19C2502A	0.09	-	40	0.09	TRNPC	0.86	(0.04)	7,466	0.88
EVER	0.11	(0.01)	11,814	0.12	ANI	3.74	(0.02)	47	3.75	TRU	3.42	-	842	3.41
FPT	12.00	(0.40)	131	11.88	AOT	59.75	(0.25)	58,897	59.88	TSC	15.00	-	234	15.07
GLAND	1.44	(0.01)	64	1.44	AOT01C2502A	-	-	-	-	Industrial Materials	-	-	-	-
J	1.20	0.01	320	1.18	AOT01C2504A	0.18	-	7,008	0.19	AKR	1.01	0.01	131,328	1.00
J-W3	-	-	-	-	AOT01P2502A	-	-	-	-	ALLA	1.63	0.02	6,568	1.62
J-W4	-	-	-	-	AOT11C2501A	-	-	-	-	ASEFA	3.08	(0.04)	293	3.07
JCK	0.19	(0.01)	62,160	0.20	AOT13C2502A	0.01	(0.01)	855	0.01	CPT	1.00	0.01	9,081	0.99
KC	0.07	-	2,096	0.06	AOT13C2503A	-	-	-	-	CRANE	0.47	(0.04)	19,818	0.49
KUN	1.20	(0.01)	105	1.20	AOT13C2504A	0.16	(0.01)	15,159	0.17	CTW	3.56	-	20	3.47
KUN-W2	0.03	0.01	301	0.02	AOT13P2501A	-	-	-	-	FMT	33.00	-	29	33.00
LALIN	6.05	0.05	614	5.94	AOT19C2501A	-	-	-	-	FTE	1.54	0.01	215	1.54
LH	5.05	(0.15)	171,982	5.09	AOT19C2502A	-	-	-	-	HTECH	3.72	(0.10)	9,277	3.77
LH13C2501A	0.01	(0.02)	800	0.01	AOT19C2504A	0.21	(0.02)	6,297	0.22	KKC	-	-	-	-
LH19C2501A	-	-	-	-	AOT41C2503A	-	-	-	-	PCC	2.70	-	2,296	2.70
LH19C2504A	0.15	-	169	0.15	AOT41C2505A	0.21	(0.02)	3,000	0.21	PK	0.54	(0.01)	472	0.53
LPN	2.44	(0.04)	2,777	2.44	AOT41C2605T	-	-	-	-	PSP	4.10	(0.04)	12,336	4.11
MBK	19.60	0.20	10,916	19.62	AOT41P2504A	0.35	(0.02)	400	0.35	QTC	3.78	0.08	20	3.75
MBK-W4	-	-	-	-	ASIMAR	1.60	0.01	608	1.58	SCI	0.87	(0.03)	14,927	0.83
MJD	1.03	0.04	100	1.03	B	0.08	-	8,012	0.08	SE	0.56	-	1,208	0.56
MK	1.50	0.04	139	1.48	B-W8	0.01	-	20,000	0.01	SELIC	3.24	0.02	1,927	3.24
NCH	0.71	-	834	0.71	BA	22.40	-	15,952	22.32	SNC	5.45	0.05	853	5.42
NNCL	1.72	(0.02)	234	1.71	BA01C2503A	0.12	(0.02)	15,441	0.13	TCJ	3.30	0.02	14	3.18
NOBLE	2.72	(0.04)	1,905	2.73	BA01C2504A	-	-	-	-	TPCS	-	-	-	-
NUSA	0.19	-	180,990	0.19	BA13C2502A	-	-	-	-	VARO	4.60	(0.04)	11	4.60
NUSA-W5	0.01	-	43,749	0.01	BA13C2503A	0.12	(0.02)	24,122	0.12	Property Fund & REI	-	-	-	-
NVD	1.36	0.02	21	1.36	BA13C2504A	-	-	-	-	AIMCG	3.04	0.02	155	3.04
ORI	3.74	(0.06)	20,921	3.76	BA19C2503A	-	-	-	-	AIMIRT	10.50	0.10	1,662	10.45
ORI19C2501A	-	-	-	-	BEM	7.10	-	151,862	7.10	ALLY	5.20	0.05	1,346	5.15
ORN	0.70	(0.01)	11,836	0.70	BEM11C2502A	-	-	-	-	AMATAR	6.65	0.05	143	6.64
PEACE	2.44	0.04	172	2.47	BEM11C2503A	0.09	(0.01)	1,550	0.09	AXTRART	11.60	(0.20)	17,177	11.58
PF	0.15	(0.01)	237,323	0.15	BEM13C2505A	0.11	(0.01)	5,128	0.11	B-WORK	4.88	0.04	1,643	4.86
PIN	6.20	-	9,876	6.21	BEM19C2503A	-	-	-	-	BAREIT	9.40	-	2,350	9.44
PLAT	2.20	(0.08)	2,617	2.21	BEM19C2505A	0.14	(0.01)	1,265	0.14	BOFFICE	5.10	-	824	5.10
POLAR	-	-	-	-	BTS	5.65	(0.10)	248,322	5.67	CPNCG	6.20	-	1,962	6.19
PRECHA	1.00	-	3	1.00	BTS-W8	0.09	0.01	234	0.08	CPNREIT	11.90	(0.10)	6,575	11.90
PRIN	-	-	-	-	BTS01C2501A	-	-	-	-	CPTREIT	5.05	-	1,001	5.00
PROUD	1.28	-	406	1.28	BTS01C2503A	0.73	(0.08)	518	0.77	CTARAF	4.42	-	806	4.43
PSH	8.05	(0.05)	1,595	8.09	BTS01C2504A	0.21	(0.02)	8,840	0.22	DREIT	5.15	0.10	69	5.14
QH	1.73	0.01	111,157	1.72	BTS01P2504A	0.16	-	15,396	0.16	FTREIT	9.95	(0.15)	3,006	10.01
RABBIT	0.47	-	188,226	0.48	BTS13C2502A	-	-	-	-	FUTURERT	10.20	(0.10)	1,037	10.20
RABBIT-P	0.60	-	6,762	0.60	BTS13C2503A	0.19	(0.02)	12,812	0.20	GAHREIT	6.80	0.10	20	6.76
RABBIT-Q	-	-	-	-	BTS13C2505A	0.16	(0.01)	5,912	0.17	GROREIT	8.80	-	5	8.80
RICHY	0.41	-	2,811	0.40	BTS13P2503A	0.11	0.01	23,264	0.11	GVREIT	6.45	(0.05)	935	6.41
RML	0.29	-	4,947	0.28	BTS13P2505A	0.36	0.01	8,852	0.35	HPF	5.00	-	63	5.00
ROJNA	6.25	(0.10)	11,017	6.26	BTS19C2503A	-	-	-	-	HYDROGEN	9.30	(0.05)	25	9.30
S	0.90	-	12,255	0.90	BTS19C2503B	0.23	(0.03)	4,386	0.24	IMPACT	10.60	(0.20)	2,234	10.65
SA	7.50	-	97	7.47	BTS19C2505A	0.22	(0.01)	14,256	0.22	INETREIT	8.50	-	469	8.50
SA-W1	0.05	-	12	0.05	BTS41C2501A	-	-	-	-	ISSARA	8.95	-	27	8.89
SAMCO	0.90	(0.01)	383	0.91	BTS41C2504A	-	-	-	-	KTBSTMR	6.25	(0.05)	851	6.19
SC	2.76	(0.02)	26,411	2.74	BTS41C2504B	0.24	(0.03)	4,820	0.25	LHHOTEL	13.40	(0.10)	9,983	13.40
SENA	2.24	(0.02)	2,199	2.24	BTS5GIF	3.02	-	32,662	3.02	LHRREIT	5.45	0.05	630	5.43
SIRI	1.76	(0.02)	231,946	1.76	DMT	10.90	-	1,157	10.88	LHSC	11.20	-	4,522	11.21
SIRI01C2504A	0.21	(0.01)	12,568	0.21	ETL	0.57	-	1,515	0.57	LUXF	8.00	0.10	91	7.90
SIRI13C2503A	0.15	(0.01)	18,970	0.15	III	5.50	(0.05)	4,262	5.51	M-PAT	-	-	-	-
SIRI19C2502A	-	-	-	-	KEX	1.81	(0.06)	4,122	1.84	M-STOR	-	-	-	-
SIRI19C2503A	0.18	(0.01)	7,080	0.18	KIAT	0.32	-	52,374	0.31	MII	6.35	0.05	141	6.35
SPALI	18.10	(0.40)	49,551	18.22	KWC	-	-	-	-	MIPF	-	-	-	-
SPALI13C2501A	0.06	(0.03)	100	0.06	MENA	1.16	-	4,030	1.16	MIT	0.33	0.01	3,945	0.34
SPALI13C2501B	-	-	-	-	NOK	-	-	-	-	MJLF	4.20	(0.02)	2	4.20
SPALI19C2504A	0.12	(0.03)	7,716	0.13	NYT	2.92	(0.06)	10,833	2.96	MNIT	2.38	-	5	2.36
UV	1.52	0.02	2,352	1.50	PORT	1.20	0.03	260	1.19	MNIT2	-	-	-	-
WHA	5.40	0.05	373,055	5.41	PRM	8.60	-	28,292	8.56	MNRF	-	-	-	-
WHA01C2501A	0.01	(0.01)	64,010	0.01	PSL	7.00	-	20,891	7.01	POPF	6.25	-	1,652	6.23
WHA01C2503A	-	-	-	-	RCL	28.00	-	10,727	28.01	PROSPECT	8.50	0.10	1,396	8.44
WHA01C2504A	0.10	-	41,178	0.11	RCL01C2502A	0.63	(0.05)	3,156	0.64	QHBREIT	4.72	-	1,589	4.72
WHA11C2503A	-	-	-	-	RCL01C2502B	0.14	-	24,649	0.14	QHHREIT	6.85	-	192	6.80
WHA13C2501A	-	-	-	-	RCL13C2502A	0.13	(0.01)	9,190	0.13	QHOP	3.42	0.08	13	3.36
WHA13C2503A	-	-	-	-	RCL13C2502B	-	-	-	-	SIRIPRT	8.30	-	10	8.30
WHA13C2504A	0.09	(0.01)	16,010	0.10	RCL13P2501A	-	-	-	-	SRIME	4.14	-	910	4.15
WHA13C2505A	0.19	0.01	26,618	0.19	RCL19C2503A	-	-	-	-					

Main Board Quotation

Issue Date :

Wednesday December 25, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WHAIR	6.55	-	2,096	6.51	DJI1C2503B	0.24	(0.02)	8,561	0.25	HSTECH28P2503A	-	-	-	-
WHART	9.85	(0.05)	14,605	9.89	DJI41P2503A	0.23	(0.03)	1,624	0.23	JD41C2502A	-	-	-	-
Steel and Metal Prod	-	-	-	-	DJI41P2503B	-	-	-	-	JD41C2502B	-	-	-	-
ZS	2.76	0.06	270	2.76	GEELY41C2502A	-	-	-	-	KUAI5H41C2502A	-	-	-	-
AMC	1.83	0.02	22,126	1.83	HKEX41C2502A	-	-	-	-	LENOVO41C2502A	-	-	-	-
BSBM	0.72	-	122	0.72	HKEX41C2502B	-	-	-	-	MCA5041C2503A	0.24	(0.01)	10,415	0.24
CEN	1.98	-	305	1.98	HSBC41C2502A	-	-	-	-	MCA5041P2503A	0.39	(0.02)	156	0.39
CEN-W5	0.23	0.01	420	0.22	H5IO6C2412A	0.03	(0.23)	228	0.03	MEITUA28C2501A	-	-	-	-
CITY	1.87	-	2	1.83	H5IO6C2412B	-	-	-	-	MEITUA28C2503A	-	-	-	-
CSP	0.58	0.01	4,154	0.60	H5IO6C2412C	-	-	-	-	MEITUA28C2504A	-	-	-	-
GJS	0.14	(0.01)	24,697	0.15	H5IO6C2412D	-	-	-	-	MEITUA28C2507A	-	-	-	-
GSTEEL	-	-	-	-	H5IO6C2412E	0.01	-	1,130	0.01	MEITUA28P2503A	-	-	-	-
INOX	0.45	(0.02)	9,358	0.45	H5IO6C2412F	-	-	-	-	MEITUA28P2504B	-	-	-	-
LHK	3.66	0.02	125	3.67	H5IO6C2412G	-	-	-	-	MEITUA41C2502A	-	-	-	-
MCS	6.60	-	715	6.63	H5IO6C2412H	-	-	-	-	MEITUA41C2504A	-	-	-	-
MILL	0.10	0.01	7,581	0.09	H5IO6C2501A	0.03	0.01	1,410	0.02	MEITUA41P2502A	-	-	-	-
PAP	1.76	0.08	290	1.75	H5IO6C2501B	-	-	-	-	MEITUA41P2503A	-	-	-	-
PERM	0.39	(0.01)	25,045	0.39	H5IO6C2501C	-	-	-	-	NDX28C2503A	0.38	0.01	1,082	0.38
SAM	0.21	(0.01)	15,717	0.21	H5IO6C2501D	-	-	-	-	NDX28P2503A	0.10	(0.01)	1,230	0.10
SMIT	3.92	(0.02)	875	3.93	H5IO6C2501E	-	-	-	-	NDX41C2503A	0.69	-	9,396	0.72
SSSC	2.02	(0.08)	1,597	2.01	H5IO6C2501F	-	-	-	-	NDX41C2503B	0.29	0.02	7,050	0.32
TGPRO	0.09	-	3,538	0.09	H5IO6C2501G	-	-	-	-	NDX41P2503A	0.19	(0.02)	990	0.18
THE	0.74	0.02	523	0.74	H5IO6C2502A	-	-	-	-	NDX41P2503B	0.40	0.38	583	0.40
TMT	3.14	(0.04)	338	3.18	H5IO6C2502B	-	-	-	-	NIKKEI41C2503A	0.21	0.01	1,557	0.21
TSTH	0.64	(0.02)	28,095	0.65	H5IO6C2502C	-	-	-	-	NIKKEI41C2503B	1.05	0.06	24	1.05
TWP	1.55	0.01	271	1.51	H5IO6C2503A	-	-	-	-	NIKKEI41C2506A	0.58	0.03	221	0.58
TYCN	1.90	(0.06)	6,223	1.90	H5IO6C2503B	0.34	(0.02)	599	0.34	NIKKEI41C2506B	0.36	0.03	595	0.36
Construction Service	-	-	-	-	H5IO6C2503C	0.15	0.01	28	0.15	NIKKEI41P2503A	0.09	(0.02)	11	0.09
APCS	1.85	-	22	1.85	H5IO6C2503D	0.08	-	55	0.10	NIKKEI41P2503B	-	-	-	-
BJCHI	1.20	0.01	957	1.20	H5IO6P2412A	-	-	-	-	NIKKEI41P2506A	0.36	(0.02)	4,500	0.36
BKD	1.40	-	106	1.40	H5IO6P2412B	-	-	-	-	NIKKEI41P2506B	0.20	(0.02)	840	0.20
CIVIL	1.80	0.02	2,566	1.79	H5IO6P2412C	0.01	-	200	0.01	NTES41C2502A	0.50	-	5	0.50
CK	18.30	(0.10)	45,800	18.41	H5IO6P2412D	0.02	0.01	24	0.02	PINGAN41C2502A	-	-	-	-
CK10C2503A	-	-	-	-	H5IO6P2412E	0.01	-	6	0.01	PINGAN41C2504A	-	-	-	-
CK13C2503A	0.09	(0.01)	15,240	0.10	H5IO6P2412F	-	-	-	-	POP41C2503A	0.08	(0.48)	2	0.08
CK19C2503A	0.13	(0.01)	4,932	0.13	H5IO6P2412G	-	-	-	-	SET01C2501A	0.01	-	5,082	0.01
CNT	1.09	(0.01)	632	1.09	H5IO6P2412H	-	-	-	-	SET01C2501B	0.01	-	1,410	0.01
EMC	0.08	0.01	20,113	0.07	H5IO6P2501A	0.27	(0.08)	20	0.27	SET01C2503A	0.08	-	8,758	0.07
EMC-W7	0.05	-	4,519	0.05	H5IO6P2501B	0.10	-	10	0.10	SET01C2503B	0.34	(0.02)	62,888	0.35
ITD	0.49	-	29,259	0.49	H5IO6P2501C	-	-	-	-	SET01P2501A	0.02	0.01	1	0.02
JR	2.14	-	3,424	2.12	H5IO6P2501D	-	-	-	-	SET01P2501B	-	-	-	-
NL	1.07	-	2,309	1.07	H5IO6P2502A	-	-	-	-	SET01P2502A	0.31	(0.01)	16,925	0.30
NWR	0.15	-	5,873	0.15	H5IO6P2502B	-	-	-	-	SET01P2502B	0.62	0.02	15	0.61
PLE	0.34	-	1,534	0.34	H5IO6P2502C	-	-	-	-	SET01P2503A	0.73	0.01	82,029	0.73
PREB	4.36	-	116	4.34	H5IO6P2502D	-	-	-	-	SET5001C2412F	0.02	0.01	56	0.01
PYLON	1.90	0.01	402	1.90	H5IO6P2503A	0.02	(0.01)	5	0.02	SET5001C2501A	0.01	(0.01)	2,596	0.01
RT	0.38	-	17,757	0.39	H5IO6P2503B	-	-	-	-	SET5001C2503A	0.11	-	30,037	0.11
SEAFCO	2.04	0.04	2,106	2.02	H5IO6P2503C	-	-	-	-	SET5001C2503F	0.11	-	4,491	0.12
SQ	0.81	(0.01)	762	0.80	H5IO6P2503D	-	-	-	-	SET5001P2412F	0.01	-	1	0.01
SRICHA	5.20	-	691	5.24	H5I28C2412A	-	-	-	-	SET5001P2501A	0.02	-	3,352	0.01
STECOM	7.25	(0.15)	35,212	7.20	H5I28C2412B	0.10	(0.10)	4	0.10	SET5001P2501B	0.01	-	117	0.01
STI	2.98	(0.04)	355	2.92	H5I28C2412C	-	-	-	-	SET5001P2502A	0.35	(0.02)	54,763	0.36
STPI	3.22	0.02	21,737	3.21	H5I28C2412D	-	-	-	-	SET5001P2503F	0.21	(0.01)	4,179	0.21
SYNTEC	1.57	(0.01)	1,659	1.57	H5I28C2412E	-	-	-	-	SET5006C2412A	-	-	-	-
TEAMG	2.66	(0.08)	35,351	2.67	H5I28C2412F	-	-	-	-	SET5006C2412B	-	-	-	-
TEAMG-W1	0.24	(0.01)	3,775	0.24	H5I28C2412H	-	-	-	-	SET5006C2412C	-	-	-	-
TEKA	2.18	-	85	2.18	H5I28C2412I	-	-	-	-	SET5006C2412D	-	-	-	-
TPOLY	0.62	(0.04)	11,390	0.63	H5I28C2412J	-	-	-	-	SET5006C2412E	0.01	-	300	0.01
TRC	1.25	(0.02)	1,211	1.25	H5I28C2412K	-	-	-	-	SET5006C2412F	-	-	-	-
TRITN	0.11	-	39,875	0.10	H5I28C2501A	0.38	(0.01)	68	0.33	SET5006C2412G	0.01	-	7	0.01
TTCL	1.87	-	1,118	1.87	H5I28C2501B	0.02	0.01	50	0.02	SET5006C2503A	0.09	(0.01)	4,163	0.08
UNIQ	2.62	-	1,179	2.61	H5I28C2501C	-	-	-	-	SET5006C2503B	0.07	-	17	0.07
WGE	0.78	0.01	6	0.78	H5I28C2501D	0.08	(0.01)	1,160	0.08	SET5006C2503C	0.15	(0.01)	6,003	0.16
Unit Trust	-	-	-	-	H5I28C2501E	0.09	-	41	0.08	SET5006C2503D	0.32	(0.01)	131,057	0.32
SCBSET	-	-	-	-	H5I28C2501F	-	-	-	-	SET5006P2412A	-	-	-	-
VAYU1	10.10	0.10	7,662	10.07	H5I28C2501G	-	-	-	-	SET5006P2412B	-	-	-	-
ETF	-	-	-	-	H5I28C2501H	-	-	-	-	SET5006P2412C	-	-	-	-
IDIV	10.65	(0.02)	1,924	10.67	H5I28C2501I	-	-	-	-	SET5006P2412D	-	-	-	-
ABFTH	-	-	-	-	H5I28C2501J	-	-	-	-	SET5006P2412E	0.01	-	112	0.01
BMSCG	8.70	(0.09)	54	8.71	H5I28C2501K	-	-	-	-	SET5006P2412F	-	-	-	-
BMSCITH	9.98	(0.05)	744	10.01	H5I28C2502A	0.33	-	213	0.33	SET5006P2412G	-	-	-	-
BSET100	9.52	(0.05)	1,323	9.50	H5I28C2502B	-	-	-	-	SET5006P2412H	0.09	(0.05)	113	0.09
CHINA	6.04	(0.05)	149	6.07	H5I28C2502C	-	-	-	-	SET5006P2503A	0.11	0.01	1,511	0.10
ENGY	4.48	(0.03)	116	4.48	H5I28C2502D	-	-	-	-	SET5006P2503B	0.30	-	105,295	0.30
GLD	3.62	0.02	3,175	3.61	H5I28C2503A	-	-	-	-	SET5006P2503C	0.65	(0.15)	3	0.63
TDEX	8.90	(0.05)	1,150	8.91	H5I28C2503B	0.13	0.01	2,359	0.13	SET5013C2412A	-	-	-	-
UBOT	13.93	(0.01)	6	13.93	H5I28C2503D	0.10	0.01	2,381	0.10	SET5013C2412B	-	-	-	-
UHERO	8.23	-	2	8.22	H5I28C2503E	0.08	-	2,689	0.08	SET5013C2412C	-	-	-	-
Warrant Foreign	-	-	-	-	H5I28C2503F	0.32	0.12	22	0.32	SET5013C2412D	0.05	(0.06)	2,597	0.08
AIA41C2502A	-	-	-	-	H5I28C2504A	0.33	0.01	982	0.33	SET5013C2412E	-	-	-	-
AIA41C2504A	-	-	-	-	H5I28P2412A	-	-	-	-	SET5013C2412F	-	-	-	-
ALHEA41C2502A	-	-	-	-	H5I28P2412B	-	-	-	-	SET5013C2412G	-	-	-	-
BABA28C2412A	-	-	-	-	H5I28P2412C	-	-	-	-	SET5013C2412H	-	-	-	-
BABA28C2503A	-	-	-	-	H5I28P2412D	-	-	-	-	SET5013C2412I	-	-	-	-
BABA28C2506A	-	-	-	-	H5I28P2412E	-	-	-	-	SET5013C2412J	-	-	-	-
BABA28P2503A	-	-	-	-	H5I28P2412F	0.09	0.03	3	0.09	SET5013C2412K	-	-	-	-
BABA41C2502A	-	-	-	-	H5I28P2412G	-	-	-	-	SET5013C2412L	-	-	-	-
BABA41C2503A	-	-	-	-	H5I28P2501A	-	-	-	-	SET5013C2412M	-	-	-	-
BABA41C2504A	-	-	-	-	H5I28P2501B	0.25	(0.01)	11	0.25	SET5013C2412T	-	-	-	-
BABA41P2502A	-	-	-	-	H5I28P2501C	-	-	-	-	SET5013C2412U	-	-	-	-
BABA41P2502B	-	-	-	-	H5I28P2501D	-	-	-	-	SET5013C2503A	0.06	-	180,272	0.06
BIDU41C2502A	0.37	-	3	0.37	H5I28P2501E	-	-	-	-	SET5013C2503B	0.08	-	117,679	0.08
BIDU41C2502B	-	-	-	-	H5I28P2502A	-	-	-	-	SET5013C2503C	0.14	(0.01)	290,127	0.14
BYDCOM28C2501A	-	-	-	-	H5I28P2502B	-	-	-	-	SET5013C2503D	0.18	(0.02)	205,476	0.19
BYDCOM28C2503A	-	-	-	-	H5I28P2502C	-	-	-	-	SET5013C2503E	0.24	(0.01)	674,090	0.25

Main Board Quotation

Issue Date :

Wednesday December 25, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SET5013P2412F	-	-	-	-	ZJJN41C2502A	-	-	-	-		0	-	-	-
SET5013P2412G	-	-	-	-		0	-	-	-		0	-	-	-
SET5013P2412H	-	-	-	-		0	-	-	-		0	-	-	-
SET5013P2412I	-	-	-	-		0	-	-	-		0	-	-	-
SET5013P2412J	-	-	-	-		0	-	-	-		0	-	-	-
SET5013P2412K	-	-	-	-		0	-	-	-		0	-	-	-
SET5013P2412L	-	-	-	-		0	-	-	-		0	-	-	-
SET5013P2412M	-	-	-	-		0	-	-	-		0	-	-	-
SET5013P2412N	-	-	-	-		0	-	-	-		0	-	-	-
SET5013P2412O	0.01	-	180	0.01		0	-	-	-		0	-	-	-
SET5013P2412T	-	-	-	-		0	-	-	-		0	-	-	-
SET5013P2503A	0.38	-	1,069,605	0.38		0	-	-	-		0	-	-	-
SET5013P2503B	0.61	-	838,933	0.60		0	-	-	-		0	-	-	-
SET5013P2503C	0.91	-	90,909	0.91		0	-	-	-		0	-	-	-
SET5013P2503D	0.26	-	561,545	0.26		0	-	-	-		0	-	-	-
SET5013P2503T	0.07	(0.01)	28,904	0.07		0	-	-	-		0	-	-	-
SET5019C2412A	-	-	-	-		0	-	-	-		0	-	-	-
SET5019C2412B	0.67	(0.03)	1	0.67		0	-	-	-		0	-	-	-
SET5019C2412C	0.35	(0.07)	1	0.35		0	-	-	-		0	-	-	-
SET5019C2412D	0.01	(0.01)	20	0.01		0	-	-	-		0	-	-	-
SET5019C2412E	-	-	-	-		0	-	-	-		0	-	-	-
SET5019C2412F	-	-	-	-		0	-	-	-		0	-	-	-
SET5019C2412G	-	-	-	-		0	-	-	-		0	-	-	-
SET5019C2412H	-	-	-	-		0	-	-	-		0	-	-	-
SET5019C2412I	-	-	-	-		0	-	-	-		0	-	-	-
SET5019C2412J	-	-	-	-		0	-	-	-		0	-	-	-
SET5019C2503A	0.07	-	9,005	0.07		0	-	-	-		0	-	-	-
SET5019C2503B	0.04	(0.01)	2	0.04		0	-	-	-		0	-	-	-
SET5019C2503C	0.12	(0.01)	92,125	0.13		0	-	-	-		0	-	-	-
SET5019C2503D	0.36	(0.02)	262,197	0.37		0	-	-	-		0	-	-	-
SET5019P2412A	-	-	-	-		0	-	-	-		0	-	-	-
SET5019P2412B	-	-	-	-		0	-	-	-		0	-	-	-
SET5019P2412C	-	-	-	-		0	-	-	-		0	-	-	-
SET5019P2412D	-	-	-	-		0	-	-	-		0	-	-	-
SET5019P2412E	-	-	-	-		0	-	-	-		0	-	-	-
SET5019P2412F	-	-	-	-		0	-	-	-		0	-	-	-
SET5019P2412G	-	-	-	-		0	-	-	-		0	-	-	-
SET5019P2412H	0.05	(0.04)	1,282	0.08		0	-	-	-		0	-	-	-
SET5019P2503A	0.33	0.01	198,785	0.33		0	-	-	-		0	-	-	-
SET5019P2503B	0.71	0.02	68,823	0.70		0	-	-	-		0	-	-	-
SET5019P2503C	0.15	-	58,920	0.15		0	-	-	-		0	-	-	-
SET5027C2412A	-	-	-	-		0	-	-	-		0	-	-	-
SET5027C2412B	-	-	-	-		0	-	-	-		0	-	-	-
SET5027C2412T	-	-	-	-		0	-	-	-		0	-	-	-
SET5027P2412A	-	-	-	-		0	-	-	-		0	-	-	-
SET5027P2412T	-	-	-	-		0	-	-	-		0	-	-	-
SET5028C2412A	-	-	-	-		0	-	-	-		0	-	-	-
SET5028C2412B	-	-	-	-		0	-	-	-		0	-	-	-
SET5028C2412C	-	-	-	-		0	-	-	-		0	-	-	-
SET5028C2503A	0.10	(0.01)	70	0.11		0	-	-	-		0	-	-	-
SET5028P2412A	-	-	-	-		0	-	-	-		0	-	-	-
SET5041C2412A	-	-	-	-		0	-	-	-		0	-	-	-
SET5041C2412B	-	-	-	-		0	-	-	-		0	-	-	-
SET5041C2412C	-	-	-	-		0	-	-	-		0	-	-	-
SET5041C2412T	-	-	-	-		0	-	-	-		0	-	-	-
SET5041C2412U	-	-	-	-		0	-	-	-		0	-	-	-
SET5041C2412W	-	-	-	-		0	-	-	-		0	-	-	-
SET5041C2412X	-	-	-	-		0	-	-	-		0	-	-	-
SET5041C2503A	0.06	(0.04)	101	0.06		0	-	-	-		0	-	-	-
SET5041C2503B	-	-	-	-		0	-	-	-		0	-	-	-
SET5041C2503C	0.04	(0.02)	13,278	0.04		0	-	-	-		0	-	-	-
SET5041C2503D	0.03	-	13	0.03		0	-	-	-		0	-	-	-
SET5041C2503E	0.12	(0.01)	44,390	0.12		0	-	-	-		0	-	-	-
SET5041C2503F	0.28	(0.01)	166,590	0.28		0	-	-	-		0	-	-	-
SET5041C2503G	0.37	(0.02)	181,926	0.39		0	-	-	-		0	-	-	-
SET5041C2506T	0.18	(0.01)	26,508	0.19		0	-	-	-		0	-	-	-
SET5041P2412A	-	-	-	-		0	-	-	-		0	-	-	-
SET5041P2412B	-	-	-	-		0	-	-	-		0	-	-	-
SET5041P2412C	-	-	-	-		0	-	-	-		0	-	-	-
SET5041P2412D	-	-	-	-		0	-	-	-		0	-	-	-
SET5041P2412T	-	-	-	-		0	-	-	-		0	-	-	-
SET5041P2412U	-	-	-	-		0	-	-	-		0	-	-	-
SET5041P2412V	-	-	-	-		0	-	-	-		0	-	-	-
SET5041P2503A	0.31	-	402,189	0.30		0	-	-	-		0	-	-	-
SET5041P2503B	0.57	-	684,125	0.56		0	-	-	-		0	-	-	-
SET5041P2503C	0.46	-	89,561	0.45		0	-	-	-		0	-	-	-
SET5041P2503D	0.14	(0.01)	110	0.14		0	-	-	-		0	-	-	-
SET5041P2503E	-	-	-	-		0	-	-	-		0	-	-	-
SET5041P2503F	-	-	-	-		0	-	-	-		0	-	-	-
SET5041P2506T	0.39	0.02	1,128	0.38		0	-	-	-		0	-	-	-
SPX28C2503A	0.23	0.03	143	0.24		0	-	-	-		0	-	-	-
SPX28C2503B	-	-	-	-		0	-	-	-		0	-	-	-
SPX28P2503A	0.26	(0.05)	1	0.26		0	-	-	-		0	-	-	-
SPX41C2503A	0.55	0.04	1,908	0.57		0	-	-	-		0	-	-	-
SPX41C2503B	0.21	0.02	525	0.23		0	-	-	-		0	-	-	-
SPX41P2503A	0.21	(0.05)	290	0.21		0	-	-	-		0	-	-	-
SPX41P2503B	0.40	(0.07)	700	0.40		0	-	-	-		0	-	-	-
SUNNY41C2502A	-	-	-	-		0	-	-	-		0	-	-	-
TENCEN28C2502A	-	-	-	-		0	-	-	-		0	-	-	-
TENCEN28C2503A	-	-	-	-		0	-	-	-		0	-	-	-
TENCEN28P2503A	-	-	-	-		0	-	-	-		0	-	-	-
TENCEN41C2502A	-	-	-	-		0	-	-	-		0	-	-	-
TENCEN41C2502B	-	-	-	-		0	-	-	-		0	-	-	-
TENCEN41P2502A	-	-	-	-		0	-	-	-		0	-	-	-
TENCEN41P2502B	-	-	-	-		0	-	-	-		0	-	-	-
XIAOMI28C2412A	-	-	-	-		0	-	-	-		0	-	-	-
XIAOMI28C2504A	-	-	-	-		0	-	-	-		0	-	-	-
XIAOMI28P2502A	-	-	-	-		0	-	-	-		0	-	-	-
XIAOMI28P2505A	-	-	-	-		0	-	-	-		0	-	-	-
XIAOMI41C2502A	-	-	-	-		0	-	-	-		0	-	-	-
XIAOMI41C2503A	-	-	-	-		0	-	-	-		0	-	-	-
XIAOMI41C2504A	-	-	-	-		0	-	-	-		0	-	-	-
XIAOMI41P2502A	-	-	-	-		0	-	-	-		0	-	-	-

Main Board Quotation

Issue Date :

Wednesday December 25, 2024

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
Warrant - MAI														
Agro & Food Indust			-		TRT	3.68	(0.16)	7,426	00 3.6	LDC	0.45	(0.02)	11,161	00 0.4
APO	2.02	(0.04)	1,073	00 2.0	TRV	-	-	-	00 0.0	LEO	3.08	0.02	717	00 3.0
AU	10.90	-	5,627	00 10.8	UBIS	1.50	0.01	42	00 1.5	MCA	1.44	0.04	1,901	00 1.4
CFARM	0.82	0.01	8,905	00 0.8	UEC	1.22	(0.01)	92	00 1.2	MEB	25.75	(0.75)	1,170	00 25.9
JCKH	0.03	-	2,640	00 0.0	UKEM	0.58	(0.01)	3,976	00 0.5	MORE	0.03	(0.01)	2,964,662	00 0.0
KASET	0.91	-	259	00 0.9	UREKA	1.06	-	431,407	00 1.0	MPJ	3.54	-	24,566	00 3.6
MAGURO	20.60	(0.40)	10,814	00 20.7	YUASA	10.00	-	33	00 10.0	MVP	0.66	-	3,942	00 0.6
MUD	1.34	-	51	00 1.3	ZIGA	1.66	-	8,423	00 1.6	NCL	0.40	(0.02)	27,348	00 0.4
NTSC	8.85	(0.05)	50	00 8.9	ZIGA-W2	0.17	(0.01)	355	00 0.1	NCP	1.07	0.03	347	00 1.0
TACC	4.60	(0.04)	6,132	00 4.6	Property	-	-	-	-	NEWS	0.01	-	739,035	00 0.0
TMILL	3.02	0.04	10	00 2.9	24CS	2.88	(0.02)	660	00 2.8	PEER	0.29	(0.01)	7,339	00 0.2
WINNER	2.02	0.02	321	00 2.0	ARIN	0.67	(0.04)	40,315	00 0.6	PICO	-	-	-	00 0.0
XO	22.50	(0.20)	6,160	00 22.6	ARROW	5.50	(0.05)	257	00 5.5	PLT	0.75	-	1,278	00 0.7
Consumer Products					BC	0.92	-	758	00 0.9	QLT	2.48	(0.02)	647	00 2.5
ALPHAX	0.57	(0.02)	23,984	00 0.5	BC-W2	0.12	0.02	7,409	00 0.1	RP	1.00	0.01	276	00 0.9
BGT	0.50	-	235	00 0.4	BLESS	0.28	(0.02)	15,496	00 0.2	SONIC	1.78	0.01	8,309	00 1.7
DOD	1.66	-	1,832	00 1.6	BSM	1.72	-	134	00 1.7	THMUI	0.48	(0.02)	58	00 0.4
ECF	0.42	-	40,267	00 0.4	BTW	0.21	(0.01)	1,577	00 0.2	TNDT	0.21	(0.01)	2,609	00 0.2
ECF-W5	0.04	-	82,104	00 0.0	CAZ	2.24	(0.04)	2,057	00 2.2	TNDT-W1	0.01	(0.01)	7,053	00 0.0
EFORL	0.26	-	35,315	00 0.2	CHEWA	0.33	(0.02)	584	00 0.3	TNH	36.00	(0.25)	137	00 36.0
EFORL-W6	0.04	-	1,238	00 0.0	CPANEL	3.44	0.02	35	00 3.3	TNP	3.24	(0.02)	1,911	00 3.2
EURO	4.70	0.08	12	00 4.7	CPANEL-W1	0.23	-	808	00 0.2	TPL	0.84	(0.01)	9,815	00 0.8
HPT	0.45	-	30,617	00 0.4	CRD	0.39	-	4,112	00 0.3	TRP	8.75	(0.10)	887	00 8.7
ITTHI	1.72	0.01	156	00 1.7	DHOUSE	0.60	(0.04)	15,944	00 0.6	TURTLE	7.00	0.60	16	00 6.4
JSP	2.02	(0.02)	3,656	00 2.0	DIMET	0.23	-	231	00 0.2	TVDH	0.22	0.02	124,016	00 0.2
JSP-W2	0.06	(0.01)	28,234	00 0.0	DPAIN	1.06	(0.03)	8,489	00 1.1	TVDH-W3	0.02	-	30,395	00 0.0
JUBILE	11.60	-	39	00 11.5	FLOYD	0.76	(0.01)	443	00 0.7	TVDH-W4	-	-	-	00 0.0
LTS	15.60	(0.70)	38,874	00 16.3	HYDRO	0.11	-	1,056	00 0.1	TVT	0.31	(0.02)	8,880	00 0.3
MGI	9.55	(0.30)	6,244	00 9.7	HYDRO-W2	0.11	(0.01)	7	00 0.1	UBA	0.85	0.01	681	00 0.8
MGI-W1	1.90	-	8,454	00 1.9	IND	0.81	-	930	00 0.8	VL	1.08	(0.01)	1,916	00 1.0
MOONG	2.06	-	684	00 2.0	JAK	-	-	-	00 0.0	VS	0.53	(0.03)	1,007	00 0.5
NPK	12.00	0.50	14	00 10.9	K	1.18	0.01	102	00 1.1	YGG	0.58	(0.02)	44,840	00 0.5
SEI	3.92	0.18	70,710	00 4.0	K-W3	0.25	0.05	7,638	00 0.2	Technology	-	-	-	-
SMD100	4.68	0.06	374	00 4.6	META	0.12	-	7,115	00 0.1	APP	1.61	0.01	1,195	00 1.6
TM	1.01	(0.01)	345	00 1.0	META-W7	-	-	-	00 0.0	BRIK	38.75	(1.00)	1,953	00 39.1
TM-W1	0.06	0.01	1,992	00 0.0	PANEL	1.26	0.01	297	00 1.2	BE8	12.10	(0.20)	7,382	00 12.1
WARRIX	3.70	(0.06)	5,852	00 3.7	PPS	0.20	(0.01)	1,422	00 0.2	BE8-W1	1.28	(0.02)	18	00 1.2
WINMED	1.84	0.03	373	00 1.8	PRI	8.10	(0.10)	1,266	00 8.0	BVG	2.80	0.06	88	00 2.7
Financials					PROS	0.99	-	5,857	00 0.9	COMAN	0.85	0.07	10,973	00 0.8
ACAP	-	-	-	00 0.0	PROS-W1	0.09	(0.01)	1,432	00 0.0	I2	1.43	(0.02)	5,106	00 1.4
AF	0.70	-	395	00 0.6	PSG	0.47	-	14,153	00 0.4	IIG	4.14	0.04	13,130	00 4.0
AIRA	-	-	-	00 0.0	QTCG	0.34	(0.01)	6,298	00 0.3	IIG-W1	-	-	-	00 0.0
ASN	1.69	-	5	00 1.6	SENX	0.32	-	572	00 0.3	IRCP	0.50	-	1,173	00 0.4
BTC	0.55	(0.04)	433,582	00 0.5	SK	0.75	-	2,228	00 0.6	ITNS	1.42	0.01	606	00 1.4
BTC-W7	0.28	(0.02)	2,087	00 0.2	SMART	0.59	-	6,119	00 0.7	NAT	4.44	0.08	951	00 4.3
GCAP	0.32	(0.01)	9,389	00 0.3	STC	0.54	-	63	00 0.5	NETBAY	17.00	(0.20)	3,805	00 16.9
KCC	2.06	-	275	00 2.0	STX	1.36	(0.02)	634	00 1.3	PLANET	1.89	0.22	479,970	00 1.8
LIT	0.68	(0.04)	736	00 0.6	SVR	0.70	0.03	6,971	00 0.6	PROEN	2.36	(0.06)	447,341	00 2.4
LIT-W2	0.02	0.01	1,584	00 0.0	TAPAC	-	-	-	00 0.0	PROEN-W2	1.04	0.07	66,947	00 1.1
MTSIB	0.67	-	560	00 0.6	THANA	1.14	(0.04)	854	00 1.1	READY	5.60	(0.05)	125	00 5.6
SGF	0.24	-	2,286	00 0.2	TIGER	0.65	0.01	42	00 0.6	SECURE	12.40	(0.10)	174	00 12.3
SGF-P1	-	-	-	00 0.0	TITLE	3.98	-	479	00 3.9	SICT	4.06	(0.04)	4,736	00 4.1
SGF-Q1	-	-	-	00 0.0	WELL	-	-	-	00 0.0	SIMAT	1.41	(0.05)	5,078	00 1.4
TQR	5.80	-	44	00 5.8	YONG	1.09	0.01	217	00 1.0	SIMAT-W3	0.05	(0.01)	14,158	00 0.0
Industrials					Resources	-	-	-	-	SPVI	1.83	(0.02)	1,320	00 1.8
ADB	0.88	-	1,200	00 0.8	ABM	1.08	(0.03)	13	00 1.0	SRS	4.84	-	427	00 4.8
BM	3.12	-	5,509	00 3.1	GTV	0.15	0.02	480,332	00 0.1	TBN	7.35	(0.15)	1,031	00 7.3
BM-W3	1.34	(0.26)	3,952	00 1.3	PSTC	0.48	(0.02)	23,106	00 0.4	TERA	1.19	(0.02)	541	00 1.1
BPS	0.50	(0.02)	7,230	00 0.5	PSTC-W2	0.01	(0.01)	522	00 0.0	TPS	2.92	0.02	2,659	00 2.9
CHO	0.04	-	87,170	00 0.0	PSTC-W3	0.16	(0.02)	4,701	00 0.1	VCOM	2.38	-	1,384	00 2.3
CHO-W4	0.01	-	3	00 0.0	PTC	1.40	(0.02)	224	00 1.4	-	-	-	-	-
CHOW	1.78	-	42	00 1.8	SAAM	6.15	0.25	1,791	00 6.0	-	-	-	-	-
CIG	0.04	-	3,057	00 0.0	SR	-	-	-	00 0.0	-	-	-	-	-
CIG-W10	0.06	0.01	1	00 0.0	STOWER	0.07	-	2,860	00 0.0	-	-	-	-	-
CIG-W9	0.03	-	1	00 0.0	TAKUNI	0.57	(0.03)	23,426	00 0.5	-	-	-	-	-
COLOR	1.13	0.02	1	00 1.1	TPCH	4.82	(0.06)	2,026	00 4.8	-	-	-	-	-
CPR	3.14	(0.04)	410	00 3.1	UMS	0.38	(0.01)	67	00 0.3	-	-	-	-	-
FPI	1.93	0.01	180	00 1.9	Services	-	-	-	-	-	-	-	-	-
GTB	0.73	0.02	641	00 0.7	ADD	5.20	0.20	2,202	00 5.1	-	-	-	-	-
HARN	2.08	(0.02)	964	00 2.0	AKP	0.64	(0.03)	10,397	00 0.6	-	-	-	-	-
KCM	0.27	0.01	2,822	00 0.2	AMA	4.22	-	1,259	00 4.2	-	-	-	-	-
KJL	6.70	0.10	338	00 6.6	AMARC	1.26	0.01	2,386	00 1.2	-	-	-	-	-
KUMWEL	1.38	0.07	288	00 1.3	ARIP	0.54	-	44	00 0.5	-	-	-	-	-
KWM	1.22	(0.01)	4,799	00 1.2	ATP30	0.96	-	5,362	00 0.9	-	-	-	-	-
MBAX	1.91	-	83	00 1.9	AUCT	8.30	-	1,985	00 8.3	-	-	-	-	-
MGT	1.99	-	177	00 1.9	BIS	3.08	-	1,112	00 2.9	-	-	-	-	-
MTW	1.10	(0.04)	883	00 1.1	BOL	5.45	0.10	736	00 5.4	-	-	-	-	-
MTW-W1	0.05	-	10,397	00 0.0	CEYE	-	-	-	00 0.0	-	-	-	-	-
NDR	1.82	0.08	1,939	00 1.7	CHIC	0.43	(0.05)	8,565	00 0.4	-	-	-	-	-
PACO	1.46	0.04	2,129	00 1.4	CMO	0.67	(0.04)	395	00 0.7	-	-	-	-	-
PACO-W1	0.07	-	3,705	00 0.0	D	3.04	(0.02)	1,372	00 3.0	-	-	-	-	-
PDG	2.62	(0.04)	43	00 2.6	DEXON	1.50	-	729	00 1.5	-	-	-	-	-
PHOL	3.00	-	195	00 2.9	DV8	0.53	(0.02)	4,658	00 0.5	-	-	-	-	-