

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Monday March 24, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	GEL	0.04	(0.01)	14,008	0.04	COM7	19.60	-	47,465	19.66
Agribusiness	-	-	-	-	GEL-W5	-	-	-	-	COM701C2506A	0.11	-	46,145	0.12
EE	0.48	(0.01)	33,068	0.48	PPP	1.13	0.08	99	1.06	COM701C2508A	0.40	0.01	25,082	0.41
GFPT	8.35	0.10	11,073	8.37	Q-CON	9.55	-	3,206	9.55	COM713C2504A	-	-	-	-
LEE	2.42	-	1,756	2.42	SCC	164.00	1.00	24,807	164.24	COM713C2505A	-	-	-	-
NER	5.05	0.13	87,251	4.99	SCC01C2505A	-	-	-	-	COM713C2506A	0.10	-	11,248	0.10
NER-W2	0.36	0.06	52,731	0.34	SCC01C2505B	-	-	-	-	COM713C2507A	0.22	-	12,249	0.22
PCE	2.94	(0.02)	35,600	2.93	SCC01C2507A	0.37	0.03	7	0.37	COM719C2505A	-	-	-	-
PPPM	0.37	0.01	8,256	0.36	SCC13C2508A	0.71	(0.07)	433	0.73	COM719C2507A	0.22	(0.01)	25,617	0.23
PPPM-W6	0.27	(0.01)	350	0.24	SCC01C2508B	0.82	0.01	43,242	0.82	COM719P2508A	0.49	(0.03)	16,733	0.50
STA	15.00	-	36,208	14.97	SCC01P2507A	0.30	(0.02)	24,437	0.31	COM741C2505A	-	-	-	-
STA01C2504A	-	-	-	-	SCC13C2504A	-	-	-	-	COM741C2606T	0.18	-	2,000	0.18
STA01C2506A	0.10	-	8,479	0.10	SCC13C2504B	-	-	-	-	COM741C2609T	0.35	-	46,000	0.35
STA13C2505A	-	-	-	-	SCC13C2505A	0.05	0.01	4,792	0.04	CPALL	51.25	1.00	163,333	50.75
STA13C2506A	0.15	(0.01)	10,803	0.15	SCC13C2505B	0.14	(0.01)	229,498	0.15	CPALL01C2504A	-	-	-	-
STA19C2504A	0.01	-	3,008	0.01	SCC13C2507A	0.61	(0.01)	5,433	0.62	CPALL01C2505A	0.02	-	29	0.02
STA19C2505A	-	-	-	-	SCC13P2504A	-	-	-	-	CPALL01C2507A	0.33	0.03	65,413	0.30
STA19C2506A	0.13	(0.01)	48,522	0.13	SCC13P2505A	0.10	(0.02)	10,130	0.10	CPALL01P2505A	0.24	(0.03)	30,048	0.25
STA41C2505A	-	-	-	-	SCC13P2508A	0.56	(0.03)	51,672	0.57	CPALL01P2507A	0.37	(0.63)	24,446	0.38
STA41C2612T	0.36	-	24,400	0.36	SCC19C2504A	0.02	-	3	0.02	CPALL06C2504A	-	-	-	-
TEGH	3.16	-	3,380	3.16	SCC19C2505A	-	-	-	-	CPALL11C2503A	-	-	-	-
TFM	8.80	-	845	8.81	SCC19C2505B	0.03	(0.01)	4,100	0.03	CPALL13C2504A	0.01	-	6,000	0.01
TRUBB	0.70	(0.02)	773	0.70	SCC19C2506A	0.22	-	63,501	0.22	CPALL13C2505A	-	-	-	-
UPOIC	6.35	(0.05)	6	6.35	SCC19C2507A	-	-	-	-	CPALL13C2505B	-	-	-	-
UVAN	9.20	0.05	1,811	9.19	SCC19P2505A	0.19	(0.04)	27,508	0.20	CPALL13C2506A	0.09	-	2,395	0.09
VPO	0.48	(0.01)	8,848	0.50	SCC41C2504A	-	-	-	-	CPALL13C2506B	0.22	0.02	85,253	0.20
Banking	-	-	-	-	SCC41C2505A	-	-	-	-	CPALL13P2504A	-	-	-	-
BAY	22.70	-	900	22.75	SCC41C2608T	0.53	0.01	168,800	0.53	CPALL13P2505A	0.11	(0.03)	19,822	0.12
BBL	151.00	-	20,203	150.61	SCCC	157.50	(1.50)	649	157.36	CPALL13P2506A	0.15	(0.03)	6,637	0.17
BBL13C2504A	-	-	-	-	SCGD	4.20	0.02	1,963	4.19	CPALL19C2504A	-	-	-	-
BBL13C2507A	0.16	(0.01)	3,448	0.16	SCP	6.20	0.10	858	6.20	CPALL19C2505A	-	-	-	-
BBL13C2508A	0.38	(0.01)	44,056	0.37	SKN	5.70	-	56	5.70	CPALL19C2505B	-	-	-	-
BBL19C2506A	-	-	-	-	STECH	1.01	0.01	432	1.00	CPALL19C2506A	0.03	(0.01)	1	0.03
BBL19C2508A	0.31	(0.02)	75,128	0.30	TASCO	14.70	-	20,030	14.63	CPALL19C2506B	0.13	0.01	51,247	0.12
BBL41C2504A	-	-	-	-	TASCO19C2507	0.12	(0.01)	7,034	0.12	CPALL19C2508A	0.32	0.02	69,155	0.29
BBL41C2506A	0.09	(0.01)	8,019	0.09	TOA	12.10	(0.20)	17,916	12.14	CPALL19P2505A	0.14	(0.04)	33,434	0.15
CIMBT	0.70	0.03	36,483	0.69	TPIPL	1.01	0.02	23,096	1.00	CPALL19P2505B	-	-	-	-
CREDIT	20.00	0.40	151	19.96	UMI	0.67	0.02	3,525	0.67	CPALL41C2504A	-	-	-	-
KBANK	162.50	(1.50)	69,047	162.17	VNG	2.52	0.02	365	2.50	CPALL41C2505A	-	-	-	-
KBANK01C2506A	0.29	(0.02)	31,161	0.28	WIJK	0.90	-	458	0.88	CPALL41C2506A	-	-	-	-
KBANK01C2508A	0.90	(0.04)	890	0.90	WIJK-W3	0.03	-	21	0.03	CPALL41C2605T	-	-	-	-
KBANK01P2507A	0.42	0.01	20,880	0.43	WINDOW	0.87	(0.02)	65,435	0.86	CPALL41P2504A	0.15	-	2,000	0.15
KBANK13C2505A	0.09	(0.03)	10,546	0.09	Petrochemicals & Plastics	-	-	-	-	CPAXT	27.00	0.25	28,485	27.02
KBANK13C2507A	0.47	(0.05)	92,672	0.46	BCT	62.00	(2.00)	22	61.35	CPW	2.02	(0.02)	240	2.02
KBANK13P2504A	0.02	0.01	1,006	0.02	CMAN	2.28	0.02	862	2.24	CRC	26.75	(0.25)	60,867	26.74
KBANK13P2507A	0.30	-	17,747	0.30	GC	4.98	-	1,161	4.97	CRC01C2506A	0.01	(0.01)	500	0.01
KBANK19C2504A	-	-	-	-	GGC	4.66	0.12	398	4.57	CRC13C2506A	0.02	-	60	0.02
KBANK19C2505A	-	-	-	-	IVL	21.20	-	65,735	21.19	CRC13C2508A	0.16	(0.01)	39,183	0.16
KBANK19C2507A	0.25	(0.04)	15,394	0.25	IVL01C2504A	-	-	-	-	CRC19C2506A	0.03	(0.01)	2	0.03
KBANK19C2507B	0.41	(0.02)	5,093	0.41	IVL01C2506A	0.10	-	24,225	0.10	CRC19C2508A	0.18	(0.01)	36,072	0.17
KBANK41C2505A	-	-	-	-	IVL01C2507A	0.47	-	234	0.47	CRC41C2608T	0.14	-	8,000	0.14
KBANK41C2604T	0.80	(0.02)	73,250	0.80	IVL01P2504A	-	-	-	-	CSS	0.85	0.02	1,747	0.84
KBANK41C2609T	0.43	-	24,400	0.43	IVL01P2506A	0.56	(0.01)	14,558	0.56	DOHOME	6.35	0.05	53,928	6.38
KBANK41P2606T	0.37	-	50	0.37	IVL13C2504A	-	-	-	-	DOHOME01C2507A	0.24	-	29,096	0.24
KKP	56.50	(1.00)	8,499	56.85	IVL13C2505A	0.04	(0.01)	220	0.04	DOHOME13C2505A	-	-	-	-
KKP-W6	1.23	-	201	1.23	IVL13C2507A	0.27	(0.01)	46,732	0.27	DOHOME13C2506A	0.09	-	7,890	0.09
KKP13C2504A	-	-	-	-	IVL13P2504A	-	-	-	-	DOHOME19C2504A	-	-	-	-
KKP19C2507A	0.39	0.02	1	0.39	IVL13P2508A	0.43	(0.01)	55,715	0.44	DOHOME19C2506A	-	-	-	-
KTB	24.00	-	245,726	23.94	IVL19C2505A	-	-	-	-	DOHOME19C2506B	0.09	-	2,696	0.10
KTB-P	-	-	-	-	IVL19C2506A	-	-	-	-	FN	0.61	0.01	1,336	0.61
KTB-Q	-	-	-	-	IVL19C2507A	0.33	(0.01)	101,389	0.33	GLOBAL	7.15	(0.10)	48,299	7.17
KTB01C2506A	0.34	(0.01)	21,173	0.33	IVL19P2508A	0.45	(0.01)	32,062	0.45	GLOBAL01C2507A	0.15	(0.02)	16,263	0.16
KTB13C2505A	0.22	(0.01)	62,745	0.21	IVL41C2505A	-	-	-	-	GLOBAL13C2504A	-	-	-	-
KTB13C2507A	0.23	(0.01)	1,180	0.22	IVL41C2605T	0.21	-	73,666	0.22	GLOBAL13C2506A	-	-	-	-
KTB13P2505A	0.26	(0.02)	14,052	0.27	IVL41P2605T	-	-	-	-	GLOBAL13C2507A	0.16	(0.02)	16,637	0.16
KTB19C2505A	0.19	(0.02)	28,548	0.18	NFC	1.35	0.03	1,286	1.34	GLOBAL19C2507A	0.19	(0.02)	65,820	0.20
KTB19C2506A	0.17	(0.01)	45,750	0.16	PATO	7.70	-	351	7.70	GLOBAL41C2606T	0.14	-	17,000	0.14
KTB41C2506A	0.22	-	7,800	0.21	PMTA	7.90	0.05	14	7.97	HMPRO	7.95	(0.25)	184,685	8.06
LHFG	0.80	0.01	36,535	0.79	PTTGC	18.70	-	207,760	18.67	HMPRO01C2504A	-	-	-	-
SCB	124.50	(0.50)	48,681	124.78	PTTGC01C2504	-	-	-	-	HMPRO01C2507A	-	-	-	-
SCB01C2505A	0.15	-	9,424	0.15	PTTGC01C2505	0.02	-	8	0.02	HMPRO13C2504A	-	-	-	-
SCB01C2507A	0.29	(0.01)	10,937	0.30	PTTGC01C2506	0.12	0.01	43,559	0.11	HMPRO13C2506A	-	-	-	-
SCB01P2507A	0.45	(0.01)	141	0.45	PTTGC01C2507	0.28	-	34,425	0.28	HMPRO13C2508A	0.30	(0.04)	6,439	0.32
SCB13C2505A	0.10	(0.01)	67,586	0.11	PTTGC01P2506	0.48	(0.02)	13,221	0.51	HMPRO19C2506A	-	-	-	-
SCB13P2507A	0.26	(0.01)	49,870	0.25	PTTGC11C2503	-	-	-	-	HMPRO19C2508A	-	-	-	-
SCB19C2504A	-	-	-	-	PTTGC13C2504	-	-	-	-	HMPRO41C2606T	0.14	0.01	7,428	0.14
SCB19C2507A	0.20	(0.01)	22,852	0.20	PTTGC13C2505	-	-	-	-	ICC	29.00	-	69	30.59
SCB41C2505A	-	-	-	-	PTTGC13C2506	0.09	-	1,750	0.09	ILM	13.90	-	737	13.93
SCB41P2504A	-	-	-	-	PTTGC13C2507</									

Main Board Quotation

Issue Date :

Monday March 24, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ADVANC13C2505A	0.07	0.02	2,279	0.07	DELTA01C2506A	0.02	(0.01)	370	0.02	AI	3.46	-	716	3.44
ADVANC13C2507A	0.27	0.04	34,754	0.25	DELTA01C2507A	0.87	(0.02)	60,957	0.88	AIE	1.42	0.02	49,749	1.42
ADVANC13P2504A	-	-	-	-	DELTA01P2504A	-	-	-	-	BAFS	8.35	(0.05)	668	8.31
ADVANC13P2507A	0.48	(0.08)	64,327	0.51	DELTA06C2504A	-	-	-	-	BANPU	4.42	(0.06)	298,312	4.41
ADVANC19C2505A	-	-	-	-	DELTA11C2503A	-	-	-	-	BANPU01C2504A	-	-	-	-
ADVANC19C2506A	0.11	0.02	31,135	0.10	DELTA11C2507A	0.34	-	15,458	0.35	BANPU01C2506A	-	-	-	-
ADVANC19C2507A	0.27	0.04	123,880	0.25	DELTA13C2505A	-	-	-	-	BANPU01C2507A	0.22	(0.02)	20,030	0.23
ADVANC19P2504A	-	-	-	-	DELTA13C2506A	0.01	-	2,700	0.01	BANPU01C2508A	0.44	(0.56)	25,520	0.45
ADVANC41C2505A	-	-	-	-	DELTA13C2506E	0.02	-	100,726	0.01	BANPU13C2504A	-	-	-	-
ADVANC41C2606T	0.28	0.02	47,600	0.27	DELTA13C2507A	0.21	(0.02)	110,097	0.21	BANPU13C2505A	-	-	-	-
ADVANC41P2504A	-	-	-	-	DELTA13C2507E	0.10	-	21,987	0.10	BANPU13C2506A	-	-	-	-
ADVANC41P2508A	0.24	(0.03)	3,104	0.24	DELTA13C2507C	0.42	(0.03)	117,089	0.43	BANPU13C2506B	0.13	(0.02)	27,492	0.13
AIT	4.58	-	7,916	4.59	DELTA13P2505A	-	-	-	-	BANPU13C2507A	0.33	(0.02)	91,313	0.33
ALT	0.78	(0.01)	642	0.76	DELTA13P2505E	-	-	-	-	BANPU13P2504A	-	-	-	-
AMR	0.61	0.01	792	0.61	DELTA13P2506A	-	-	-	-	BANPU19C2504A	-	-	-	-
BLISS	-	-	-	-	DELTA13P2507A	0.95	-	42,012	0.96	BANPU19C2506A	-	-	-	-
DIF	7.95	(0.15)	75,700	7.97	DELTA13P2507E	0.40	-	87,831	0.39	BANPU19C2507A	0.22	(0.01)	9,139	0.22
DITTO	11.70	(0.20)	15,177	11.82	DELTA19C2506A	0.01	-	1,000	0.01	BANPU19C2508A	0.44	(0.04)	31,429	0.43
DITTO-W1	0.13	(0.02)	19,836	0.14	DELTA19C2506E	-	-	-	-	BANPU41C2505A	-	-	-	-
DTCENT	0.93	0.02	32,198	0.94	DELTA19C2506C	-	-	-	-	BANPU41C2605T	-	-	-	-
FORTH	7.05	0.05	1,593	7.02	DELTA19C2507A	0.08	(0.01)	2,057	0.09	BBGI	3.70	0.02	1,101	3.68
GABLE	3.64	0.14	11,149	3.58	DELTA19C2507E	0.19	(0.02)	18,483	0.20	BCP	37.75	-	25,255	37.74
HUMAN	7.90	(0.15)	1,405	7.97	DELTA19C2507C	0.49	(0.03)	63,998	0.50	BCP01C2504A	-	-	-	-
ICN	1.95	-	3,764	1.94	DELTA19P2504A	-	-	-	-	BCP01C2505A	0.29	-	3,500	0.29
ILINK	5.95	-	4,212	5.92	DELTA19P2505A	-	-	-	-	BCP01C2507A	0.26	(0.01)	2,282	0.26
INET	4.96	0.04	22,332	4.97	DELTA19P2506A	-	-	-	-	BCP01P2505A	-	-	-	-
INSET	2.18	-	11,914	2.16	DELTA19P2507A	0.85	(0.01)	119,106	0.85	BCP11C2503A	-	-	-	-
INTUCH	-	-	-	-	DELTA41C2505A	-	-	-	-	BCP13C2504A	-	-	-	-
ITEL	1.44	0.03	27,269	1.42	DELTA41C2506A	-	-	-	-	BCP13C2505A	0.11	(0.01)	7,282	0.11
JAS	1.69	(0.05)	273,474	1.69	DELTA41C2507A	0.11	(0.01)	44,178	0.12	BCP13C2507A	0.27	(0.01)	6,017	0.27
JAS-W4	0.35	-	112,445	0.35	DELTA41C2608T	0.27	(0.01)	8,002	0.27	BCP13P2505A	0.01	(0.01)	1	0.01
JAS13C2505A	0.01	-	150	0.01	DELTA41C2612T	-	-	-	-	BCP19C2504A	-	-	-	-
JAS13C2507A	0.38	(0.05)	64,925	0.38	DELTA41P2504A	2.10	-	1,000	2.11	BCP19C2506A	0.28	(0.01)	1,661	0.28
JAS19C2505A	-	-	-	-	DELTA41P2505A	1.69	0.02	8,060	1.69	BCP19C2507A	0.20	-	30,638	0.20
JAS19C2507A	0.31	(0.04)	55,014	0.31	DELTA41P2507A	0.29	(0.02)	8,244	0.29	BCP41C2504A	-	-	-	-
JAS41C2605T	0.16	(0.01)	52,560	0.16	HANA	16.80	-	44,377	16.77	BCP41C2505A	0.26	(0.03)	25	0.26
JMART	9.65	(0.10)	37,685	9.68	HANA01C2504A	-	-	-	-	BCPG	7.10	0.05	84,028	7.09
JMART-W5	0.21	(0.01)	619	0.21	HANA01C2504W	-	-	-	-	BCPG01C2506A	0.31	-	27,116	0.31
JMART13C2504A	-	-	-	-	HANA01C2505A	0.02	-	110	0.01	BCPG01C2508A	0.52	0.01	15,741	0.50
JMART13C2506A	0.04	(0.02)	3,129	0.04	HANA01C2505B	-	-	-	-	BCPG01P2506A	0.08	(0.01)	3,234	0.09
JMART13C2507A	0.17	(0.01)	36,453	0.18	HANA01P2504A	0.34	(0.03)	1,000	0.34	BCPG13C2504A	-	-	-	-
JMART19C2504A	-	-	-	-	HANA01P2505A	0.79	(0.01)	7,883	0.82	BCPG13C2507A	0.24	-	106,490	0.24
JMART19C2506A	-	-	-	-	HANA06C2504A	-	-	-	-	BCPG13C2507B	0.58	0.03	902	0.56
JMART19C2508A	0.22	(0.01)	5,262	0.22	HANA13C2504A	-	-	-	-	BCPG19C2505A	0.31	(0.02)	17,416	0.29
JMART41C2504A	-	-	-	-	HANA13C2504B	-	-	-	-	BCPG19C2508A	0.28	(0.72)	37,256	0.28
JMART41C2606T	0.18	(0.01)	12,000	0.18	HANA13C2504C	-	-	-	-	BCP41C2605T	0.36	-	87,970	0.35
JTS	29.25	0.25	1,789	29.25	HANA13C2505A	0.01	(0.01)	2,000	0.01	BGRIM	10.90	(0.30)	147,029	10.93
MFECC	5.95	(0.05)	536	6.00	HANA13C2505B	-	-	-	-	BGRIM01C2504A	0.01	-	1,000	0.01
MSC	7.95	0.05	17	7.71	HANA13C2506A	-	-	-	-	BGRIM01C2505A	-	-	-	-
PT	11.00	-	1,848	10.94	HANA13C2507A	0.09	(0.01)	19,462	0.10	BGRIM01C2506A	0.01	(0.01)	12,580	0.01
ROCTEC	0.70	(0.01)	13,126	0.70	HANA13C2508A	0.35	(0.01)	45,055	0.35	BGRIM01C2507A	0.07	(0.01)	11,803	0.07
ROCTEC-W3	-	-	-	-	HANA13P2504A	-	-	-	-	BGRIM01C2508A	0.18	(0.82)	23,014	0.18
ROCTEC-W5	0.04	-	77,854	0.04	HANA13P2505A	-	-	-	-	BGRIM01P2505A	-	-	-	-
SAMART	6.95	0.10	26,912	6.89	HANA13P2507A	0.39	(0.02)	27,192	0.40	BGRIM01P2507A	0.41	0.02	16,578	0.43
SAMTEL	5.60	-	54	5.58	HANA19C2504A	-	-	-	-	BGRIM13C2504A	-	-	-	-
SAMTEL-W2	1.10	-	46	1.09	HANA19C2505A	-	-	-	-	BGRIM13C2505A	-	-	-	-
SDC	0.04	-	41,458	0.03	HANA19C2505B	-	-	-	-	BGRIM13C2505B	-	-	-	-
SIS	23.40	0.30	2,042	23.12	HANA19C2507A	-	-	-	-	BGRIM13C2506A	-	-	-	-
SKY	16.30	(0.20)	4,922	16.37	HANA19C2508A	0.34	-	5,270	0.33	BGRIM13C2507A	0.04	(0.02)	6,547	0.04
SPREME	1.45	(0.02)	10,322	1.45	HANA19P2504A	-	-	-	-	BGRIM13C2507B	0.13	(0.02)	103,702	0.13
SVOA	1.00	-	266	1.00	HANA19P2504B	-	-	-	-	BGRIM13P2505A	-	-	-	-
SYMC	5.35	(0.20)	1,705	5.38	HANA41C2504A	-	-	-	-	BGRIM13P2506A	0.54	0.04	5	0.54
SYNEX	11.20	-	5,743	11.09	HANA41C2504B	-	-	-	-	BGRIM19C2504A	-	-	-	-
THCOM	10.80	(0.10)	27,101	10.89	HANA41C2505A	-	-	-	-	BGRIM19C2505A	-	-	-	-
TKC	8.45	0.05	196	8.45	HANA41C2606T	0.11	(0.01)	10,000	0.11	BGRIM19C2506A	-	-	-	-
TRUE	11.50	0.40	1,091,155	11.32	KCE	18.30	(0.80)	39,109	18.38	BGRIM19C2507A	-	-	-	-
TRUE01C2505A	0.10	0.03	15,454	0.09	KCE01C2504A	-	-	-	-	BGRIM19C2507B	0.14	(0.02)	60,173	0.14
TRUE01C2507A	0.08	0.01	912	0.07	KCE01C2504W	0.02	-	29,530	0.01	BGRIM19P2506A	-	-	-	-
TRUE01C2508A	0.24	0.03	24,290	0.23	KCE01C2505A	-	-	-	-	BGRIM41C2504A	-	-	-	-
TRUE01P2505A	-	-	-	-	KCE01C2507A	-	-	-	-	BGRIM41C2505A	-	-	-	-
TRUE01P2507A	0.34	(0.05)	11,433	0.37	KCE01P2504A	-	-	-	-	BGRIM41C2506A	-	-	-	-
TRUE13C2504A	-	-	-	-	KCE13C2504A	-	-	-	-	BGRIM41C2608T	0.20	(0.02)	38,500	0.20
TRUE13C2505A	-	-	-	-	KCE13C2504B	-	-	-	-	BIOTEC	0.21	0.01	10,076	0.20
TRUE13C2507A	0.18	0.03	51,457	0.16	KCE13C2504C	-	-	-	-	BIOTEC-P	-	-	-	-
TRUE13P2506A	0.15	(0.04)	37,503	0.18	KCE13C2504D	-	-	-	-	BIOTEC-Q	-	-	-	-
TRUE19C2504A	-	-	-	-	KCE13C2505A	-	-	-	-	BIOTEC-W2	0.03	-	6,926	0.03
TRUE19C2507A	0.10	0.02	22,960	0.10	KCE13C2505B	-	-	-	-	BPP	7.30	(0.05)	16,578	7.28
TRUE19C2507B	0.22	0.04	32,495	0.20	KCE13C2506A	0.12	(0.02)	7,926	0.13	BRRGIF	3.80	-	110	3.80
TRUE19P2506A	0.18	(0.01)	3,854	0.18	KCE13C2507A	0.26	(0.03)	17,941	0.27	BSRC	5.45	-	27,443	5.44
TRUE19P2507A	0.37	(0.05)	477	0.38	KCE13P2504A	-	-	-	-	BSRC13C2506A	0.15	(0.01)	5,090	0.15
TRUE41C2505A	-	-	-	-	KCE13P2505A	0.24	(0.03)	6,124	0.24	CKP	2.64	(0.02)	13,717	2.64
TRUE41C2604T	0.58	0.05	41,600	0.55	KCE19C2504A	-	-	-	-	CKP01C2504A	-	-	-	-
TRUE41C2612T	0.30	0.02	31,841	0.29	KCE19C2504B	-	-	-	-	CV	-	-	-	-
TRUE41P2504A	-	-	-	-	KCE19C2505A	0.01	(0.02)	3	0.01	CV-W1	-	-	-	-
TWZ	0.03	-	30,737	0.03	KCE19C2506A	-	-	-	-	EA	2.36	0.02	793,333	2.39
TWZ-W8	0.01	-	17	0.01	KCE19C2507A	0.21	(0.01)	8,259	0.21	EA-W1	0.32	-	75,272	0.32
TWZ-W9	-	-	-	-	KCE19C2508A	0.39	(0.61)	7,288	0.40	EA13C2504A	-	-	-	-
Electronic Componer	-	-	-	-	KCE19P2504A	-	-	-	-	EA13C2504B	0.02	0.01	10	0.02
CCET	6.15	(0.05)	305,146	6.17	KCE19P2505A	0.35	-	10,178	0.35	EA13C2505A	-	-	-	-
CCET13C2505A	-	-	-	-	KCE41C2504A	-	-	-	-	EA13C2505B	0.01	-	1	0.01
CCET13C2505B	0.01	-	3,366	0.01	KCE41C2504B	-	-	-	-	EA13C2506A	0.02	(0.01)	4,519	0.02
CCET13C2506A	0.04	-	3,8											

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Monday March 24, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
EGATIF	5.95	0.05	3,812	5.90	SUSCO	2.92	0.06	11,762	2.90	FNS	1.23	(0.02)	15	1.23
EGCO	95.00	(0.25)	2,889	94.90	TAE	0.76	0.04	876	0.76	FSX	1.57	0.02	270	1.57
EGCO19C2504A	-	-	-	-	TCC	0.28	(0.01)	3,184	0.28	GBX	0.56	(0.01)	845	0.56
EP	1.46	-	943	1.46	TCC-W5	0.14	(0.01)	1,116	0.14	GL	-	-	-	-
EP-W4	0.01	-	1,045	0.01	TGE	1.53	(0.02)	1,545	1.50	HENG	1.07	-	6,111	1.08
ETC	1.42	0.02	13,144	1.39	TGE-W2	0.12	(0.02)	6,475	0.13	IFS	2.34	-	101	2.30
GPSC	28.50	-	41,759	28.43	TOP	26.75	(0.25)	172,102	26.82	JMT	13.50	(0.30)	106,184	13.63
GPSC01C2504W	-	-	-	-	TOP01C2504A	0.01	(0.01)	1	0.01	JMT01C2504A	-	-	-	-
GPSC01C2505A	-	-	-	-	TOP01C2505A	-	-	-	-	JMT13C2504A	-	-	-	-
GPSC01C2507A	0.22	0.01	21,812	0.22	TOP01C2506A	0.14	-	36,618	0.14	JMT13C2506A	0.07	(0.02)	8,030	0.07
GPSC01P2506A	0.22	-	22,722	0.22	TOP01C2507A	0.79	(0.08)	3,457	0.81	JMT13C2507A	0.21	(0.02)	87,203	0.22
GPSC13C2504A	-	-	-	-	TOP01C2508A	0.26	(0.01)	47,328	0.26	JMT19C2504A	-	-	-	-
GPSC13C2505A	-	-	-	-	TOP01P2504A	0.54	0.02	3,200	0.53	JMT19C2504B	-	-	-	-
GPSC13C2505B	-	-	-	-	TOP01P2506A	0.10	-	37,536	0.10	JMT19C2506A	0.08	(0.02)	300	0.08
GPSC13C2506A	0.08	(0.01)	16,040	0.08	TOP01P2508A	0.30	0.01	39,222	0.30	JMT19C2507A	0.26	(0.02)	30,887	0.26
GPSC13C2507A	0.24	-	41,613	0.24	TOP13C2504A	-	-	-	-	JMT41C2505A	-	-	-	-
GPSC13P2505A	-	-	-	-	TOP13C2504B	-	-	-	-	JMT41C2608T	0.28	(0.01)	105,201	0.28
GPSC13P2506A	0.18	-	1,240	0.18	TOP13C2505A	-	-	-	-	KCAR	4.02	(0.02)	299	4.02
GPSC19C2505A	-	-	-	-	TOP13C2505B	0.02	-	1,000	0.02	KGI	4.38	-	4,842	4.38
GPSC19C2506A	-	-	-	-	TOP13C2505C	0.05	(0.02)	6,700	0.06	KTC	46.00	(0.25)	68,607	45.83
GPSC19C2506B	0.08	-	2,831	0.08	TOP13C2506A	0.67	(0.08)	4	0.67	KTC01C2507A	0.16	-	58,234	0.16
GPSC19C2507A	0.21	-	70,626	0.21	TOP13C2507A	0.20	(0.01)	60,717	0.20	KTC13C2506A	0.08	(0.01)	23,239	0.08
GPSC19P2506A	0.25	(0.01)	34,233	0.25	TOP13P2505A	-	-	-	-	KTC19C2504A	-	-	-	-
GPSC41C2504A	-	-	-	-	TOP13P2505B	0.08	-	11,420	0.08	KTC19C2507A	0.11	(0.01)	8,006	0.11
GPSC41C2505A	-	-	-	-	TOP19C2504A	-	-	-	-	KTC41C2606T	0.23	(0.01)	24,050	0.23
GPSC41C2606T	0.14	0.01	21,214	0.14	TOP19C2505A	-	-	-	-	MFC	25.50	(0.25)	320	25.32
GREEN	0.75	-	827	0.75	TOP19C2505B	0.11	(0.01)	13	0.11	MICRO	0.82	(0.01)	3,887	0.84
GULFI	-	-	-	-	TOP19P2505A	0.03	(0.01)	1	0.03	ML	0.37	0.01	714	0.37
GUNKUL	1.66	(0.03)	111,448	1.66	TOP41C2505A	0.01	-	1	0.01	MST	8.00	-	67	7.97
GUNKUL13C2504A	-	-	-	-	TOP41C2506B	0.14	(0.01)	26,538	0.14	MTC	41.25	(0.75)	54,372	41.38
GUNKUL13C2505A	-	-	-	-	TOP41P2505A	0.08	(0.02)	200	0.08	MTC01C2504A	0.01	-	13	0.01
GUNKUL19C2504A	-	-	-	-	TPIPP	2.26	-	25,545	2.28	MTC01C2506A	0.12	(0.01)	168,015	0.13
GUNKUL19C2505A	-	-	-	-	TSE	0.38	0.01	13,208	0.37	MTC01P2506A	0.34	0.02	27,353	0.34
IRPC	0.97	-	291,290	0.97	TTW	8.75	(0.05)	30,755	8.78	MTC13C2505A	0.02	-	5,001	0.02
IRPC01C2504A	-	-	-	-	UBE	0.52	(0.02)	10,789	0.53	MTC13C2506A	0.10	(0.02)	74,750	0.11
IRPC19C2508A	0.25	(0.01)	40,054	0.26	WHAUP	3.66	(0.02)	23,579	3.65	MTC13P2506A	0.23	0.01	43,812	0.22
KBSPIF	7.40	(0.05)	626	7.37	WP	3.36	-	1,914	3.38	MTC19C2504A	-	-	-	-
LANNA	15.20	(0.10)	5,152	15.31	Media & Publishi	-	-	-	-	MTC19C2506A	0.08	(0.01)	500	0.08
MDX	2.92	0.04	10,803	2.89	AMARIN	2.40	-	1	2.40	MTC19P2506A	0.25	0.01	52,732	0.25
NOVA	-	-	-	-	AQUA	0.22	-	4,429	0.21	MTC41C2505A	-	-	-	-
OR	10.70	0.10	64,351	10.65	AS	2.48	(0.08)	6,553	2.47	MTC41C2606T	0.24	(0.02)	8,007	0.25
OR01C2505A	-	-	-	-	BEC	3.78	0.02	1,608	3.77	NCAP	2.16	0.04	207,466	2.20
OR01C2507A	-	-	-	-	FE	193.00	(5.00)	4	192.63	PL	1.02	-	579	1.03
OR01C2508A	-	-	-	-	GPI	1.61	-	15,861	1.62	S11	2.80	0.02	288	2.77
OR13C2504A	-	-	-	-	GRAMMY	4.98	(0.37)	32	5.19	SAK	4.04	-	5,922	4.05
OR13C2506A	0.03	0.01	1	0.03	JKN	-	-	-	-	SAWAD	29.25	(0.25)	81,504	28.92
OR13C2507A	0.07	-	15,190	0.07	MAJOR	11.20	(0.10)	5,118	11.11	SAWAD-W2	0.24	(0.01)	1,990	0.24
OR13C2508A	0.17	-	28,227	0.17	MATCH	1.13	0.02	80	1.11	SAWAD01C2504A	-	-	-	-
OR19C2504A	0.01	-	2,000	0.01	MATI	4.62	0.02	8	4.64	SAWAD01C2506A	0.02	(0.01)	3,000	0.02
OR19C2505A	-	-	-	-	MCOT	3.24	0.04	6,658	3.22	SAWAD01C2508A	0.10	(0.02)	53,451	0.10
OR19C2506A	-	-	-	-	MONO	1.30	0.02	134,344	1.26	SAWAD01P2505A	0.71	0.04	21,246	0.72
OR19C2508A	0.21	(0.01)	21,428	0.21	NATION	0.03	-	2,476	0.02	SAWAD13C2505A	-	-	-	-
OR41C2505A	-	-	-	-	NATION-W4	-	-	-	-	SAWAD13C2506A	0.02	(0.01)	1,900	0.02
OR41C2605T	-	-	-	-	ONEE	2.62	(0.02)	4,604	2.64	SAWAD13C2507A	0.09	-	21,797	0.08
OR41C2608T	0.21	(0.01)	30,102	0.21	PLANB	5.80	0.10	98,204	5.73	SAWAD13C2508A	0.18	(0.01)	1,205,305	0.19
PRIME	0.08	-	40,584	0.08	PLANB19C2508A	0.21	0.01	73,726	0.20	SAWAD13P2504A	0.17	0.02	12	0.17
PTG	7.20	0.25	39,648	7.08	PLANB41C2606T	0.20	0.01	47,920	0.19	SAWAD19C2504A	-	-	-	-
PTT	32.25	0.50	607,013	31.89	PRAKIT	11.40	0.10	1	11.40	SAWAD19C2505A	-	-	-	-
PTT01C2505A	-	-	-	-	PTECH	0.96	0.11	1	0.96	SAWAD19C2506A	-	-	-	-
PTT01C2508A	0.26	0.04	52,737	0.23	SE-ED	1.81	(0.17)	22	1.81	SAWAD19C2507A	0.12	(0.01)	16,799	0.11
PTT13C2508A	0.24	0.02	190,595	0.22	TKS	5.70	(0.05)	807	5.74	SAWAD19C2508A	0.23	(0.01)	118,990	0.23
PTT19C2505A	0.07	0.02	16,100	0.06	VGI	3.14	(0.10)	728,542	3.17	SAWAD19P2504A	0.17	0.01	400	0.16
PTT41C2606T	0.30	0.02	31,819	0.29	VGI-W3	0.06	-	11,851	0.06	SAWAD41C2505A	-	-	-	-
PTTEP	116.00	1.50	84,081	116.20	VGI-W4	1.31	(0.02)	8,109	1.32	SAWAD41C2609T	0.27	-	14,000	0.26
PTTEP01C2504A	-	-	-	-	VGI01C2505A	0.11	(0.03)	65,615	0.12	SCAP	1.26	0.02	15,385	1.27
PTTEP01C2505A	0.10	0.02	20,999	0.10	VGI01C2507A	0.41	(0.05)	25,369	0.42	SGC	0.97	0.02	80,692	0.97
PTTEP01C2507A	0.36	0.03	71,173	0.35	VGI13C2504A	-	-	-	-	SGC-W1	0.11	(0.01)	16,777	0.10
PTTEP01P2506A	0.19	(0.04)	46,881	0.20	VGI13C2505A	0.08	(0.03)	16,542	0.09	SGC-W2	0.30	0.03	1,659	0.28
PTTEP11C2503A	-	-	-	-	VGI13C2507A	0.26	(0.04)	47,493	0.27	SM	0.81	0.01	360	0.81
PTTEP13C2504A	-	-	-	-	VGI13P2504A	-	-	-	-	TH	0.61	(0.02)	14,822	0.61
PTTEP13C2505A	0.02	-	1,001	0.02	VGI19C2504A	-	-	-	-	TH-W3	0.04	-	5,169	0.03
PTTEP13C2507A	0.24	0.03	262,826	0.25	VGI19C2505A	0.09	(0.01)	251	0.08	THANI	1.70	(0.01)	48,639	1.72
PTTEP13C2507B	0.42	0.02	137,157	0.43	VGI19C2507A	0.26	(0.04)	59,724	0.27	TIDLOR	14.80	(0.50)	51,056	14.86
PTTEP13P2506A	0.27	(0.04)	24,912	0.27	VGI41C2505A	0.09	(0.02)	4,801	0.10	TIDLOR01C2506A	0.08	(0.02)	31	0.08
PTTEP19C2504A	-	-	-	-	VGI41C2606T	0.28	(0.02)	96,000	0.29	TIDLOR13C2504A	-	-	-	-
PTTEP19C2505A	-	-	-	-	WORK	5.30	0.05	476	5.28	TIDLOR13C2505A	0.06	(0.02)	270	0.06
PTTEP19C2507A	0.36	0.03	14,478	0.37	ZAA	0.73	0.02	1,186	0.72	TIDLOR19C2504A	-	-	-	-
PTTEP41C2504A	-	-	-	-	Finance & Securi	-	-	-	-	TIDLOR19C2505A	0.03	(0.02)	20	0.04
PTTEP41C2505A	-	-	-	-	AEONTS	108.00	1.00	1,040	107.82	TIDLOR19C2505B	0.07	(0.02)	1	0.07
PTTEP41C2507A	0.30	0.03	129,203	0.29	AMANAHA	0.84	0.04	3,812	0.84	TIDLOR41C2605T	-	-	-	-
PTTEP41C2604T	0.12	0.03	32,000	0.12	ASAP	1.42	0.01	51	1.41	TK	3.62	0.04	256	3.60
PTTEP41P2506A	0.19	(0.04)	6,010	0.19	ASK	7.20	(0.25)	3,903	7.32	TNITY	2.96	(0.04)	943	2.98
RATCH	25.75	(0.50)	9,756	25.94	ASP	2.00	0.02	16,447	2.01	TNL	-	-	-	-
RATCH19C2506A	0.08	(0.02)	4,000	0.09	BAM	6.50	-	109,856	6.48	UOBKH	5.10	(0.10)	516	5.00
RPC	0.26	(0.01)	12,557	0.26	BAM01C2504A	-	-	-	-	XPG	0.81	-	71,273	0.80
SCG	2.82	(0.06)	6	2.84	BAM01C2506A	0.20	-	55,466	0.20	Food & Beverage	-	-	-	-
SCN	0.45	-	2,312	0.44	BAM13C2504A	-	-	-	-	AAI	5.65	0.15	28,957	5.64
SCN-W2	0.05	0.01	205	0.04	BAM13C2505A	0.07	(0.01)	16,394	0.07	APURE	3.50	0.02	48	3.49
SEA0IL	2.50	(0.02)	1,791	2.48	BAM13C2506A	0.21	(0.01)	61,393						

Main Board Quotation

Issue Date :

Monday March 24, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CBG13C2506A	-	-	-	-	TU01C2505A	-	-	-	-	CENTEL13C2504A	-	-	-	-
CBG13C2507A	0.24	(0.01)	35,161	0.24	TU01C2506A	-	-	-	-	CENTEL13C2506A	0.13	(0.01)	37,424	0.13
CBG13P2504A	0.14	(0.04)	1,614	0.15	TU01C2508A	0.16	-	19,075	0.16	CENTEL19C2504A	-	-	-	-
CBG19C2504A	-	-	-	-	TU13C2504A	-	-	-	-	CENTEL19C2506A	0.21	-	30,532	0.21
CBG19C2506A	-	-	-	-	TU13C2505A	-	-	-	-	CENTEL41C2504A	-	-	-	-
CBG19C2506B	0.10	-	3,328	0.10	TU19C2504A	-	-	-	-	CENTEL41C2606T	0.26	-	51,960	0.26
CBG19C2508A	0.39	0.01	23,081	0.39	TU19C2505A	-	-	-	-	CSR	-	-	-	-
CBG19P2507A	0.63	(0.03)	2,909	0.63	TU19C2506A	0.08	-	2,775	0.08	DUSIT	8.90	0.15	274	8.90
CBG41C2505A	-	-	-	-	TU41C2506A	0.06	0.01	1	0.06	ERW	2.86	(0.04)	182,372	2.88
CBG41C2608T	0.26	-	2,500	0.26	TVO	22.50	(0.10)	1,720	22.46	ERW01C2504A	-	-	-	-
CFRESH	1.11	0.01	2,432	1.11	TWPC	2.36	0.06	485	2.32	ERW01C2507A	0.13	(0.01)	37,386	0.13
CH	2.06	0.02	575	2.07	XBIO	0.16	-	79,064	0.15	ERW13C2505A	-	-	-	-
CHAO	4.98	(0.07)	2,221	4.99	XBIO-W6	-	-	-	-	ERW13C2507A	0.11	-	16,954	0.11
CHOTI	-	-	-	-	XBIO-W7	0.01	-	170	0.01	ERW19C2506A	-	-	-	-
CM	1.69	(0.01)	94	1.69	ZEN	-	-	-	-	ERW41C2606T	-	-	-	-
COCOCO	7.20	(0.05)	28,199	7.23	Health Care Serv	-	-	-	-	GRAND	0.04	-	6,290	0.04
COCOCO13C2505A	-	-	-	-	AHC	13.90	-	33	13.86	LRH	37.75	(0.50)	2	37.88
COCOCO19C2506A	-	-	-	-	BCH	14.90	-	24,698	14.92	MANRIN	-	-	-	-
CPF	24.00	(0.10)	112,081	24.12	BCH01C2508A	0.18	0.02	16,122	0.17	MINT	27.00	(0.25)	102,250	26.94
CPF01C2504A	-	-	-	-	BCH13C2504A	-	-	-	-	MINT01C2504A	-	-	-	-
CPF01C2508A	0.61	(0.02)	5,850	0.63	BCH13C2507A	0.14	-	3,924	0.14	MINT01C2506A	-	-	-	-
CPF13C2504A	-	-	-	-	BCH19C2505A	-	-	-	-	MINT01C2507A	0.13	(0.01)	55,674	0.13
CPF13C2505A	0.12	(0.01)	25,413	0.12	BCH19C2505B	-	-	-	-	MINT13C2505A	0.05	(0.01)	15,906	0.05
CPF13C2506A	0.43	(0.02)	3,226	0.43	BCH19C2508A	0.19	-	1,238	0.19	MINT13C2506A	-	-	-	-
CPF19C2504A	-	-	-	-	BCH41C2506A	-	-	-	-	MINT13C2506B	0.15	(0.01)	23,360	0.15
CPF19C2505A	0.06	(0.03)	10	0.06	BDMS	22.90	0.10	197,502	22.92	MINT19C2504A	0.01	(0.01)	70	0.01
CPF41C2505A	-	-	-	-	BDMS01C2504A	0.01	-	3,439	0.01	MINT19C2506A	0.48	(0.04)	56	0.48
CPF41C2505B	0.11	-	9,600	0.11	BDMS01C2506A	0.13	0.01	8,888	0.13	MINT19C2508A	0.18	(0.01)	34,620	0.18
CPF41C2612T	0.58	-	37,377	0.59	BDMS01C2508A	0.09	0.01	505	0.09	MINT41C2504A	-	-	-	-
CPI	2.80	(0.02)	178	2.80	BDMS11C2503A	-	-	-	-	MINT41C2604T	-	-	-	-
F&D	40.00	-	103	39.04	BDMS13C2504A	-	-	-	-	MINT41C2612T	0.25	(0.01)	12,000	0.25
FM	4.00	0.26	140,786	3.93	BDMS13C2505A	0.02	-	220	0.02	OHTL	-	-	-	-
GLOCON	0.15	(0.01)	121,512	0.15	BDMS13C2508A	0.33	-	37,624	0.33	ROH	1.86	(0.06)	395	1.86
HTC	16.60	0.10	6,225	16.57	BDMS19C2504A	-	-	-	-	SHANG	-	-	-	-
ICHI	12.60	-	23,525	12.64	BDMS19C2505A	-	-	-	-	SHR	2.02	(0.08)	30,097	2.06
ICHI13C2504A	-	-	-	-	BDMS41C2505A	0.05	-	210	0.05	SPA	4.80	0.04	10,985	4.77
ITC	16.20	(0.10)	30,028	16.29	BH	175.50	1.00	10,496	175.02	VRANDA	4.66	-	563	4.62
ITC01C2504A	-	-	-	-	BH-P	-	-	-	-	Home & Office Produ	-	-	-	-
ITC01C2506A	0.14	(0.01)	5,166	0.14	BH-Q	-	-	-	-	AJA	0.11	-	30,839	0.11
ITC13C2504A	-	-	-	-	BH01C2504A	-	-	-	-	AJA-W4	-	-	-	-
ITC13C2506A	0.10	(0.01)	2,374	0.11	BH01C2505A	-	-	-	-	DTCI	28.00	(2.00)	5	28.00
ITC19C2505A	-	-	-	-	BH01C2506A	-	-	-	-	FANCY	0.39	(0.01)	1,457	0.40
ITC19C2506A	0.16	-	16,451	0.16	BH01C2507A	0.53	0.02	20,954	0.51	FTI	1.83	0.05	68	1.83
ITC41C2505A	-	-	-	-	BH01P2504A	0.12	(0.02)	6,328	0.12	KYE	300.00	(1.00)	20	299.95
ITC41C2612T	0.42	0.01	10,000	0.42	BH01P2507A	0.45	(0.03)	4,996	0.46	L&E	1.20	0.02	45	1.20
JDF	1.99	(0.05)	546	2.02	BH06C2503A	-	-	-	-	MODERN	2.22	-	192	2.21
KBS	5.70	(0.05)	4,422	5.72	BH11C2503A	-	-	-	-	OGC	11.00	1.40	27	10.81
KCG	8.30	-	10,095	8.32	BH13C2504A	-	-	-	-	ROCK	13.30	-	12	13.38
KSL	1.46	-	2,353	1.47	BH13C2504B	-	-	-	-	SIAM	0.75	(0.01)	334	0.75
KTIS	2.60	(0.08)	81	2.60	BH13C2505A	0.03	-	10	0.03	TCMC	0.41	(0.01)	11	0.42
LST	4.76	-	110	4.79	BH13C2506A	0.28	-	46,265	0.28	TSR	0.23	(0.02)	5,899	0.22
M	18.70	(0.30)	23,617	18.68	BH19C2504A	-	-	-	-	TSR-W2	0.01	-	39	0.01
MALEE	6.55	-	7,080	6.50	BH19C2504B	-	-	-	-	Insurance	-	-	-	-
NRF	0.52	-	4,633	0.52	BH19C2505A	-	-	-	-	AYUD	32.25	0.25	39	32.04
NSL	29.75	0.25	5,916	29.86	BH19C2506A	-	-	-	-	BKIH	291.00	-	183	291.84
OKJ	8.65	-	19,072	8.62	BH19C2506B	0.23	-	3,214	0.23	BLA	19.50	0.10	7,524	19.62
OSP	15.00	(0.20)	76,123	15.16	BH19C2508A	0.64	0.01	15,638	0.63	BLA01C2508A	0.30	(0.01)	28,954	0.32
OSP01C2504A	0.01	-	884	0.01	BH19P2504A	0.20	(0.06)	5,670	0.21	BLA13C2504A	0.01	-	1	0.01
OSP01C2507A	-	-	-	-	BH41C2504A	-	-	-	-	BLA13C2507A	0.17	0.01	1,402	0.17
OSP01C2507B	0.18	(0.02)	39,565	0.19	BH41C2505A	-	-	-	-	BLA19C2506A	0.16	-	8,914	0.17
OSP01P2507A	0.24	0.01	30,694	0.23	BH41C2605T	-	-	-	-	BLA41C2606T	0.34	0.01	400	0.34
OSP13C2505A	-	-	-	-	BH41C2609T	0.32	(0.02)	19,400	0.32	BUI	21.20	(0.20)	620	21.30
OSP13C2506A	-	-	-	-	BH41P2504A	-	-	-	-	CHARAN	18.90	(0.10)	1	18.90
OSP13C2506B	0.08	(0.02)	2,286	0.09	BH41P2508A	0.36	0.02	13	0.36	INSURE	93.00	(1.00)	5	93.20
OSP13C2507A	0.21	(0.02)	1,208	0.21	BKGI	1.99	-	8,807	1.99	KWI	-	-	-	-
OSP19C2506A	-	-	-	-	CHG	1.82	-	60,661	1.82	MTI	109.50	-	15	108.50
OSP19C2506B	-	-	-	-	CHG13C2504A	-	-	-	-	NKI	-	-	-	-
OSP19C2506C	0.14	-	56,315	0.14	CHG19C2505A	-	-	-	-	TGH	11.90	0.30	60	11.77
OSP41C2505A	-	-	-	-	CMR	1.35	0.01	922	1.36	THRE	0.46	(0.02)	1,608	0.47
OSP41C2606T	-	-	-	-	EKH	6.50	(0.05)	8,778	6.48	THREL	1.57	0.03	3,309	1.56
PB	55.00	-	16	56.52	KDH	-	-	-	-	TIPH	20.50	(0.10)	3,338	20.61
PLUS	3.80	0.02	464	3.80	LPH	3.92	(0.04)	281	3.90	TLI	12.10	0.10	199,420	12.23
PM	10.30	0.20	5,451	10.20	M-CHAT	20.10	(0.20)	240	20.12	TLI01C2507A	0.26	0.03	38,716	0.27
PQS	2.30	-	957	2.30	MASTER	26.75	(0.50)	8,401	27.01	TLI06C2503A	-	-	-	-
PRG	-	-	-	-	MEDEZE	8.20	-	11,879	8.20	TLI13C2505A	0.14	-	29,156	0.15
PRG-W2	-	-	-	-	NEW	-	-	-	-	TLI19C2506A	0.22	-	8,932	0.23
PRG-W3	-	-	-	-	NKT	4.84	0.06	3,849	4.83	TLI41C2606T	0.32	0.01	98,400	0.33
PRG-W4	-	-	-	-	NTV	28.50	-	7	28.50	TQM	15.30	(0.20)	1,964	15.22
PRG-W5	2.72	0.62	1	2.72	PHG	13.90	-	42	13.91	TSI	0.05	(0.01)	2,939	0.05
RBF	4.88	(0.04)	27,529	4.86	PR9	20.60	0.20	18,803	20.50	TVH	8.55	0.15	5	8.55
RBF01C2504A	-	-	-	-	PR901C2507A	0.15	0.01	26,265	0.14	Packaging	-	-	-	-
RBF13C2504A	0.01	-	80	0.01	PR913C2505A	-	-	-	-	AJ	2.48	0.06	7,446	2.51
RBF13C2507A	0.03	-	14,250	0.03	PR913C2506A	0.06	-	1,705	0.06	ALUCON	178.00	-	33	177.98
RBF19C2505A	-	-	-	-	PR919C2506A	-	-	-	-	BGC	5.65	-	408	5.64
RBF19C2508A	-	-	-	-	PRINC	2.48	(0.02)	1,285	2.47	CSC	43.25	0.25	24	43.02
SAPPE	35.75	-	4,525	35.75	RAM	17.90	(0.10)	417	17.86	CSC-P	-	-	-	-
SAPPE01C2504A	-	-	-	-	RJH	15.10	(0.10)	6,722	15.08	CSC-Q	-	-	-	-
SAPPE13C2507A	0.10	(0.01)	2,523	0.10	RPH	5.35	-	2,834	5.32	NEP	0.24	-	75	0.24
SAPPE19C2508A	0.33	(0.01)	7,722	0.33	SAFE	9.10	(0.05)	709	9.10	PJW	2.28	(0.02)	2,790	2.28
SAUCE	38.50	0.25	53	38.15	SKR	7.95	-	340	7.93	PTL	11.00	(0.10)	3,933	10.91
SNNP	12.20	-	11,448	12.15	THG	8.80	0.05	5,955	8.85	SCGP	15.10	-	122,169	15.20
SNP	11.40	-	979	11.40	VIBHA	1.59	-	8,413	1.58	SCGP01C2504A	-	-	-	-
SORKON	4.42	-	287	4.42	VIBHA-W4	-	-	-	-	SCGP01C2504W	0.01	-	13,002	0.01
SSF	5.60	(0.10)	170	5.60	VIH	7.30	-	772	7.26	SCGP01C2506A	-	-	-	-
SST	-	-	-	-	VIH-W1	0.78	-	10	0					

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Monday March 24, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCGP13P2504B	-	-	-	-	CPN13C2504A	-	-	-	-	TTI	26.75	1.50	39	26.34
SCGP13P2506A	0.25	(0.01)	31,781	0.23	CPN13C2505A	-	-	-	-	TTT	-	-	-	-
SCGP19C2504A	-	-	-	-	CPN13C2507A	0.23	0.02	28,341	0.22	UPF	29.25	-	7	29.61
SCGP19C2505A	0.01	(0.02)	700	0.01	CPN19C2504A	-	-	-	-	WACOAL	23.00	(0.10)	5	23.00
SCGP19C2506A	-	-	-	-	CPN19C2505A	-	-	-	-	WFX	1.03	-	912	1.02
SCGP19C2506B	0.06	(0.02)	820	0.07	CPN19C2508A	0.31	0.01	26,189	0.30	Transportation & Log	-	-	-	-
SCGP19C2507A	0.40	-	2,068	0.39	CPN41C2504A	-	-	-	-	AAV	1.83	(0.03)	516,932	1.84
SCGP19P2505A	-	-	-	-	CPN41C2505A	-	-	-	-	AAV13C2504A	-	-	-	-
SCGP41C2505A	-	-	-	-	CPN41C2608T	0.35	-	28,065	0.35	AAV13C2506A	0.04	(0.01)	71	0.04
SCGP41C2606T	0.21	0.01	73,400	0.21	ESTAR	0.19	-	1,766	0.19	AAV19C2505A	-	-	-	-
SFLEX	2.90	(0.04)	17,180	2.89	EVER	0.07	-	7,034	0.07	AAV19C2507A	0.11	(0.02)	7,027	0.12
SFLEX-W2	0.05	(0.01)	3,619	0.05	FPT	7.00	-	63	7.00	AAV41C2505A	-	-	-	-
SITHAI	1.10	-	1,888	1.09	GLAND	1.04	0.04	4	1.04	AAV41C2608T	0.19	-	43,280	0.19
SLP	0.44	0.01	925	0.43	J	1.00	0.01	116	0.99	ANI	2.74	0.02	386	2.70
SMPC	9.00	-	578	9.00	J-W3	0.13	(0.01)	76	0.13	AOT	40.75	0.75	123,370	40.35
SPACK	1.40	0.01	229	1.39	J-W4	0.23	0.06	1	0.23	AOT01C2504A	-	-	-	-
TCOAT	-	-	-	-	JCK	0.17	(0.01)	51,164	0.17	AOT01C2506A	0.02	-	910	0.01
TFI	0.05	-	226	0.04	KC	0.05	0.01	35,055	0.04	AOT01C2507A	0.13	0.01	35,581	0.13
TFI-W1	-	-	-	-	KUN	1.19	-	769	1.12	AOT01C2507B	0.27	0.02	21,669	0.25
THIP	26.50	(0.25)	130	26.35	KUN-W2	0.01	-	2	0.01	AOT01P2507A	-	-	-	-
TMD	24.00	0.10	10	23.96	LALIN	5.30	(0.10)	2,389	5.36	AOT01P2507B	0.39	(0.03)	8,992	0.41
TOPP	-	-	-	-	LH	4.46	0.04	221,120	4.46	AOT11C2507A	0.26	-	10,201	0.23
TPAC	8.05	(0.15)	948	8.07	LH19C2504A	-	-	-	-	AOT13C2504A	-	-	-	-
TPBI	4.04	-	220	4.07	LPN	2.10	0.04	7,818	2.08	AOT13C2506A	-	-	-	-
TPP	12.10	1.20	244	12.06	MBK	17.00	(0.10)	8,661	17.00	AOT13C2507A	0.02	-	2,220	0.02
Personal Products	-	-	-	-	MBK-W4	14.50	-	56	14.46	AOT13C2507B	0.12	-	43,355	0.11
APCO	3.32	(0.06)	416	3.33	MBK19C2508A	-	-	-	-	AOT13C2507C	0.05	(0.01)	601	0.05
BIZ	3.32	-	157	3.30	MJD	0.67	(0.01)	206	0.68	AOT13C2508A	0.28	0.02	63,080	0.26
BLC	4.10	0.02	5,570	4.10	MK	1.42	-	1,221	1.42	AOT13P2507A	-	-	-	-
DDD	6.40	0.05	162	6.35	NCH	0.67	0.01	970	0.66	AOT13P2507B	0.31	(0.02)	7,782	0.32
IP	3.64	0.02	93,710	3.78	NNCL	1.62	0.01	290	1.62	AOT19C2504A	-	-	-	-
IP-W2	0.16	(0.01)	59,096	0.17	NOBLE	2.48	-	6,090	2.44	AOT19C2506A	-	-	-	-
JCT	78.75	(0.25)	16	78.78	NVD	1.22	-	842	1.22	AOT19C2507A	-	-	-	-
KISS	3.96	-	3,226	3.95	ORI	2.58	0.08	29,775	2.56	AOT19C2507B	-	-	-	-
NAM	4.30	(0.02)	232	4.22	ORN	0.77	0.03	100,714	0.78	AOT19C2508A	0.28	0.02	41,611	0.26
NEO	29.75	(0.25)	4,931	29.60	PEACE	2.38	-	101	2.30	AOT19P2507A	0.31	(0.03)	5,388	0.33
NV	0.73	-	915	0.72	PF	0.11	-	12,771	0.11	AOT41C2505A	-	-	-	-
OCC	-	-	-	-	PIN	6.45	(0.05)	18,378	6.46	AOT41C2507A	0.12	(0.01)	13,500	0.12
S&J	33.50	0.50	2	33.50	PLAT	1.60	-	268	1.59	AOT41C2605T	-	-	-	-
SNPS	5.70	(0.05)	66,807	5.70	PRECHA	0.40	0.02	38	0.40	AOT41P2504A	-	-	-	-
STGT	7.25	0.05	41,196	7.25	PRIN	1.61	(0.07)	162	1.61	AOT41P2606T	-	-	-	-
STGT01C2504A	-	-	-	-	PROUD	1.34	0.05	2,443	1.33	ASIMAR	1.43	0.01	350	1.42
STGT13C2504A	-	-	-	-	PSH	5.15	(0.10)	6,590	5.15	B	0.05	-	31,518	0.05
STGT13C2506A	-	-	-	-	QH	1.58	-	76,021	1.57	B-W8	0.01	-	1,001	0.01
STGT19C2504A	-	-	-	-	RABBIT	0.34	0.01	7,761	0.34	BA	18.70	-	49,327	18.46
STGT19C2504B	-	-	-	-	RABBIT-P	0.51	0.01	27,798	0.49	BA01C2504A	-	-	-	-
STGT41C2606T	0.16	-	4,000	0.16	RABBIT-Q	-	-	-	-	BA01C2508A	0.31	(0.69)	7,431	0.30
TMAN	11.90	0.10	2,632	11.96	RICHY	0.36	-	1,552	0.35	BA13C2504A	-	-	-	-
TNR	7.70	(0.05)	328	7.72	RML	0.17	-	285	0.17	BA13C2506A	0.15	(0.01)	15,681	0.14
TOG	9.00	0.05	203	8.96	ROJNA	5.85	(0.05)	11,842	5.85	BA19C2507A	0.19	(0.02)	8,940	0.18
Professional Service	-	-	-	-	S	0.67	(0.02)	14,564	0.67	BA41C2606T	0.17	-	14,124	0.17
BWG	0.26	(0.01)	143,635	0.26	SA	7.30	(0.05)	944	7.27	BEM	5.55	-	782,694	5.45
BWG-W6	0.01	-	8	0.01	SA-W1	0.01	-	50	0.01	BEM11C2503A	-	-	-	-
GENCO	0.29	(0.01)	392	0.28	SAMCO	0.75	(0.01)	150	0.75	BEM13C2505A	-	-	-	-
PRTR	3.78	(0.04)	2,894	3.79	SC	2.50	-	21,338	2.50	BEM13C2506A	-	-	-	-
SISB	17.50	(0.30)	26,213	17.61	SENA	2.12	-	291	2.12	BEM13C2508A	0.16	(0.01)	52,887	0.15
SISB13C2504A	-	-	-	-	SIRI	1.60	(0.02)	539,572	1.60	BEM19C2505A	-	-	-	-
SISB13C2506A	-	-	-	-	SIRI01C2504A	-	-	-	-	BEM41C2606T	0.11	-	9,000	0.11
SISB13C2506B	-	-	-	-	SIRI13C2508A	0.22	(0.78)	5,308	0.22	BTS	5.45	-	341,548	5.40
SISB19C2507A	-	-	-	-	SIRI19C2508A	0.25	(0.03)	31	0.25	BTS-W8	0.04	-	1,019	0.04
SO	4.26	0.06	84	4.23	SIRI41C2606T	-	-	-	-	BTS01C2504A	-	-	-	-
WAVE	-	-	-	-	SPALI	17.00	0.10	33,791	17.03	BTS01C2507A	0.07	(0.01)	1,100	0.06
WAVE-W3	-	-	-	-	SPALI13C2507A	0.23	-	18,430	0.23	BTS01C2508A	0.18	(0.82)	26,040	0.18
WAVE-W4	-	-	-	-	SPALI19C2504A	-	-	-	-	BTS01P2504A	-	-	-	-
Property Developme	-	-	-	-	STELLA	0.15	-	14,798	0.14	BTS01P2505A	-	-	-	-
A	4.78	(0.08)	10	4.71	STELLA-W5	-	-	-	-	BTS13C2505A	0.02	-	120	0.02
A5	2.36	-	2,256	2.38	STELLA-W6	-	-	-	-	BTS13C2507A	0.10	(0.01)	13,667	0.10
A5-W4	0.04	-	52,361	0.03	UV	1.09	(0.03)	8,841	1.09	BTS13P2505A	0.11	(0.01)	13,388	0.11
AKS	0.01	-	1,911	0.01	WHA	3.66	-	489,354	3.64	BTS19C2505A	0.04	(0.02)	1,000	0.04
AMATA	21.50	(0.50)	78,453	21.56	WHA01C2504A	-	-	-	-	BTS19C2508A	0.16	(0.01)	14,051	0.16
AMATA01C2507A	-	-	-	-	WHA01C2506A	0.01	(0.01)	590	0.01	BTS41C2504A	-	-	-	-
AMATA01C2508A	0.25	(0.03)	27,390	0.25	WHA01C2507A	0.04	-	321	0.03	BTS41C2504B	-	-	-	-
AMATA13C2505A	-	-	-	-	WHA01C2508A	0.41	-	33,878	0.40	BTS41C2608T	0.17	(0.01)	16,030	0.17
AMATA13C2506A	-	-	-	-	WHA11C2503A	-	-	-	-	BTS41C2506A	2.84	-	5,963	2.84
AMATA13C2506B	0.14	(0.03)	58,878	0.14	WHA13C2504A	-	-	-	-	DMT	10.20	-	1,414	10.19
AMATA19C2505A	-	-	-	-	WHA13C2505A	-	-	-	-	ETL	0.49	0.01	9,469	0.49
AMATA19C2508A	0.30	(0.04)	36,547	0.32	WHA13C2506A	0.02	-	250	0.02	III	4.76	(0.04)	4,854	4.77
AMATA41C2505A	-	-	-	-	WHA13C2506B	-	-	-	-	KEX	1.08	(0.02)	315,018	1.07
AMATA41C2608T	0.22	(0.01)	8,600	0.22	WHA13C2507A	0.20	(0.01)	61,833	0.19	KIAT	0.30	-	2,179	0.30
AMATAV	3.66	(0.02)	616	3.68	WHA13C2507B	0.36	(0.01)	85,610	0.35	KWC	-	-	-	-
ANAN	0.59	(0.04)	111,421	0.60	WHA19C2504A	-	-	-	-	MENA	1.09	(0.01)	2,697	1.10
AP	8.75	-	97,821	8.77	WHA19C2506A	-	-	-	-	NYT	3.38	-	22,207	3.37
AP01C2507A	0.35	-	1,611	0.35	WHA19C2507A	0.26	(0.01)	27,973	0.25	PORT	1.00	(0.03)	1	

Main Board Quotation

Issue Date :

Monday March 24, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
Automotive					2S	2.20	0.02	220	2.16	DJI28P2506A	0.65	(0.11)	260	0.65
ACG	0.71	(0.05)	1,558	0.71	AMC	1.96	-	431	1.96	DJI41C2503A	-	-	-	-
AH	12.70	-	650	12.62	BSBM	0.70	-	990	0.70	DJI41C2503B	-	-	-	-
CWT	0.57	0.01	356	0.56	CEN	1.85	0.01	134	1.84	DJI41C2506A	-	-	-	-
EASON	1.06	(0.01)	759	1.06	CEN-W5	0.68	-	1,138	0.68	DJI41C2506B	0.67	0.12	537	0.67
GYT	-	-	-	-	CITY	1.00	-	45	1.59	DJI41P2503A	-	-	-	-
HFT	3.88	(0.04)	4,334	3.87	CSP	0.48	(0.03)	258	0.49	DJI41P2503B	-	-	-	-
IHL	1.56	0.01	2	1.56	GJS	0.14	-	92	0.13	DJI41P2506A	0.52	(0.09)	370	0.53
INGRS	0.24	-	9,103	0.24	GSTEEL	-	-	-	-	GEELY41C2506A	0.27	-	70	0.26
IRC	11.60	(0.10)	34	11.60	INOX	0.43	-	1,421	0.42	HSI06C2503A	-	-	-	-
MGC	3.30	-	4,634	3.29	LHK	3.28	-	461	3.28	HSI06C2503B	-	-	-	-
NEX	0.72	0.03	48,470	0.72	MCS	7.30	-	2,849	7.30	HSI06C2503C	0.02	-	18,525	0.02
PCSGH	3.54	(0.02)	271	3.55	MILL	-	-	-	-	HSI06C2503D	0.01	-	75	0.01
POLY	6.95	(0.05)	100	6.84	PAP	1.57	(0.08)	1,036	1.55	HSI06C2503E	-	-	-	-
SAT	11.50	0.30	9,839	11.35	PERM	0.38	-	118	0.37	HSI06C2503F	-	-	-	-
SPG	-	-	-	-	SAM	0.15	(0.01)	1,246	0.15	HSI06C2503G	-	-	-	-
STANLY	225.00	3.00	60	224.60	SMIT	3.90	-	7	3.91	HSI06C2504A	1.09	(0.15)	129	1.09
TKT	1.05	0.05	509	1.05	SSSC	2.22	0.06	1,448	2.20	HSI06C2504B	-	-	-	-
TNPC	0.85	-	204	0.82	TGPRO	0.07	(0.01)	17,736	0.07	HSI06C2504C	0.71	0.05	29	0.63
TRU	3.26	0.02	3,405	3.24	THE	0.71	0.02	4	0.72	HSI06C2504D	0.41	0.03	451,191	0.40
TSC	13.30	0.20	36	13.30	TMT	3.46	0.12	2,062	3.47	HSI06C2504E	0.22	0.02	188,102	0.21
Industrial Materials					TSTH	0.49	-	681	0.49	HSI06C2505A	-	-	-	-
AKR	1.01	-	4,079	1.01	TWP	1.02	0.02	11	1.01	HSI06C2505B	0.61	0.08	7,687	0.56
ALLA	1.34	-	5,749	1.32	TYCN	1.73	0.02	17	1.69	HSI06C2505C	0.32	0.04	114,731	0.29
ASEFA	2.94	-	634	2.90	Construction Ser	-	-	-	-	HSI06C2505D	0.19	0.02	44,465	0.18
CPT	0.98	(0.01)	553	0.98	APCS	1.47	-	16	1.45	HSI06C2506A	1.33	(0.01)	2	1.33
CRANE	0.47	(0.01)	3,819	0.48	BJCHI	0.70	(0.02)	841	0.70	HSI06C2506B	-	-	-	-
CTW	2.76	(0.04)	15	2.75	BKD	1.25	-	126	1.25	HSI06C2506C	0.70	0.05	2,934	0.69
FMT	25.75	0.95	16	25.03	CIVIL	1.60	0.01	321	1.59	HSI06C2506D	0.48	0.04	62,105	0.46
FTE	1.63	-	434	1.62	CK	14.50	-	16,475	14.53	HSI06C2506E	0.27	0.01	47,820	0.25
HTECH	3.30	0.04	11,391	3.32	CNT	0.99	-	601	0.97	HSI06C2507A	0.51	0.03	41,516	0.50
KKC	-	-	-	-	DEMCO	2.02	(0.02)	518	2.03	HSI06P2503A	0.01	-	8	0.01
PCC	2.62	-	879	2.62	EMC	0.07	-	3,317	0.07	HSI06P2503B	0.01	(0.01)	195	0.01
PK	0.40	-	552	0.39	EMC-W7	0.04	(0.01)	9,321	0.04	HSI06P2503C	-	-	-	-
PSP	4.10	0.02	1,049	4.08	ITD	0.29	0.01	43,562	0.28	HSI06P2503D	0.02	0.01	20	0.02
QTC	3.96	0.02	33	3.93	JR	1.50	(0.01)	1,397	1.49	HSI06P2503E	-	-	-	-
SCI	0.72	-	1,087	0.73	NL	0.93	-	870	0.92	HSI06P2503F	0.01	-	5	0.01
SE	0.45	-	368	0.45	NWR	-	-	-	-	HSI06P2503G	0.01	-	70	0.01
SELIC	2.80	(0.02)	163	2.80	PLE	0.26	-	7,773	0.26	HSI06P2504A	0.01	(0.01)	70	0.01
SNC	6.45	(0.05)	855	6.50	PREB	3.78	0.08	267	3.74	HSI06P2504B	-	-	-	-
TCJ	2.86	(0.02)	20	2.86	PYLON	1.88	-	363	1.87	HSI06P2504C	-	-	-	-
TPCS	-	-	-	-	RT	0.29	(0.01)	17,109	0.29	HSI06P2504D	0.01	(0.04)	12,479	0.01
VARO	4.60	-	5	4.62	SEAFCO	2.00	0.02	168	1.99	HSI06P2504E	0.05	(0.02)	1,502	0.05
Property Fund & REI					SQ	0.78	(0.04)	25,429	0.83	HSI06P2504F	0.10	(0.04)	77,702	0.12
AIMCG	2.24	-	1,973	2.22	SRICHA	4.40	(0.02)	1,266	4.40	HSI06P2504G	0.23	(0.06)	154,378	0.25
AIMIRT	10.60	0.10	1,008	10.52	STECON	5.55	0.05	80,581	5.48	HSI06P2504H	0.51	(0.08)	189,703	0.54
ALLY	4.86	0.04	579	4.85	STI	2.70	-	518	2.67	HSI06P2505A	0.09	(0.01)	23	0.09
AMATAR	6.25	0.05	213	6.24	STPI	2.74	-	2,124	2.72	HSI06P2505B	0.15	(0.03)	99,211	0.17
AXTRART	11.90	0.10	6,671	11.86	SYNTEC	1.65	0.04	8,076	1.63	HSI06P2505C	0.23	(0.07)	100,603	0.26
B-WORK	4.64	0.02	1,493	4.63	TEAMG	3.22	(0.06)	57,148	3.22	HSI06P2505D	0.49	(0.09)	197,956	0.53
BAREIT	9.40	(0.05)	1,508	9.43	TEAMG-W1	0.19	(0.01)	11,704	0.19	HSI06P2506A	0.05	(0.01)	3,797	0.04
BOFFICE	4.86	(0.02)	3,951	4.82	TEKA	1.96	(0.03)	465	1.97	HSI06P2506B	0.08	(0.02)	25	0.08
CPNCG	6.05	-	3,228	6.08	TPOLY	0.42	-	2,177	0.43	HSI06P2506C	0.20	(0.03)	21,740	0.21
CPNREIT	12.20	(0.30)	11,213	12.33	TRC	0.41	-	4,397	0.40	HSI06P2506D	0.50	(0.08)	34,751	0.53
CPTREIT	4.76	0.12	88	4.73	TRITN	0.10	0.01	1,103,915	0.10	HSI06P2506E	0.75	(0.07)	3,404	0.78
CTARAF	4.50	0.04	188	4.50	TRITN-W7	0.01	-	1,474	0.01	HSI06P2507A	0.38	(0.03)	18,292	0.40
DREIT	5.00	(0.05)	1,003	5.00	TTCL	1.27	0.01	3,466	1.26	HSI28C2503A	2.14	(0.86)	50	2.14
FTREIT	10.00	(0.10)	3,682	10.08	UNIQ	1.71	(0.03)	2,890	1.72	HSI28C2503B	0.01	-	5,943	0.01
FUTUREIT	9.50	0.05	667	9.43	WGE	0.73	(0.04)	8,861	0.78	HSI28C2503D	-	-	-	-
GAHREIT	6.50	0.05	31	6.50	Unit Trust	-	-	-	-	HSI28C2503E	-	-	-	-
GRGREIT	8.50	(0.05)	43	8.50	SCBSET	-	-	-	-	HSI28C2503F	0.12	(0.04)	230,349	0.10
GVREIT	6.70	-	2,499	6.67	VAYU1	10.10	0.10	15,126	10.02	HSI28C2503G	3.54	(0.04)	300	3.36
HPF	4.72	-	156	4.69	ETF	-	-	-	-	HSI28C2503H	1.32	(0.94)	400	1.13
HYDROGEN	-	-	-	-	IDIV	10.25	0.05	33	10.24	HSI28C2503I	-	-	-	-
IMPACT	9.75	0.10	570	9.75	ABFTH	-	-	-	-	HSI28C2504A	0.31	0.02	618,878	0.30
INETREIT	8.80	0.10	3,646	8.73	BMSCG	-	-	-	-	HSI28C2504B	-	-	-	-
ISSARA	-	-	-	-	BMSCITH	8.74	0.08	774	8.72	HSI28C2504C	2.28	0.10	300	2.28
KPNREIT	-	-	-	-	BSET100	8.06	0.03	93	8.07	HSI28C2504D	0.21	0.01	30,839	0.21
KTBSTMR	6.05	-	250	6.05	CHINA	6.05	0.07	688	6.03	HSI28C2504E	0.13	-	21,925	0.12
LHHOTEL	14.30	-	2,323	14.27	ENGY	-	-	-	-	HSI28C2504F	0.09	0.01	17,513	0.08
LHREIT	4.62	0.02	1,139	4.61	GLD	4.11	-	2,440	4.10	HSI28C2505A	0.50	0.02	75,647	0.49
LHSC	12.10	-	3,212	12.09	TDEX	7.30	0.02	10,930	7.28	HSI28C2505B	0.21	0.01	8,682	0.20
LUXF	8.05	0.05	399	8.00	UBOT	12.77	0.12	10	12.75	HSI28C2505C	0.10	0.01	48,967	0.08
M-PAT	-	-	-	-	UHERO	8.45	(0.05)	35	8.46	HSI28C2505D	0.29	0.03	3,751	0.27
M-STOR	-	-	-	-	Warrant Foreign	-	-	-	-	HSI28C2506A	0.61	0.03	2,880	0.59
MII	5.60	-	43	5.60	AIA41C2504A	0.13	(0.02)	114	0.12	HSI28C2506B	0.25	0.03	24,191	0.24
MIPF	11.10	(0.70)	5	10.98	BABA28C2503A	0.54	0.51	631	0.04	HSI28C2506C	0.39	0.03	52,443	0.38
MIT	0.31	-	332	0.31	BABA28C2506A	2.16	0.10	7	2.08	HSI28C2507A	0.33	0.02	57,306	0.32
MJLF	4.40	0.02	291	4.41	BABA28C2506B	0.35	0.01	8,000	0.32	HSI28P2503A	-	-	-	-
MNIT	1.99	0.02	11	1.99	BABA28C2509A	0.44	0.02	68,791	0.42	HSI28P2503B	-	-	-	-
MNIT2	4.92	-	15	4.92	BABA28P2503A	-	-	-	-	HSI28P2503C	-	-	-	-
MNRF	2.04	-	481	2.04	BABA28P2509A	0.13	0.03	30						

Main Board Quotation

Issue Date :

Monday March 24, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSI28P2506E	0.65	(0.35)	15	0.65	SET5006P2506B	-	-	-	-	SET5041C2506D	0.18	0.02	81,630	0.16
HSI28P2506F	0.39	(0.61)	88	0.39	SET5006P2506C	0.59	(0.34)	4	0.65	SET5041C2506E	0.21	0.02	505	0.21
HSI28P2507A	0.33	(0.05)	14,689	0.34	SET5006P2506E	0.40	(0.07)	56,790	0.44	SET5041C2506F	0.30	0.03	987,474	0.26
HSTECH28C2503A	0.09	(0.05)	500	0.09	SET5006P2506F	0.29	(0.03)	63,749	0.33	SET5041C2506G	0.48	0.04	780,967	0.43
HSTECH28C2506A	-	-	-	-	SET5006P2506G	0.20	(0.03)	10,061	0.20	SET5041C2506H	0.02	-	1,301	0.01
HSTECH28C2506B	0.39	0.03	1,280	0.38	SET5006P2509A	0.38	(0.03)	17,754	0.41	SET5041C2506T	0.09	0.01	12,230	0.09
HSTECH28P2503A	-	-	-	-	SET5013C2503A	-	-	-	-	SET5041C2509U	0.42	0.03	49,664	0.39
HSTECH28P2506A	-	-	-	-	SET5013C2503B	-	-	-	-	SET5041P2503A	0.82	(0.53)	237	1.02
HSTECH28P2506B	-	-	-	-	SET5013C2503C	-	-	-	-	SET5041P2503B	-	-	-	-
HSTECH28P2506C	0.53	(0.06)	748	0.54	SET5013C2503E	0.01	-	3	0.01	SET5041P2503C	-	-	-	-
JD41C2506A	0.48	0.06	11,360	0.44	SET5013C2503F	-	-	-	-	SET5041P2503D	-	-	-	-
KUAIH41C2506A	1.17	(0.05)	116	1.13	SET5013C2503G	-	-	-	-	SET5041P2503E	-	-	-	-
KUAIH41C2506B	0.22	(0.01)	58	0.21	SET5013C2503H	-	-	-	-	SET5041P2503F	-	-	-	-
MCA5041C2503A	-	-	-	-	SET5013C2503I	-	-	-	-	SET5041P2506A	2.36	(0.12)	221	2.49
MCA5041C2503B	-	-	-	-	SET5013C2503J	-	-	-	-	SET5041P2506B	0.76	(0.12)	671	0.79
MCA5041C2506A	0.25	0.03	285	0.25	SET5013C2503K	0.01	-	1	0.01	SET5041P2506C	0.40	(0.05)	1,926,356	0.44
MCA5041P2503A	-	-	-	-	SET5013C2503L	-	-	-	-	SET5041P2506D	0.26	(0.03)	700,978	0.29
MCA5041P2506A	0.30	(0.03)	1	0.30	SET5013C2503M	-	-	-	-	SET5041P2506T	1.51	(0.05)	478	1.54
MEITUA28C2503A	0.15	(0.07)	16,083	0.10	SET5013C2503N	-	-	-	-	SET5041P2509T	0.37	(0.02)	2,022	0.37
MEITUA28C2504A	-	-	-	-	SET5013C2503T	-	-	-	-	SPX28C2503A	-	-	-	-
MEITUA28C2507A	0.19	(0.01)	9,781	0.18	SET5013C2506A	0.01	-	159	0.01	SPX28C2503B	-	-	-	-
MEITUA28P2503A	-	-	-	-	SET5013C2506B	0.02	0.01	24,985	0.01	SPX28C2506A	0.06	0.01	418	0.06
MEITUA28P2504B	0.16	0.01	8,000	0.17	SET5013C2506C	0.03	0.01	3,211	0.02	SPX28C2506B	-	-	-	-
MEITUA41C2504A	0.10	(0.03)	18,715	0.10	SET5013C2506E	0.04	0.02	13,796	0.03	SPX28C2506C	0.54	0.04	14	0.54
MEITUA41C2506A	0.23	(0.02)	7,057	0.23	SET5013C2506F	0.03	0.01	245	0.02	SPX28P2503A	-	-	-	-
MEITUA41P2503A	-	-	-	-	SET5013C2506F	0.04	0.01	2,478	0.03	SPX28P2503B	-	-	-	-
NDX28C2503A	-	-	-	-	SET5013C2506G	0.06	0.01	16,035	0.05	SPX28P2506A	0.37	(0.12)	400	0.38
NDX28C2506A	0.13	0.04	672	0.12	SET5013C2506H	0.10	0.01	27,421	0.09	SPX28P2506B	0.25	(0.03)	400	0.25
NDX28C2506B	0.67	0.10	80	0.65	SET5013C2506I	0.15	-	822,679	0.14	SPX41C2503A	-	-	-	-
NDX28C2506C	0.30	0.03	1	0.30	SET5013C2506J	0.26	-	762,269	0.24	SPX41C2503B	-	-	-	-
NDX28C2509A	0.81	0.10	204	0.81	SET5013C2506K	0.38	-	3,112,648	0.36	SPX41C2506A	0.09	0.03	3,103	0.09
NDX28P2503A	-	-	-	-	SET5013C2506L	0.63	0.01	1,609,409	0.59	SPX41C2506B	0.25	-	500	0.25
NDX28P2506A	0.37	(0.10)	10	0.37	SET5013C2506N	0.86	0.01	140,481	0.79	SPX41C2506C	-	-	-	-
NDX28P2509A	0.46	(0.07)	12	0.46	SET5013C2506N	0.41	0.01	494,339	0.38	SPX41C2509T	2.32	0.14	3	2.32
NDX41C2503A	-	-	-	-	SET5013C2506T	0.02	-	222	0.01	SPX41P2503A	-	-	-	-
NDX41C2503B	-	-	-	-	SET5013P2503A	2.40	(0.60)	184	2.59	SPX41P2503B	-	-	-	-
NDX41C2506A	0.09	0.02	2,785	0.09	SET5013P2503B	5.35	0.57	1	5.35	SPX41P2506A	0.45	(0.05)	1,000	0.45
NDX41C2506B	0.27	0.05	13,671	0.25	SET5013P2503C	-	-	-	-	SPX41P2509T	2.80	(0.22)	702	2.84
NDX41C2506C	0.68	0.12	7	0.67	SET5013P2503D	1.91	(0.39)	7	1.98	TENCEN28C2503A	-	-	-	-
NDX41C2509T	2.14	0.22	14	2.12	SET5013P2503E	3.50	(1.10)	109	3.53	TENCEN28C2508A	1.14	0.06	23	1.14
NDX41P2503A	-	-	-	-	SET5013P2503F	1.75	(0.75)	233	2.08	TENCEN28C2509A	0.47	0.07	40,846	0.44
NDX41P2503B	-	-	-	-	SET5013P2503T	0.45	(0.38)	1,944	0.47	TENCEN28P2503A	-	-	-	-
NDX41P2506A	0.53	(0.11)	8,848	0.53	SET5013P2506A	1.36	(0.10)	12,644	1.44	TENCEN28P2509A	0.29	(0.02)	4,022	0.31
NDX41P2509T	3.10	(0.28)	263	3.12	SET5013P2506B	0.83	(0.12)	3,683	0.93	TENCEN41C2504A	-	-	-	-
NIKKEI28C2506A	-	-	-	-	SET5013P2506C	2.36	(0.34)	31	2.46	TENCEN41C2504B	0.23	0.03	19,025	0.16
NIKKEI28C2506B	-	-	-	-	SET5013P2506D	1.17	(0.08)	3,588	1.25	TENCEN41C2505A	0.20	0.01	10,282	0.20
NIKKEI28C2506C	-	-	-	-	SET5013P2506E	0.61	(0.05)	232	0.65	TENCEN41C2506A	1.13	0.02	42	1.11
NIKKEI28P2506A	-	-	-	-	SET5013P2506F	0.38	(0.04)	1,435,941	0.41	TRIPDC41C2506A	0.73	0.08	1,113	0.68
NIKKEI28P2506B	-	-	-	-	SET5013P2506G	0.21	(0.03)	2,107,968	0.24	XIAOMI28C2504A	-	-	-	-
NIKKEI28P2506C	0.41	(0.02)	47	0.41	SET5013P2506H	0.51	(0.07)	175,413	0.56	XIAOMI28C2508A	2.04	0.24	5	2.00
NIKKEI41C2506A	0.17	-	100	0.17	SET5013P2506I	0.15	(0.03)	171,903	0.16	XIAOMI28C2509A	0.86	0.10	45,037	0.82
NIKKEI41C2506B	-	-	-	-	SET5013P2506J	0.26	(0.03)	715,155	0.29	XIAOMI28P2505A	0.02	-	400	0.02
NIKKEI41C2509A	0.46	0.01	1	0.46	SET5013P2506K	0.36	(0.05)	692,017	0.40	XIAOMI28P2509A	0.07	(0.01)	40	0.08
NIKKEI41C2509B	-	-	-	-	SET5013P2506L	0.55	(0.08)	612,483	0.60	XIAOMI41C2503A	-	-	-	-
NIKKEI41C2509C	0.67	0.01	52	0.67	SET5013P2506T	2.52	(0.14)	144	2.62	XIAOMI41C2504A	2.48	0.34	508	2.22
NIKKEI41P2506A	0.23	0.01	30	0.23	SET5019C2503A	-	-	-	-	XIAOMI41C2506A	1.54	0.22	91	1.50
NIKKEI41P2506B	-	-	-	-	SET5019C2503B	-	-	-	-	XIAOMI41C2506B	0.48	0.08	1,503	0.46
NIKKEI41P2509A	-	-	-	-	SET5019C2503C	-	-	-	-	XIAOMI41C2507A	0.37	0.05	14	0.34
NIKKEI41P2509B	-	-	-	-	SET5019C2503E	-	-	-	-	XIAOMI41P2506A	0.23	(0.06)	94	0.24
NIKKEI41P2509C	0.49	(0.02)	10	0.49	SET5019C2503E	-	-	-	-		0	-	-	-
NTES41C2506A	0.25	0.03	2,414	0.25	SET5019C2503F	-	-	-	-		0	-	-	-
PINGAN41C2504A	0.20	0.01	510	0.18	SET5019C2503G	-	-	-	-		0	-	-	-
POP41C2503A	-	-	-	-	SET5019C2503H	-	-	-	-		0	-	-	-
POP41C2506A	0.60	0.01	3,310	0.60	SET5019C2506A	-	-	-	-		0	-	-	-
SET01C2505A	0.02	0.01	368	0.02	SET5019C2506B	-	-	-	-		0	-	-	-
SET01C2506A	0.02	(0.01)	1,833	0.02	SET5019C2506C	0.04	0.02	60	0.04		0	-	-	-
SET01C2506B	0.07	-	5,559	0.07	SET5019C2506D	0.01	(0.01)	343	0.01		0	-	-	-
SET01C2507A	0.44	0.02	30,391	0.41	SET5019C2506E	-	-	-	-		0	-	-	-
SET01P2505A	-	-	-	-	SET5019C2506F	-	-	-	-		0	-	-	-
SET01P2506A	0.88	(0.08)	519	0.91	SET5019C2506G	-	-	-	-		0	-	-	-
SET01P2507A	0.69	(0.01)	1,140	0.71	SET5019C2506H	0.11	-	2	0.11		0	-	-	-
SET5001C2503F	0.01	-	7,156	0.01	SET5019C2506I	0.16	0.04	51	0.10		0	-	-	-
SET5001C2505A	0.02	-	301	0.01	SET5019C2506J	0.20	0.01	170	0.19		0	-	-	-
SET5001C2506A	0.03	0.01	6,482	0.03	SET5019C2506K	0.32	-	77,758	0.30		0	-	-	-
SET5001C2506F	0.01	-	505	0.01	SET5019C2506L	0.37	0.01	113,918	0.34		0	-	-	-
SET5001C2506G	0.07	-	873	0.07	SET5019C2506N	0.54	0.01	133,216	0.51		0	-	-	-
SET5001C2507A	0.31	0.02	104,059	0.29	SET5019P2503A	3.06	(0.26)	1	3.06		0	-	-	-
SET5001C2509F	0.53	0.02	38,889	0.49	SET5019P2503B	-	-	-	-		0	-	-	-
SET5001P2503F	0.86	(0.23)	189	1.00	SET5019P2503C	-	-	-	-		0	-	-	-
SET5001P2505A	-	-	-	-	SET5019P2506A	-	-	-	-		0	-	-	-
SET5001P2506A	1.01	(0.10)	711	1.06	SET5019P2506B	-	-	-	-		0	-	-	-
SET5001P2506F	2.50	(0.32)	20	2.54	SET5019P2506C	2.22	(0.52)	1,241	2.41		0	-	-	-
SET5001P2506G	-	-	-	-	SET5019P2506D	-	-	-	-		0	-	-	-
SET5001P2507A	0.40	0.01	2,586	0.40	SET5019P2506E	1.07	(0.13)	2	1.08		0	-	-	-
SET5001P2509F	0.86	(0.07)	51	0.86	SET5019P2506F	0.84	(0.10)	20	0.87		0	-	-	-
SET5006C2503A	-	-	-	-	SET5019P2506G	0.65	(0.13)	15,504	0.67		0	-	-	-
SET5006C2503B	-	-	-	-	SET5019P2506H	0.44	(0.03)	237,499	0.48		0	-	-	-
SET5006C2503C	-	-	-	-	SET5019P2506I	0.61	(0.05)	146,948	0.66		0	-	-	-
SET5006C2503D	-	-	-	-	SET5019P2506J	0.32	(0.04)	127,397	0.35		0	-	-	-
SET5006														

Main Board Quotation

Issue Date :

Monday March 24, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
Warrant - MAI														
Agro & Food Indust			-		UBIS	1.23	0.08	1,262	00 1.2	LEO	2.26	(0.02)	112	00 2.2
APO	1.54	(0.05)	4,070	00 1.5	UEC	0.78	0.03	4,175	00 0.7	MCA	1.37	0.09	195,497	00 1.3
AU	9.55	-	10,524	00 9.4	UKEM	0.54	-	7,872	00 0.5	MEB	21.80	(0.20)	1,283	00 21.8
CFARM	0.61	0.02	4,599	00 0.6	UREKA	0.81	0.01	11,756	00 0.8	MORE	0.02	(0.01)	4,994	00 0.0
JCKH	0.31	(0.02)	3,725	00 0.3	YUASA	10.40	-	13	00 10.4	MOTHER	0.91	0.01	30,524	00 0.9
KASET	0.56	-	219	00 0.5	ZIGA	1.01	(0.01)	13,863	00 1.0	MPJ	3.30	(0.02)	351	00 3.3
MAGURO	17.50	(0.30)	5,481	00 17.5	ZIGA-W2	0.11	0.01	1,301	00 0.1	MVP	0.57	0.07	60,207	00 0.5
MUD	1.11	(0.02)	346	00 1.1	Property			-		NCL	0.22	0.01	2,896	00 0.2
NTSC	5.75	(0.05)	160	00 5.7	24CS	1.51	(0.04)	2,612	00 1.5	NCP	1.04	-	21,759	00 1.0
TACC	4.50	0.06	10,390	00 4.4	24CS-W1	0.12	-	8,078	00 0.1	NEWS	0.01	-	47,392	00 0.0
TMILL	1.89	(0.09)	3,785	00 1.9	24CS-W2	0.16	0.01	1,168	00 0.1	PEER	0.13	-	3,310	00 0.1
WINNER	1.99	-	498	00 1.9	ARIN	0.52	0.01	9,531	00 0.5	PEER-W2	0.02	(0.01)	515	00 0.0
XO	16.90	0.10	1,856	00 16.8	ARROW	5.25	-	106	00 5.2	PICO	-	-	-	00 0.0
Consumer Products														
ALPHAX	0.42	-	12,112	00 0.4	BC	1.00	0.03	100	00 0.9	PLT	0.60	-	1,181	00 0.5
BGT	0.44	0.01	170	00 0.4	BC-W2	0.03	0.01	4,252	00 0.0	QLT	3.04	(0.08)	1,199	00 3.0
DOD	1.26	(0.02)	1,779	00 1.2	BLESS	0.20	(0.02)	10,426	00 0.1	RP	0.86	(0.02)	16	00 0.8
ECF	0.19	-	1,589	00 0.1	BSM	1.27	(0.03)	321	00 1.2	SONIC	1.63	-	10,603	00 1.6
ECF-W5	0.01	(0.01)	322	00 0.0	BTW	0.19	(0.02)	2,798	00 0.1	THMUI	0.36	0.01	121	00 0.3
EFORL	0.19	(0.02)	88,856	00 0.1	CAZ	1.73	(0.01)	170	00 1.7	TNDT	0.19	0.01	124	00 0.1
EFORL-W6	-	-	-	00 0.0	CHEWA	0.28	-	6,590	28 0.3	TNDT-W1	-	-	-	00 0.0
EURO	4.48	0.04	1,086	00 4.4	CPANEL	3.40	-	54	00 3.2	TNH	32.50	-	9	00 32.5
HPT	0.42	-	30,894	00 0.4	CPANEL-W1	0.11	0.02	58,718	00 0.1	TNP	2.74	0.02	1,829	00 2.7
ITTHI	1.62	(0.03)	1,396	00 1.6	CRD	0.35	-	3,400	00 0.3	TPL	0.58	-	4	00 0.5
JSP	1.65	(0.02)	3,725	00 1.6	DHOUSE	0.60	0.01	415	00 0.5	TRP	6.30	(0.10)	4,286	00 6.3
JSP-W2	0.04	-	4,829	00 0.0	DIMET	0.10	0.03	163,998	00 0.0	TURTLE	-	-	-	00 0.0
JUBILE	8.15	(0.10)	569	00 8.1	DPAIN	0.83	0.01	1,813	00 0.8	TVDH	0.16	(0.01)	11,231	00 0.1
LTS	6.80	(0.15)	6,470	00 6.8	FLOYD	0.92	0.05	58,606	00 0.9	TVDH-W3	0.01	-	1,000	00 0.0
MGI	11.20	-	2,991	00 11.2	HYDRO	1.47	0.02	45	00 1.4	TVT	0.27	(0.01)	728	00 0.2
MGI-W1	2.56	(0.08)	3,917	00 2.5	HYDRO-W2	0.12	0.01	1	00 0.1	UBA	0.94	(0.01)	2,824	00 0.9
MOONG	1.91	0.01	18	00 1.9	IND	0.86	-	2,316	00 0.8	VL	0.90	(0.01)	239	00 0.9
NPK	10.10	-	5	00 10.1	JAK	1.25	0.12	874	00 1.1	VS	0.47	0.08	273	00 0.3
SEI	3.20	0.06	1,502	00 3.1	K	1.49	0.01	4,530	00 1.4	YGG	0.59	(0.01)	21,875	00 0.5
SMD100	4.12	-	404	00 4.1	K-W3	0.24	-	84	00 0.2	Technology			-	
TM	0.60	-	834	00 0.6	META	0.08	-	13,541	00 0.0	APP	1.79	(0.01)	542	00 1.7
TM-W1	0.01	(0.01)	14,289	00 0.0	PANEL	1.17	(0.01)	2,178	00 1.1	BRIK	29.75	-	920	00 29.6
WARRIX	3.66	(0.04)	6,815	00 3.6	PPS	0.18	0.01	7,358	00 0.1	BE8	11.80	0.10	2,727	00 11.7
WINMED	1.29	0.01	87	00 1.2	PRI	6.25	0.35	2,817	00 6.1	BE8-W1	0.78	(0.10)	93	00 0.8
Financials														
ACAP	-	-	-	00 0.0	PROS	1.03	0.06	69,426	00 1.0	BVG	2.08	0.02	2,010	00 2.0
AF	0.37	(0.01)	156	00 0.3	PROS-W1	0.08	-	53,920	00 0.0	COMAN	0.65	0.01	605	00 0.6
AIRA	1.08	0.02	194	00 1.0	PSG	0.18	0.01	81,711	00 0.1	I2	1.04	-	795	00 1.0
ASN	1.10	(0.06)	76	00 1.0	QTCG	0.15	0.01	229	00 0.1	IIG	3.02	(0.06)	282	00 3.0
BTC	0.38	-	96,860	00 0.3	SENX	0.24	0.01	124	00 0.2	IRCP	0.40	-	16,310	00 0.4
BTC-W7	0.11	0.01	7,516	00 0.1	SK	0.62	0.01	7,999	00 0.6	ITNS	1.43	0.03	181	00 1.4
GCAP	0.22	(0.01)	58,195	00 0.2	SMART	0.64	0.01	17,070	00 0.6	NAT	3.84	(0.02)	2,543	00 3.7
KCC	1.85	(0.03)	25	00 1.8	STC	0.53	0.01	30	00 0.5	NETBAY	19.80	(0.10)	8,117	00 19.7
LIT	0.46	(0.01)	506	00 0.4	STX	1.25	-	1,149	00 1.2	PIS	4.84	(0.14)	9,282	00 4.9
MITSIB	0.62	(0.01)	856	00 0.6	SVR	0.61	(0.01)	624	00 0.6	PLANET	1.89	0.07	27,987	00 1.8
SGF	0.16	-	3,542	00 0.1	TAPAC	-	-	-	00 0.0	PLANET-W2	0.74	0.02	3,928	00 0.7
SGF-P1	-	-	-	00 0.0	THANA	1.03	0.03	303	00 1.0	PROEN	1.29	(0.03)	138,737	00 1.2
SGF-Q1	-	-	-	00 0.0	TIGER	0.40	-	55	00 0.3	PROEN-W2	0.42	(0.01)	25,909	00 0.4
TQR	4.98	-	17	00 4.9	TITLE	4.12	-	530	00 4.0	READY	4.62	(0.02)	247	00 4.6
Industrials														
ADB	0.63	0.02	258	00 0.6	WELL	-	-	-	00 0.0	SECURE	11.60	0.20	206	00 11.5
BM	2.74	-	1,708	00 2.7	YONG	0.93	(0.03)	2,116	00 0.9	SICT	3.30	(0.02)	1,816	00 3.3
BM-W3	1.11	(0.04)	680	00 1.1	Resources									
BPS	0.51	-	2,175	00 0.5	ABM	0.89	0.03	3	00 0.8	SIMAT	1.24	(0.01)	4,262	00 1.2
CHO	0.03	-	8,023	00 0.0	GTV	0.09	-	145,438	00 0.0	SIMAT-W3	0.01	-	605	00 0.0
CHO-W4	-	-	-	00 0.0	PSTC	0.46	(0.01)	25,577	00 0.4	SPVI	1.40	0.01	3,871	00 1.3
CHOW	1.27	-	14	00 1.2	PSTC-W2	0.01	-	19	00 0.0	SRS	3.80	(0.18)	1,170	00 3.6
CIG	0.03	-	24,286	00 0.0	PSTC-W3	0.11	-	213	00 0.1	TBN	6.80	-	92	00 6.8
CIG-W10	-	-	-	00 0.0	PTC	1.01	0.01	1,904	00 1.0	TERA	1.26	0.05	15,105	00 1.2
CIG-W9	0.02	-	1	00 0.0	SAAM	6.30	-	750	00 6.3	TPS	3.90	0.04	560	00 3.8
COLOR	1.07	0.01	1,557	00 1.0	SR	0.48	(0.03)	13	00 0.4	VCOM	2.30	(0.02)	1,627	00 2.3
CPR	2.90	-	157	00 2.8	STOWER	0.04	-	20,979	00 0.0	-	-	-	-	-
FPI	1.66	(0.01)	142	00 1.6	TAKUNI	0.39	(0.02)	95,890	00 0.3	-	-	-	-	-
GTB	0.73	(0.02)	260	00 0.7	TPCH	3.04	0.04	1,251	00 3.0	-	-	-	-	-
HARN	2.14	-	3,025	00 2.1	UMS	0.39	(0.01)	167	00 0.3	-	-	-	-	-
KCM	0.19	(0.01)	732	00 0.1	Services									
KJL	6.60	(0.25)	484	00 6.7	ADD	3.90	(0.06)	71	00 3.8	-	-	-	-	-
KUMWEL	1.05	-	530	00 1.0	AKP	0.69	0.01	4,890	00 0.6	-	-	-	-	-
KWM	1.04	0.01	2,929	00 1.0	AMA	4.08	0.02	1,586	00 4.0	-	-	-	-	-
MBAX	1.71	(0.04)	131	00 1.7	AMARC	1.18	-	133	00 1.1	-	-	-	-	-
MGT	1.79	(0.03)	369	00 1.8	ARIP	0.40	-	5,957	00 0.4	-	-	-	-	-
MTW	0.87	0.02	4,383	00 0.8	ATP30	0.91	0.02	14,951	00 0.9	-	-	-	-	-
MTW-W1	0.01	-	14,170	00 0.0	AUCT	7.50	-	5,882	00 7.4	-	-	-	-	-
NDR	1.44	0.04	1,161	00 1.3	BIS	2.78	-	363	00 2.7	-	-	-	-	-
PACO	1.42	-	679	00 1.4	BOL	5.15	0.05	484	00 5.1	-	-	-	-	-
PACO-W1	0.03	-	136	00 0.0	CEYE	2.26	0.04	1	00 2.2	-	-	-	-	-
PDG	2.72	0.10	1,200	00 2.6	CHIC	0.36	0.01	269	00 0.3	-	-	-	-	-
PHOL	2.88	-	3,284	00 2.8	CMO	0.60	(0.06)	342	00 0.5	-	-	-	-	-
PIMO	1.25	(0.01)	2,879	00 1.2	D	2.28	(0.02)	2,769	00 2.2	-	-	-	-	-
PMC	0.81	-	1,297	00 0.8	DEXON	1.38	(0.01)	782	00 1.3	-	-	-	-	-
PPM	1.83	0.03	51	00 1.8	DV8	0.35	-	2						