

Main Board Quotation

Issue Date :

Wednesday March 26, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	DCON-W3	-	-	-	-	BIG	0.30	-	7,819	0.29
Agribusiness	-	-	-	-	DRT	7.15	(0.05)	540	7.17	B3C	21.10	0.10	24,257	21.02
EE	0.41	(0.07)	546,809	0.40	EPG	3.06	(0.02)	13,644	3.08	B3C13C2505A	-	-	-	-
GFPT	8.60	(0.15)	32,346	8.71	GEL	0.04	-	48,728	0.04	B3C41C2606T	0.24	0.01	38,400	0.23
LEE	2.24	(0.18)	3,667	2.27	GEL-W5	-	-	-	-	COM7	19.50	0.20	18,385	19.44
NER	4.88	(0.06)	101,475	4.91	PPP	1.11	(0.01)	314	1.05	COM701C2506A	0.10	-	13,180	0.10
NER-W2	0.33	(0.02)	12,640	0.33	Q-CON	9.50	0.05	7,571	9.49	COM701C2508A	0.38	0.01	16,957	0.37
PCE	2.98	0.04	39,119	2.95	SCC	156.00	-	26,723	156.98	COM713C2504A	0.02	-	1	0.02
PPPM	0.38	0.01	36,005	0.40	SCC01C2505A	-	-	-	-	COM713C2505A	-	-	-	-
PPPM-W6	0.26	(0.01)	369	0.28	SCC01C2505B	-	-	-	-	COM713C2506A	0.10	0.01	455	0.09
STA	14.90	-	37,263	14.93	SCC01C2507A	-	-	-	-	COM713C2507A	0.20	-	6,458	0.20
STA01C2504A	-	-	-	-	SCC01C2508A	0.59	0.08	2,837	0.60	COM719C2505A	-	-	-	-
STA01C2506A	0.10	-	6,283	0.10	SCC01C2508B	0.65	0.01	57,838	0.66	COM719C2507A	0.21	-	19,568	0.21
STA13C2505A	-	-	-	-	SCC01P2507A	0.38	(0.01)	27,609	0.37	COM719P2508A	0.50	(0.01)	9,309	0.51
STA13C2506A	0.15	0.01	21,557	0.15	SCC13C2504A	-	-	-	-	COM741C2505A	-	-	-	-
STA19C2504A	-	-	-	-	SCC13C2504B	-	-	-	-	COM741C2506T	0.20	0.02	3,000	0.20
STA19C2505A	-	-	-	-	SCC13C2505A	0.02	-	204	0.02	COM741C2609T	0.34	(0.01)	22,000	0.34
STA19C2506A	0.12	-	7,953	0.12	SCC13C2505B	0.08	-	38,135	0.08	CPALL	50.00	-	111,190	50.23
STA41C2505A	-	-	-	-	SCC13C2507A	0.43	-	89,245	0.45	CPALL01C2504A	0.02	0.01	1	0.02
STA41C2612T	0.36	-	7,000	0.36	SCC13P2504A	0.02	(0.01)	97	0.02	CPALL01C2505A	-	-	-	-
TEGH	3.10	(0.02)	9,920	3.11	SCC13P2505A	0.14	(0.01)	18,481	0.14	CPALL01C2507A	0.28	-	67,793	0.29
TFM	8.85	-	1,173	8.80	SCC13P2508A	0.68	(0.01)	63,592	0.66	CPALL01P2505A	0.26	(0.01)	7,330	0.25
TRUBB	0.70	(0.01)	10,158	0.70	SCC19C2504A	0.02	-	1	0.02	CPALL01P2507A	0.39	(0.01)	4,836	0.39
UPOIC	6.30	-	25	6.28	SCC19C2505A	-	-	-	-	CPALL06C2504A	-	-	-	-
UVAN	9.30	0.10	1,502	9.25	SCC19C2505B	-	-	-	-	CPALL13C2504A	0.01	-	10	0.01
VPO	0.48	-	2,523	0.49	SCC19C2506A	0.13	(0.01)	33,922	0.14	CPALL13C2505A	-	-	-	-
Banking	-	-	-	-	SCC19C2507A	0.54	-	10,179	0.56	CPALL13C2505B	-	-	-	-
BAY	22.90	0.10	267	22.87	SCC19P2505A	0.28	(0.01)	64,465	0.26	CPALL13C2506B	0.08	-	910	0.08
BBL	149.00	(1.50)	33,138	149.54	SCC19P2508A	0.82	(0.18)	21,836	0.79	CPALL13P2504A	-	-	-	-
BBL13C2504A	0.01	(0.03)	3,850	0.01	SCC41C2504A	-	-	-	-	CPALL13P2505A	0.12	(0.01)	8,816	0.12
BBL13C2507A	0.14	(0.01)	14,527	0.14	SCC41C2505A	-	-	-	-	CPALL13P2506A	0.16	(0.01)	3,098	0.16
BBL13C2508A	0.34	(0.03)	20,119	0.34	SCC41C2608T	0.46	-	30,120	0.46	CPALL19C2504A	-	-	-	-
BBL19C2506A	0.06	(0.02)	1	0.06	SCC41P2508A	-	-	-	-	CPALL19C2505A	0.01	(0.01)	866	0.01
BBL19C2508A	0.28	(0.02)	8,768	0.28	SCCC	157.00	-	377	157.19	CPALL19C2505B	-	-	-	-
BBL41C2504A	-	-	-	-	SCGD	4.20	0.04	2,709	4.19	CPALL19C2506A	-	-	-	-
BBL41C2506A	0.07	(0.02)	20	0.07	SCP	6.20	0.05	606	6.20	CPALL19C2506B	0.10	-	9,309	0.11
BBL41C2609T	-	-	-	-	SKN	5.70	(0.05)	59	5.68	CPALL19C2508A	0.27	-	49,508	0.28
CIMBT	0.68	(0.02)	5,479	0.69	STECH	1.01	0.01	687	1.01	CPALL19P2505A	0.15	(0.01)	7,241	0.15
CREDIT	20.00	-	66	19.83	TASCO	14.50	-	11,230	14.54	CPALL19P2505B	-	-	-	-
KBANK	162.50	0.50	76,106	161.93	TASCO19C2507A	0.11	(0.01)	2,698	0.11	CPALL41C2504A	-	-	-	-
KBANK01C2506A	0.27	-	42,647	0.27	TOA	11.60	(0.40)	50,664	11.68	CPALL41C2505A	-	-	-	-
KBANK01C2508A	0.88	(0.03)	2	0.88	TPPL	0.99	-	46,905	1.00	CPALL41C2506A	-	-	-	-
KBANK01P2507A	0.41	(0.01)	14,094	0.42	UMI	0.66	(0.02)	3,245	0.66	CPALL41C2508A	-	-	-	-
KBANK13C2505A	0.08	(0.01)	506	0.08	VNG	2.52	-	523	2.47	CPALL41C2605T	0.15	0.01	16,500	0.15
KBANK13C2507A	0.46	-	120,970	0.45	WIJK	0.90	-	125	0.90	CPALL41P2504A	-	-	-	-
KBANK13P2504A	-	-	-	-	WIJK-W3	0.03	-	104	0.02	CPALL41P2508A	-	-	-	-
KBANK13P2507A	0.29	(0.01)	19,285	0.30	WINDOW	0.84	(0.05)	72,613	0.87	CPAXT	27.50	1.00	62,918	27.13
KBANK19C2504A	0.02	(0.03)	10	0.02	Petrochemicals & Plastics	-	-	-	-	CPW	2.06	0.07	307	2.05
KBANK19C2505A	-	-	-	-	BCT	58.25	(0.75)	12	57.69	CRC	26.25	0.50	75,889	26.15
KBANK19C2507A	0.24	(0.01)	43,771	0.23	CMAN	2.32	0.04	3,533	2.31	CRC01C2506A	-	-	-	-
KBANK19C2507B	0.39	(0.01)	20,380	0.39	GC	5.00	0.02	215	4.98	CRC13C2506A	0.02	-	5	0.02
KBANK41C2505A	-	-	-	-	GGC	4.84	0.04	1,323	4.89	CRC13C2508A	0.14	0.01	14,554	0.14
KBANK41C2604T	0.79	(0.01)	70,505	0.78	IVL	20.70	(0.20)	84,966	20.86	CRC19C2506A	0.03	0.01	9	0.03
KBANK41C2609T	0.43	-	23,000	0.43	IVL01C2504A	-	-	-	-	CRC19C2508A	0.16	0.01	110,317	0.16
KBANK41P2606T	-	-	-	-	IVL01C2506A	0.08	(0.01)	2,516	0.08	CRC41C2608T	0.13	0.01	2,768	0.13
KKP	56.50	0.75	15,458	56.52	IVL01C2507A	0.40	(0.03)	303	0.41	CSS	0.83	(0.01)	5,131	0.84
KKP-W6	1.22	0.03	240	1.22	IVL01P2504A	-	-	-	-	DOHOME	6.05	-	81,899	6.06
KKP13C2504A	-	-	-	-	IVL01P2506A	0.59	0.01	796	0.56	DOHOME01C2507A	0.18	-	25,328	0.19
KKP19C2507A	0.33	0.03	6,479	0.32	IVL13C2504A	-	-	-	-	DOHOME13C2505A	-	-	-	-
KTB	24.30	0.30	371,901	24.25	IVL13C2505A	0.03	-	302	0.03	DOHOME13C2506A	0.06	-	10	0.06
KTB-P	-	-	-	-	IVL13C2507A	0.23	(0.01)	23,769	0.24	DOHOME19C2504A	-	-	-	-
KTB-Q	-	-	-	-	IVL13P2504A	-	-	-	-	DOHOME19C2506A	-	-	-	-
KTB01C2506A	0.36	0.01	14,547	0.35	IVL13P2508A	0.46	0.01	20,146	0.44	DOHOME19C2506B	0.06	(0.01)	1,323	0.07
KTB13C2505A	0.23	0.02	32,150	0.22	IVL19C2505A	-	-	-	-	FN	0.60	0.02	8,709	0.64
KTB13C2507A	0.25	0.02	39,911	0.24	IVL19C2506A	-	-	-	-	GLOBAL	6.95	0.05	94,424	6.98
KTB13P2507A	0.24	(0.02)	7,803	0.25	IVL19C2507A	0.28	(0.02)	50,893	0.30	GLOBAL01C2507A	0.13	0.01	24,910	0.13
KTB19C2505A	0.21	0.02	12,435	0.20	IVL19P2508A	0.48	0.01	75,519	0.46	GLOBAL13C2504A	-	-	-	-
KTB19C2506A	0.18	0.02	37,946	0.18	IVL41C2505A	-	-	-	-	GLOBAL13C2506A	-	-	-	-
KTB41C2506A	0.23	0.01	11,200	0.22	IVL41C2605T	0.20	(0.01)	73,500	0.21	GLOBAL13C2507A	0.13	-	64,051	0.14
LHFG	0.80	0.01	7,945	0.79	IVL41P2605T	-	-	-	-	GLOBAL19C2507A	0.16	-	86,935	0.16
SCB	125.00	-	57,912	124.98	NFC	1.39	0.05	510	1.37	GLOBAL41C2606T	0.13	-	5,200	0.13
SCB01C2505A	-	-	-	-	PATO	7.70	-	849	7.70	HMPRO	8.40	0.70	1,145,361	8.46
SCB01C2507A	0.30	0.01	11,426	0.29	PMTA	7.90	-	5	7.89	HMPRO01C2504A	0.02	0.01	10	0.02
SCB01P2507A	0.44	(0.01)	7,542	0.44	PTTGC	17.90	(0.30)	188,864	17.98	HMPRO01C2507A	0.09	0.01	44,434	0.10
SCB13C2505A	0.10	-	17,831	0.10	PTTGC01C2504A	0.01	(0.01)	1,097	0.01	HMPRO13C2504A	-	-	-	-
SCB13C2508A	0.29	(0.71)	15,287	0.29	PTTGC01C2505A	-	-	-	-	HMPRO13C2506A	0.08	0.04	43,979	0.09
SCB13P2507A	0.24	-	11,250	0.24	PTTGC01C2506A	0.08	(0.02)	16,071	0.08	HMPRO13C2508A	0.37	0.13	284,080	0.38
SCB19C2504A	-	-	-	-	PTTGC01C2507A	0.21	(0.03)	21,309	0.22	HMPRO19C2506A	0.09	0.04	11,112	0.10
SCB19C2507A	0.19	(0.01)	57,808	0.19	PTTGC01P2506A	0.58	0.05	6,736	0.57	HMPRO19C2508A	0.44	0.03	8,472	0.45
SCB41C2505A	0.10	(0.01)	1,000	0.10	PTTGC13C2504A	-	-	-	-	HMPRO41C2606T	0.15	0.03	11,046	0.15
SCB41C2609T	-	-	-	-	PTTGC13C2505A	-	-	-	-	ICC	-	-	-	-
SCB41P2504A	0.01	-	140	0.01	PTTGC13C2506A	0.06	(0.02)	14,460	0.06	ILM	14.20	0.30	855	14.14
TCAP	50.50	(0.25)	14,448	50.44	PTTGC13C2507A	0.20	(0.02)	46,574	0.20	IT	3.68	-	249	3.62
TCAP-P	-	-	-	-	PTTGC13C2507E	0.41	(0.04)	29,287	0.42	KAMART	8.60	0.10	20,417	8.54
TCAP-Q	-	-	-	-	PTTGC13P2506A	0.39	0.02	8,712	0.38	LOXLEY	1.15	(0.01)	320	1.14
TCAP13C2508A	0.31	(0.02)	12,756	0.31	PTTGC19C2504A	-	-	-	-	MC	10.10	0.10	3,840	10.02
TCAP19C2504A	-	-	-	-	PTTGC19C2505A	-	-	-	-	MEGA	32.00	(0.25)	5,033	31.82
TISCO	100.00	(0.50)	34,495	100.11	PTTGC19C2506A	0.04	(0.01)	25	0.04	MIDA	0.24	0.01	1,850	0.24
TISCO-P	-	-	-	-	PTTGC19C2508									

Main Board Quotation

Issue Date :

Wednesday March 26, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ADVANC01C2506A	0.12	-	8,393	0.12	CCET41C2505A	-	-	-	-	ACE	1.28	0.01	3,849	1.28
ADVANC01C2508A	0.36	(0.01)	19,004	0.37	CCET41C2506A	0.11	0.02	15,000	0.11	AE	0.10	(0.01)	32,857	0.10
ADVANC01P2505A	0.14	-	23,331	0.13	DELTA	73.50	3.50	284,786	73.28	AGE	0.98	-	1,846	0.98
ADVANC01P2507A	0.65	0.02	158	0.63	DELTA01C2505A	0.03	-	212	0.02	AI	3.40	(0.06)	5,460	3.43
ADVANC13C2505A	0.07	-	200	0.07	DELTA01C2506A	0.02	-	112	0.02	AIE	1.33	0.01	42,644	1.33
ADVANC13C2507A	0.24	(0.03)	74,289	0.27	DELTA01C2507A	1.00	0.09	123,069	1.01	BAFS	8.25	-	452	8.27
ADVANC13P2504A	0.02	-	1	0.02	DELTA01P2504A	2.16	(0.48)	25,002	2.17	BANPU	4.30	(0.02)	243,921	4.33
ADVANC13P2507A	0.49	0.03	42,117	0.46	DELTA06C2504A	-	-	-	-	BANPU01C2504A	-	-	-	-
ADVANC19C2505A	-	-	-	-	DELTA11C2507A	0.43	0.06	31,555	0.43	BANPU01C2506A	-	-	-	-
ADVANC19C2506A	0.11	-	5,414	0.11	DELTA13C2505A	0.01	-	540	0.01	BANPU01C2507A	0.19	(0.01)	10,702	0.19
ADVANC19C2507A	0.24	(0.03)	32,625	0.27	DELTA13C2506A	0.02	0.01	23,452	0.01	BANPU01C2508A	0.40	(0.01)	28,746	0.41
ADVANC19P2504A	-	-	-	-	DELTA13C2506E	0.02	-	1,295	0.02	BANPU13C2504A	-	-	-	-
ADVANC41C2505A	-	-	-	-	DELTA13C2507A	0.28	0.05	247,026	0.28	BANPU13C2505A	0.02	-	479	0.01
ADVANC41C2606T	0.29	-	33,000	0.29	DELTA13C2507E	0.12	0.02	143,561	0.13	BANPU13C2506A	-	-	-	-
ADVANC41P2504A	-	-	-	-	DELTA13C2507C	0.55	0.09	425,546	0.55	BANPU13C2506B	0.11	-	30,390	0.11
ADVANC41P2508A	0.24	-	1	0.24	DELTA13P2505A	-	-	-	-	BANPU13C2507A	0.29	-	60,531	0.29
AIT	4.76	0.10	64,435	4.76	DELTA13P2505E	-	-	-	-	BANPU13P2504A	-	-	-	-
ALT	0.79	0.01	1,620	0.76	DELTA13P2506A	1.07	(0.33)	2	1.11	BANPU19C2504A	-	-	-	-
AMR	0.59	0.01	17,563	0.60	DELTA13P2507A	0.77	(0.12)	90,252	0.79	BANPU19C2506A	-	-	-	-
BLISS	-	-	-	-	DELTA13P2507E	0.31	(0.06)	124,667	0.31	BANPU19C2507A	0.18	(0.01)	16,248	0.19
DIF	7.85	(0.05)	46,088	7.90	DELTA19C2506A	0.01	-	101	0.01	BANPU19C2508A	0.38	(0.01)	45,996	0.40
DITTO	11.90	-	28,868	11.95	DELTA19C2506E	-	-	-	-	BANPU41C2505A	-	-	-	-
DITTO-W1	0.10	(0.01)	25,671	0.11	DELTA19C2506C	0.03	-	12,447	0.02	BANPU41C2605T	-	-	-	-
DTCENT	0.92	-	8,273	0.92	DELTA19C2507A	0.12	0.02	134,388	0.12	BBGI	3.70	0.02	1,563	3.69
FORTH	6.95	0.05	1,450	6.98	DELTA19C2507E	0.26	0.05	75,801	0.26	BCP	38.00	(0.25)	41,420	37.89
GABLE	3.62	0.06	8,242	3.61	DELTA19C2507C	0.63	0.10	158,539	0.63	BCP01C2504A	-	-	-	-
HUMAN	8.15	0.15	4,784	8.08	DELTA19P2504A	-	-	-	-	BCP01C2505A	0.29	(0.01)	4,880	0.29
ICN	1.94	0.01	997	1.93	DELTA19P2505A	-	-	-	-	BCP01C2507A	0.26	(0.01)	4,863	0.26
ILINK	5.90	0.05	1,236	5.86	DELTA19P2506A	-	-	-	-	BCP01P2505A	0.07	-	221	0.07
INET	4.88	0.02	9,868	4.92	DELTA19P2507A	0.68	(0.11)	228,786	0.69	BCP13C2504A	-	-	-	-
INSET	2.18	(0.02)	4,530	2.19	DELTA41C2505A	-	-	-	-	BCP13C2505A	0.11	(0.01)	23,370	0.11
INTUCH	-	-	-	-	DELTA41C2506A	0.02	-	50	0.02	BCP13C2507A	0.27	(0.01)	22,719	0.27
ITEL	1.42	0.02	22,746	1.42	DELTA41C2507A	0.16	0.04	108,517	0.15	BCP13P2505A	0.01	-	2	0.01
JAS	1.60	(0.04)	215,280	1.63	DELTA41C2608T	0.31	0.03	66,129	0.31	BCP19C2504A	-	-	-	-
JAS-W4	0.33	(0.02)	199,029	0.34	DELTA41C2612T	0.08	0.02	1	0.08	BCP19C2506A	0.28	(0.01)	4,854	0.27
JAS13C2505A	-	-	-	-	DELTA41P2504A	-	-	-	-	BCP19C2507A	0.20	-	49,199	0.19
JAS13C2507A	0.31	(0.02)	31,569	0.33	DELTA41P2505A	1.50	(0.17)	5,515	1.51	BCP41C2504A	-	-	-	-
JAS19C2505A	0.02	(0.01)	10,585	0.02	DELTA41P2507A	0.25	(0.02)	4,343	0.25	BCP41C2505A	0.26	(0.01)	40	0.27
JAS19C2507A	0.25	(0.02)	9,858	0.26	HANA	16.80	0.10	53,093	16.95	BCP41C2609T	0.33	(0.67)	10,000	0.34
JAS41C2605T	0.14	(0.01)	200	0.14	HANA01C2504A	0.01	-	1,500	0.01	BCPG	7.00	(0.05)	45,618	7.02
JMART	9.65	-	49,006	9.68	HANA01C2504W	0.02	-	4,492	0.01	BCPG01C2506A	0.29	(0.01)	19,610	0.28
JMART-W5	0.21	-	2,370	0.21	HANA01C2505A	0.02	-	3,001	0.01	BCPG01C2508A	0.47	(0.03)	40,556	0.48
JMART13C2504A	-	-	-	-	HANA01C2505B	-	-	-	-	BCPG01P2506A	-	-	-	-
JMART13C2506A	0.04	-	499	0.04	HANA01P2504A	0.29	(0.04)	2,000	0.29	BCPG13C2504A	0.10	(0.01)	1	0.10
JMART13C2507A	0.17	-	71,577	0.17	HANA01P2505A	0.77	(0.03)	2,769	0.75	BCPG13C2507A	0.22	(0.01)	34,758	0.22
JMART19C2504A	-	-	-	-	HANA06C2504A	-	-	-	-	BCPG13C2507B	0.53	(0.02)	801	0.54
JMART19C2506A	-	-	-	-	HANA13C2504A	-	-	-	-	BCPG19C2505A	0.27	(0.02)	9,531	0.28
JMART19C2508A	0.21	(0.01)	6,484	0.23	HANA13C2504B	-	-	-	-	BCPG19C2506A	0.26	(0.01)	23,429	0.26
JMART41C2504A	-	-	-	-	HANA13C2504C	-	-	-	-	BCPG41C2606T	0.35	(0.01)	46,000	0.35
JMART41C2606T	-	-	-	-	HANA13C2505A	-	-	-	-	BGRIM	11.10	0.30	200,000	10.97
JTS	29.00	-	3,440	29.60	HANA13C2505B	-	-	-	-	BGRIM01C2504A	-	-	-	-
MFEC	6.00	0.05	857	5.98	HANA13C2506A	-	-	-	-	BGRIM01C2505A	-	-	-	-
MSC	7.80	-	33	7.72	HANA13C2507A	0.10	0.01	38,699	0.10	BGRIM01C2506A	-	-	-	-
PT	11.30	0.10	2,239	11.28	HANA13C2508A	0.34	-	55,356	0.36	BGRIM01C2507A	0.08	0.01	46,595	0.07
ROCTEC	0.67	(0.02)	97,018	0.66	HANA13P2504A	-	-	-	-	BGRIM01C2508A	0.19	0.02	101,174	0.18
ROCTEC-W3	0.01	-	2	0.01	HANA13P2505A	-	-	-	-	BGRIM01P2505A	-	-	-	-
ROCTEC-W5	0.03	(0.01)	576,298	0.03	HANA13P2507A	0.38	(0.01)	19,125	0.38	BGRIM01P2507A	0.38	(0.05)	9,030	0.39
SAMART	7.00	0.15	39,691	6.96	HANA19C2504A	-	-	-	-	BGRIM13C2504A	-	-	-	-
SAMTEL	5.50	0.05	589	5.38	HANA19C2505A	-	-	-	-	BGRIM13C2505A	-	-	-	-
SAMTEL-W2	1.08	(0.02)	306	1.05	HANA19C2505B	0.01	-	30	0.01	BGRIM13C2505B	-	-	-	-
SDC	0.04	-	21,513	0.04	HANA19C2507A	0.07	(0.01)	1	0.07	BGRIM13C2506A	-	-	-	-
SIS	23.30	(0.40)	827	23.48	HANA19C2508A	0.33	0.01	6,911	0.34	BGRIM13C2507A	0.05	0.01	390	0.04
SKY	16.20	-	5,946	16.24	HANA19P2504A	-	-	-	-	BGRIM13C2507B	0.13	0.01	118,500	0.13
SPREME	1.45	-	833	1.45	HANA19P2504B	0.51	(0.02)	30	0.51	BGRIM13P2505A	-	-	-	-
SVOA	1.01	-	1,513	1.01	HANA41C2504A	-	-	-	-	BGRIM13P2506A	-	-	-	-
SYMC	5.30	-	295	5.29	HANA41C2504B	-	-	-	-	BGRIM19C2504A	-	-	-	-
SYNEX	11.00	0.10	5,887	11.12	HANA41C2505A	-	-	-	-	BGRIM19C2505A	-	-	-	-
THCOM	10.70	-	11,147	10.80	HANA41C2606T	-	-	-	-	BGRIM19C2506A	-	-	-	-
TKC	8.60	0.10	4,506	8.64	KCE	17.80	(0.20)	39,898	18.08	BGRIM19C2507A	-	-	-	-
TRUE	11.80	-	799,939	11.78	KCE01C2504A	0.02	-	3,025	0.01	BGRIM19C2507B	0.14	0.02	95,900	0.14
TRUE01C2505A	0.12	(0.01)	25,769	0.12	KCE01C2504W	-	-	-	-	BGRIM19P2506A	-	-	-	-
TRUE01C2507A	0.10	-	11,841	0.10	KCE01C2505A	-	-	-	-	BGRIM41C2504A	-	-	-	-
TRUE01C2508A	0.28	-	14,073	0.28	KCE01C2507A	-	-	-	-	BGRIM41C2505A	-	-	-	-
TRUE01P2505A	-	-	-	-	KCE01P2504A	-	-	-	-	BGRIM41C2506A	-	-	-	-
TRUE01P2507A	0.30	-	5,624	0.30	KCE13C2504A	-	-	-	-	BGRIM41C2608T	0.22	0.02	97,200	0.21
TRUE13C2504A	-	-	-	-	KCE13C2504B	-	-	-	-	BIOTEC	0.20	-	652	0.19
TRUE13C2505A	0.07	-	12,624	0.07	KCE13C2504C	-	-	-	-	BIOTEC-P	-	-	-	-
TRUE13C2507A	0.20	(0.01)	15,831	0.20	KCE13C2504D	-	-	-	-	BIOTEC-Q	-	-	-	-
TRUE13P2506A	0.13	-	3,280	0.13	KCE13C2505A	-	-	-	-	BIOTEC-W2	0.02	(0.01)	2,914	0.03
TRUE19C2504A	-	-	-	-	KCE13C2505B	-	-	-	-	BPP	7.40	0.05	29,944	7.37
TRUE19C2507A	0.11	(0.01)	4,952	0.12	KCE13C2506A	0.10	-	19,749	0.11	BRRGIF	3.86	0.02	397	3.84
TRUE19C2507B	0.24	-	31,329	0.24	KCE13C2507A	0.22	(0.02)	23,487	0.24	BSRC	5.45	-	13,478	5.44
TRUE19P2506A	0.13	(0.01)	8,472	0.13	KCE13P2504A	-	-	-	-	BSRC13C2506A	0.14	(0.01)	2,270	0.14
TRUE19P2507A	0.33	0.01	8,318	0.33	KCE13P2505A	0.28	0.01	19,199	0.25	CKP	2.62	0.02	9,059	2.61
TRUE41C2505A	0.06	(0.02)	120	0.06	KCE19C2504A	-	-	-	-	CKP01C2504A	-	-	-	-
TRUE41C2604T	0.60	(0.01)	9,030	0.62	KCE19C2504B	-	-	-	-	CV	-	-	-	-
TRUE41C2612T	0.32	(0.01)	35,752	0.32	KCE19C2505A	-	-	-	-	CV-W1	-	-	-	-
TRUE41P2504A	-	-	-	-	KCE19C2506A	-	-	-	-	EA	2.26	(0.02)	319,363	2.28
TWZ	0.03	-	56,786	0.03	KCE19C2507A	0.19	0.01	6,665	0.19	EA-W1	0.29	(0.01)	96,395	0.29
TWZ-W8	-	-	-	-	KCE19C2508A	0.35	(0.01)	58,185	0.36	EA13C2504A	-	-	-	-

Main Board Quotation

Issue Date :

Wednesday March 26, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
EA19P2505A	1.04	(0.07)	1	1.04	SUPER	0.17	(0.01)	51,237	0.17	CHAYO-W3	0.07	(0.01)	4,306	0.07
EA41C2606T	0.10	-	8,251	0.11	SUPEREIF	5.95	(0.05)	1,247	6.00	EAST	0.84	-	16,955	0.86
EASTW	2.04	-	655	2.04	SUSCO	2.96	0.04	21,451	2.95	FNS	1.21	(0.02)	283	1.21
EGATIF	5.90	(0.05)	1,114	5.91	TAE	0.78	-	1,189	0.78	FSX	1.59	(0.01)	11	1.55
EGCO	94.25	-	7,884	94.57	TCC	0.28	(0.01)	1,929	0.28	GBX	0.56	-	2,241	0.56
EGCO19C2504A	0.02	-	1	0.02	TCC-W5	0.15	-	60	0.15	GL	-	-	-	-
EP	1.45	0.01	12	1.45	TGE	1.52	(0.02)	825	1.52	HENG	1.05	(0.01)	9,632	1.06
EP-W4	-	-	-	-	TGE-W2	0.12	-	3,050	0.13	IFS	2.34	(0.02)	126	2.32
ETC	1.40	0.01	10,721	1.39	TOP	25.25	(1.50)	360,738	25.51	JMT	13.70	0.20	80,669	13.74
GPS	28.75	1.00	73,952	28.47	TOP01C2504A	0.01	-	390	0.01	JMT01C2504A	-	-	-	-
GPS01C2504W	0.01	-	110	0.01	TOP01C2505A	-	-	-	-	JMT13C2504A	-	-	-	-
GPS01C2505A	0.03	(0.01)	300	0.03	TOP01C2506A	0.10	(0.03)	37,563	0.10	JMT13C2506A	-	-	-	-
GPS01C2507A	0.22	0.04	29,430	0.20	TOP01C2507A	0.64	(0.11)	294	0.64	JMT13C2507A	0.21	0.01	45,904	0.22
GPS01P2506A	0.19	(0.05)	16,288	0.20	TOP01C2508A	0.22	(0.04)	37,188	0.22	JMT19C2504A	-	-	-	-
GPS13C2504A	-	-	-	-	TOP01P2504A	0.70	0.16	7,386	0.70	JMT19C2504B	-	-	-	-
GPS13C2505A	-	-	-	-	TOP01P2506A	0.12	0.02	39,207	0.12	JMT19C2506A	-	-	-	-
GPS13C2505B	-	-	-	-	TOP01P2508A	0.34	0.05	42,695	0.34	JMT19C2507A	0.25	-	81,360	0.26
GPS13C2506A	0.09	0.02	11,840	0.07	TOP13C2504A	-	-	-	-	JMT41C2505A	-	-	-	-
GPS13C2507A	0.24	0.03	98,231	0.24	TOP13C2504B	-	-	-	-	JMT41C2608T	0.28	0.01	39,470	0.28
GPS13P2505A	-	-	-	-	TOP13C2505A	-	-	-	-	KCAR	4.04	-	172	4.05
GPS13P2506A	0.16	(0.03)	38,018	0.18	TOP13C2505B	-	-	-	-	KGI	4.36	-	4,238	4.36
GPS19C2505A	-	-	-	-	TOP13C2505C	0.03	(0.02)	1,000	0.03	KTC	46.00	-	22,396	46.09
GPS19C2506A	-	-	-	-	TOP13C2506A	0.51	(0.16)	4,040	0.52	KTC01C2507A	0.15	-	16,234	0.15
GPS19C2506B	0.08	0.01	9,632	0.07	TOP13C2507A	0.15	(0.05)	82,910	0.15	KTC13C2506A	0.07	(0.01)	33,430	0.08
GPS19C2507A	0.21	0.02	161,568	0.21	TOP13P2505A	0.46	-	20	0.48	KTC19C2504A	-	-	-	-
GPS19P2506A	0.24	(0.04)	31,484	0.25	TOP13P2505B	0.11	0.03	52,174	0.10	KTC19C2507A	-	-	-	-
GPS41C2504A	0.01	-	200	0.01	TOP19C2504A	-	-	-	-	KTC41C2606T	0.23	-	6,000	0.23
GPS41C2505A	-	-	-	-	TOP19C2505A	0.01	-	3	0.01	MFC	25.00	(0.25)	179	25.08
GPS41C2606T	0.13	-	35,000	0.13	TOP19C2505B	0.07	(0.04)	40	0.07	MICRO	0.83	-	647	0.81
GREEN	0.78	0.01	43	0.78	TOP19P2505A	-	-	-	-	ML	0.37	-	731	0.36
GULFI	-	-	-	-	TOP41C2505A	-	-	-	-	MST	-	-	-	-
GUNKUL	1.65	0.02	83,994	1.65	TOP41C2506B	0.09	(0.05)	16,530	0.10	MTC	40.50	-	59,644	40.63
GUNKUL13C2504A	-	-	-	-	TOP41P2505A	-	-	-	-	MTC01C2504A	0.01	-	16	0.01
GUNKUL13C2505A	-	-	-	-	TPPP	2.26	0.02	16,712	2.26	MTC01C2506A	0.10	-	49,336	0.10
GUNKUL19C2504A	-	-	-	-	TSE	0.37	-	8,407	0.36	MTC01P2506A	0.36	-	21,318	0.35
GUNKUL19C2505A	-	-	-	-	TTW	8.85	0.05	2,263	8.84	MTC13C2505A	0.02	-	5	0.02
IRPC	0.96	(0.01)	106,359	0.96	UBE	0.52	0.01	4,477	0.52	MTC13C2506A	0.08	-	8,894	0.09
IRPC01C2504A	-	-	-	-	WHAUP	3.60	0.04	8,980	3.58	MTC13C2508A	0.31	(0.69)	35,961	0.32
IRPC19C2508A	0.24	(0.01)	3,198	0.25	WP	3.40	0.06	570	3.39	MTC13P2506A	0.24	(0.02)	19,148	0.24
KBSPIF	7.40	-	260	7.40	Media & Publishi	-	-	-	-	MTC19C2504A	-	-	-	-
LANNA	15.30	0.10	1,130	15.29	AMARIN	2.36	-	153	2.36	MTC19C2506A	-	-	-	-
MDX	2.92	0.04	2,118	2.89	AQUA	0.23	-	945	0.23	MTC19P2506A	0.26	(0.02)	45,834	0.26
NOVA	7.80	-	2	7.70	AS	2.44	0.02	3,029	2.46	MTC41C2505A	-	-	-	-
OR	11.10	0.60	394,547	10.98	BEC	3.86	0.06	1,918	3.84	MTC41C2606T	0.23	-	35,020	0.24
OR01C2505A	-	-	-	-	FE	187.00	(3.00)	8	187.00	NCAP	2.14	(0.06)	52,561	2.17
OR01C2507A	0.09	0.02	10,906	0.09	GPI	1.63	0.01	15,231	1.64	PL	1.02	0.01	582	1.02
OR01C2508A	0.19	0.05	52,738	0.17	GRAMMY	5.45	0.40	91	5.46	S11	2.80	-	247	2.77
OR13C2504A	-	-	-	-	JKN	-	-	-	-	SAK	4.00	(0.02)	22,974	4.00
OR13C2506A	0.02	0.01	2	0.02	MAJOR	10.70	(0.20)	5,803	10.71	SAWAD	28.75	(0.25)	57,936	28.87
OR13C2507A	0.09	0.03	17,611	0.08	MATCH	1.10	0.01	230	1.10	SAWAD-W2	0.23	(0.01)	1,377	0.23
OR13C2508A	0.21	0.05	161,908	0.20	MATI	4.88	(0.12)	7	4.89	SAWAD01C2504A	-	-	-	-
OR19C2504A	-	-	-	-	MCOT	3.18	-	5,670	3.21	SAWAD01C2506A	-	-	-	-
OR19C2505A	-	-	-	-	MONO	1.34	(0.01)	106,379	1.34	SAWAD01C2508A	0.10	-	44,095	0.10
OR19C2506A	0.06	-	42,490	0.06	NATION	0.03	-	7,241	0.03	SAWAD01P2505A	0.71	(0.01)	8,733	0.69
OR19C2508A	0.25	0.06	29,559	0.23	NATION-W4	-	-	-	-	SAWAD13C2505A	0.02	-	200	0.02
OR41C2505A	-	-	-	-	ONEE	2.60	0.02	15,461	2.60	SAWAD13C2506A	0.02	-	105	0.02
OR41C2605T	-	-	-	-	PLANB	5.70	(0.05)	119,580	5.75	SAWAD13C2507A	0.08	-	24,707	0.08
OR41C2608T	0.25	0.04	55,876	0.23	PLANB19C2508A	0.19	(0.01)	107,394	0.20	SAWAD13C2508A	0.16	(0.01)	225,852	0.17
PRIME	0.08	-	10,589	0.07	PLANB41C2606T	-	-	-	-	SAWAD13P2504A	-	-	-	-
PTG	7.00	(0.05)	31,622	7.08	PRAKIT	11.50	0.10	40	11.45	SAWAD19C2504A	-	-	-	-
PTT	32.50	-	309,663	32.46	PTECH	0.85	(0.02)	475	0.84	SAWAD19C2505A	-	-	-	-
PTT01C2505A	-	-	-	-	SE-ED	1.94	0.13	462	1.94	SAWAD19C2506A	-	-	-	-
PTT01C2508A	0.25	-	12,133	0.26	TGS	5.75	(0.05)	1,822	5.69	SAWAD19C2507A	0.10	(0.01)	26,944	0.11
PTT13C2508A	0.25	-	3,730	0.25	VGI	3.14	0.10	881,511	3.15	SAWAD19C2508A	0.20	(0.02)	219,540	0.21
PTT19C2505A	-	-	-	-	VGI-W3	0.05	-	27,877	0.06	SAWAD19P2504A	0.12	(0.04)	1	0.12
PTT41C2606T	0.30	-	1,891	0.30	VGI-W4	1.29	0.03	14,551	1.28	SAWAD41C2505A	-	-	-	-
PTTTP	118.00	(0.50)	35,388	118.14	VGI01C2505A	0.10	0.01	40,292	0.10	SAWAD41C2609T	0.26	-	54,500	0.26
PTTTP01C2504A	-	-	-	-	VGI01C2507A	0.39	0.03	61,455	0.40	SCAP	1.24	(0.01)	3,458	1.24
PTTTP01C2505A	0.10	(0.01)	18,266	0.10	VGI13C2504A	0.11	0.03	240	0.11	SGC	0.94	-	81,864	0.95
PTTTP01C2507A	0.38	(0.02)	34,045	0.38	VGI13C2505A	0.08	0.02	7,732	0.08	SGC-W1	0.11	-	7,179	0.10
PTTTP01P2506A	0.16	-	15,656	0.16	VGI13C2507A	0.25	0.03	119,213	0.25	SGC-W2	0.28	-	2,351	0.28
PTTTP13C2504A	-	-	-	-	VGI13P2504A	-	-	-	-	SM	0.82	0.02	291	0.81
PTTTP13C2505A	-	-	-	-	VGI19C2504A	0.04	(0.03)	651	0.04	TH	0.61	0.01	8,753	0.61
PTTTP13C2507A	0.26	(0.02)	29,822	0.26	VGI19C2505A	0.09	-	701	0.08	TH-W3	0.04	-	61	0.03
PTTTP13C2507B	0.46	(0.02)	242	0.49	VGI19C2507A	0.25	0.03	131,992	0.26	THANI	1.68	-	19,214	1.69
PTTTP13P2506A	0.23	-	3,248	0.23	VGI41C2505A	-	-	-	-	TIDLOR	14.80	0.20	32,758	14.86
PTTTP19C2504A	-	-	-	-	VGI41C2606T	0.28	0.01	44,037	0.28	TIDLOR01C2506A	-	-	-	-
PTTTP19C2505A	0.05	-	297	0.05	WORK	5.15	-	775	5.17	TIDLOR13C2504A	-	-	-	-
PTTTP19C2507A	0.39	(0.02)	400	0.40	ZAA	0.75	0.02	862	0.74	TIDLOR13C2505A	0.05	(0.01)	29	0.05
PTTTP41C2504A	-	-	-	-	Finance & Secur	-	-	-	-	TIDLOR19C2504A	-	-	-	-
PTTTP41C2505A	-	-	-	-	AEONTS	112.50	0.50	3,988	114.07	TIDLOR19C2505A	0.02	(0.01)	510	0.02
PTTTP41C2507A	0.32	(0.01)	18,095	0.32	AMANAH	0.84	-	3,643	0.84	TIDLOR19C2505B	-	-	-	-
PTTTP41C2604T	-	-	-	-	ASAP	1.42	0.06	14	1.42	TIDLOR41C2605T	-	-	-	-
PTTTP41P2506A	0.17	-	5	0.17	ASK	7.15	0.05	884	7.12	TK	3.66	0.04	223	3.62
RATCH	25.75	-	7,769	25.78	ASP	2.02	0.02	5,415	2.02	TNITY	2.96	-	406	2.96
RATCH19C2506A	0.08	(0.01)	2,000	0.08	BAM	6.40	0.05	54,411	6.39	TNL	-	-	-	-
RPC	0.27	0.01	3,855	0.26	BAM01C2504A	0.02	0.01	1,581	0.01	UOBKH	5.30	0.20	1,005	5.30
SCG	2.90	0.08	60	3.00	BAM01C2506A	0.18	0.01	12,297	0.18	XPG	0.81	-	18,347	0.80
SCN	0.47	0.02	1,782	0.46	BAM13C2504A	-	-	-	-	Food & Beverage	-	-	-	-
SCN-W2	0.05	0.02	1,293	0.04	BAM13C2505A	-	-	-	-	AAI	5.55	(0.05)	28,467	5.56
SEAOIL	2.48	-	62	2.49	BAM13C2506A	0.19	0.01							

Main Board Quotation

Issue Date :

Wednesday March 26, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CBG01P2506A	1.10	(0.05)	7,432	1.15	TIPCO	9.45	-	1,138	9.47	CENTEL01C2504A	-	-	-	-
CBG01P2507A	0.62	(0.03)	31,859	0.65	TKN	8.20	0.10	12,194	8.13	CENTEL01C2508A	0.15	(0.01)	30,114	0.15
CBG13C2505A	-	-	-	-	TU	11.30	-	54,612	11.29	CENTEL13C2504A	-	-	-	-
CBG13C2506A	0.04	-	1,000	0.04	TU01C2505A	-	-	-	-	CENTEL13C2506A	0.08	(0.01)	16,216	0.08
CBG13C2507A	0.20	-	64,749	0.20	TU01C2506A	-	-	-	-	CENTEL19C2504A	-	-	-	-
CBG13P2504A	0.13	(0.03)	8,490	0.14	TU01C2508A	0.15	-	4,883	0.15	CENTEL19C2506A	0.15	-	70,550	0.14
CBG19C2504A	-	-	-	-	TU13C2504A	-	-	-	-	CENTEL41C2504A	-	-	-	-
CBG19C2506A	-	-	-	-	TU13C2505A	-	-	-	-	CENTEL41C2606T	0.26	0.03	42,060	0.26
CBG19C2506B	-	-	-	-	TU19C2504A	-	-	-	-	CSR	84.00	(2.00)	4	81.06
CBG19C2508A	0.34	-	80,523	0.34	TU19C2505A	-	-	-	-	DUSIT	8.75	(0.05)	605	8.78
CBG19P2507A	0.67	(0.02)	25,533	0.68	TU19C2506A	-	-	-	-	ERW	2.72	(0.02)	280,581	2.70
CBG41C2505A	-	-	-	-	TU41C2506A	-	-	-	-	ERW01C2504A	0.01	-	4,641	0.01
CBG41C2608T	0.24	(0.01)	40,400	0.24	TU41C2609T	-	-	-	-	ERW01C2507A	0.09	-	1,858	0.08
CFRESH	1.11	(0.02)	1,808	1.11	TVO	22.20	(0.20)	7,580	21.98	ERW13C2505A	-	-	-	-
CH	2.08	-	245	2.06	TWPC	2.38	0.02	942	2.35	ERW13C2507A	0.07	(0.01)	6,908	0.07
CHAO	4.70	(0.10)	8,466	4.74	XBIO	0.15	-	24,725	0.15	ERW19C2506A	-	-	-	-
CHOTI	65.00	-	9	65.03	XBIO-W6	0.03	-	3,441	0.03	ERW41C2606T	0.13	-	49,880	0.13
CM	1.70	-	8	1.70	XBIO-W7	0.01	-	414	0.01	GRAND	0.05	-	4,824	0.04
COCOCO	7.00	(0.10)	62,267	7.05	ZEN	6.30	-	40	6.30	LRH	38.50	0.50	9	38.47
COCOCO13C2505A	-	-	-	-	Health Care Sen	-	-	-	-	MANRIN	-	-	-	-
COCOCO19C2506A	-	-	-	-	AHC	13.80	-	16	13.83	MINT	26.75	0.25	93,658	26.86
CPF	24.30	0.20	180,919	24.24	BCH	14.40	(0.10)	63,487	14.43	MINT01C2504A	-	-	-	-
CPF01C2504A	-	-	-	-	BCH01C2508A	0.13	(0.02)	25,890	0.14	MINT01C2506A	-	-	-	-
CPF01C2508A	0.64	0.02	11,672	0.64	BCH13C2504A	-	-	-	-	MINT01C2507A	0.13	0.02	17,442	0.12
CPF13C2504A	-	-	-	-	BCH13C2507A	0.10	(0.01)	15,489	0.11	MINT13C2505A	-	-	-	-
CPF13C2505A	0.12	0.01	22,448	0.12	BCH19C2505A	-	-	-	-	MINT13C2506A	-	-	-	-
CPF13C2506A	0.44	0.02	53,891	0.43	BCH19C2505B	-	-	-	-	MINT13C2506B	0.13	-	24,454	0.14
CPF19C2504A	-	-	-	-	BCH19C2508A	0.15	(0.02)	21,372	0.15	MINT19C2504A	-	-	-	-
CPF19C2505A	-	-	-	-	BCH41C2506A	-	-	-	-	MINT19C2506A	0.43	0.04	7	0.42
CPF41C2505A	-	-	-	-	BDMS	22.40	(0.20)	460,141	22.46	MINT19C2508A	0.16	0.01	32,687	0.16
CPF41C2505B	0.11	0.01	3,000	0.11	BDMS01C2504A	-	-	-	-	MINT41C2504A	-	-	-	-
CPF41C2612T	0.59	0.01	48,000	0.59	BDMS01C2506A	0.10	-	8,620	0.10	MINT41C2604T	-	-	-	-
CP1	2.78	(0.02)	1,242	2.77	BDMS01C2508A	0.07	-	23,012	0.07	MINT41C2612T	0.24	0.01	6,540	0.25
F&D	40.00	(0.50)	6	39.17	BDMS13C2504A	-	-	-	-	OHTL	323.00	1.00	1	323.00
FM	3.90	-	52,881	3.92	BDMS13C2505A	-	-	-	-	ROH	1.90	0.03	1	1.90
GLOCON	0.16	0.01	216,977	0.16	BDMS13C2508A	0.28	(0.02)	17,116	0.29	SHANG	-	-	-	-
HTC	16.40	(0.10)	1,103	16.47	BDMS19C2504A	-	-	-	-	SHR	1.97	(0.01)	21,066	1.98
ICHI	12.20	(0.20)	89,559	12.18	BDMS19C2505A	0.02	(0.01)	1,560	0.02	SPA	4.64	(0.04)	37,320	4.63
ICHI13C2504A	-	-	-	-	BDMS41C2505A	-	-	-	-	VRANDA	4.66	-	345	4.62
ITC	14.90	(1.20)	238,099	15.14	BDMS41C2609T	-	-	-	-	Home & Office Produ	-	-	-	-
ITC01C2504A	0.01	-	1,450	0.01	BH	173.00	(2.00)	22,004	173.90	AJA	0.12	-	8,139	0.11
ITC01C2506A	0.07	(0.06)	10,269	0.11	BH-P	-	-	-	-	AJA-W4	-	-	-	-
ITC13C2504A	-	-	-	-	BH-Q	-	-	-	-	DTCI	-	-	-	-
ITC13C2506A	0.05	(0.05)	2,175	0.06	BH01C2504A	-	-	-	-	FANCY	0.43	0.03	8,884	0.41
ITC19C2505A	-	-	-	-	BH01C2505A	0.06	(0.02)	800	0.06	FTI	1.92	0.02	851	1.92
ITC19C2506A	0.08	(0.06)	12,005	0.11	BH01C2506A	-	-	-	-	KYE	300.00	1.00	12	299.33
ITC41C2505A	-	-	-	-	BH01C2507A	0.46	(0.03)	19,605	0.49	L&E	1.21	0.01	265	1.18
ITC41C2612T	0.34	(0.07)	89,330	0.36	BH01P2504A	0.10	-	3,845	0.10	MODERN	2.24	0.02	60	2.24
JDF	2.00	0.01	522	1.99	BH01P2507A	0.47	0.02	7,320	0.45	OGC	9.65	(0.05)	9	9.66
KBS	5.55	(0.15)	3,879	5.60	BH06C2503A	-	-	-	-	ROCK	12.80	(0.20)	4	12.90
KCG	8.25	0.10	6,790	8.27	BH13C2504A	-	-	-	-	SIAM	0.75	-	1,438	0.75
KSL	1.51	0.03	4,126	1.50	BH13C2504B	-	-	-	-	TCMC	0.41	-	222	0.41
KTIS	2.60	0.02	322	2.55	BH13C2505A	0.02	(0.01)	10	0.02	TSR	0.21	(0.01)	5,764	0.25
LST	4.76	0.04	127	4.74	BH13C2506A	0.24	(0.03)	43,182	0.25	TSR-W2	0.01	-	3,394	0.01
M	19.00	0.30	11,422	18.98	BH19C2504A	-	-	-	-	Insurance	-	-	-	-
MALEE	6.45	0.10	3,376	6.46	BH19C2504B	-	-	-	-	AYUD	32.00	(0.25)	27	31.76
NRF	0.52	0.01	3,113	0.52	BH19C2505A	-	-	-	-	BKIH	292.00	1.00	84	291.02
NSL	29.75	-	3,279	29.85	BH19C2506A	-	-	-	-	BLA	19.00	(0.10)	9,203	19.12
OKJ	8.90	0.35	39,329	8.76	BH19C2506B	0.19	(0.03)	12,153	0.22	BLA01C2508A	0.27	(0.01)	36,064	0.28
OSP	14.40	0.20	78,267	14.41	BH19C2508A	0.57	(0.05)	20,383	0.60	BLA13C2504A	0.01	-	2	0.01
OSP01C2504A	-	-	-	-	BH19P2504A	0.20	0.01	27,513	0.19	BLA13C2507A	0.15	-	1,380	0.15
OSP01C2507A	0.14	0.02	22,378	0.13	BH41C2504A	-	-	-	-	BLA19C2506A	0.13	-	8,820	0.14
OSP01P2507A	0.28	(0.02)	31,211	0.28	BH41C2505A	-	-	-	-	BLA41C2606T	0.31	(0.01)	37,760	0.32
OSP13C2505A	0.01	-	1	0.01	BH41C2605T	0.11	-	200	0.11	BUI	21.10	(0.10)	507	21.18
OSP13C2506A	-	-	-	-	BH41C2609T	0.31	(0.01)	2,700	0.32	CHARAN	18.10	(0.80)	17	18.22
OSP13C2506B	0.06	-	10,008	0.06	BH41P2504A	-	-	-	-	INSURE	96.50	-	26	96.51
OSP13C2507A	0.15	0.01	37,075	0.15	BH41P2508A	-	-	-	-	KWI	-	-	-	-
OSP19C2506A	-	-	-	-	BKGI	2.00	0.02	4,765	2.00	MTI	109.00	-	7	109.36
OSP19C2506B	-	-	-	-	CHG	1.79	(0.01)	131,439	1.79	NKI	-	-	-	-
OSP19C2506C	-	-	-	-	CHG13C2504A	-	-	-	-	TGH	-	-	-	-
OSP41C2505A	-	-	-	-	CHG19C2505A	-	-	-	-	THRE	0.45	-	6,125	0.45
OSP41C2606T	-	-	-	-	CMR	1.34	-	1,410	1.32	THREL	1.50	(0.07)	2,755	1.51
PB	55.00	-	50	54.23	EKH	6.40	(0.05)	15,062	6.40	TIPH	20.40	-	3,251	20.24
PLUS	3.74	-	927	3.75	KDH	90.00	-	15	89.87	TLI	11.70	-	65,476	11.72
PM	10.40	(0.10)	3,433	10.46	LPH	3.86	0.02	104	3.86	TLI01C2507A	0.21	-	47,500	0.21
PQS	2.36	0.02	4,364	2.37	M-CHAI	20.00	-	50	19.91	TLI06C2503A	-	-	-	-
PRG	-	-	-	-	MASTER	24.50	(2.25)	56,530	25.14	TLI13C2505A	0.10	-	31,610	0.10
PRG-W2	-	-	-	-	MEDEZE	8.10	-	32,018	8.18	TLI19C2506A	0.18	(0.01)	31,297	0.19
PRG-W3	3.32	0.12	2	3.32	NEW	-	-	-	-	TLI41C2606T	0.29	-	10,000	0.29
PRG-W4	-	-	-	-	NKT	4.70	(0.08)	3,941	4.73	TQM	15.40	0.10	1,409	15.32
PRG-W5	-	-	-	-	NTV	28.00	-	49	27.92	TSI	0.05	(0.01)	4,538	0.05
RBF	4.70	(0.08)	30,640	4.76	PHG	13.80	(0.20)	683	13.87	TVH	8.30	0.15	63	8.30
RBF01C2504A	-	-	-	-	PR9	20.70	(0.10)	20,710	20.66	Packaging	-	-	-	-
RBF13C2504A	-	-	-	-	PR901C2507A	0.15	-	15,440	0.15	AJ	-2.44	(0.02)	2,250	-2.46
RBF13C2507A	-	-	-	-	PR913C2505A	-	-	-	-	ALUCON	178.00	-	64	177.83
RBF19C2505A	-	-	-	-	PR913C2506A	-	-	-	-	BGC	5.70	0.05	591	5.65
RBF19C2508A	0.06	(0.01)	500	0.06	PR919C2506A	-	-	-	-	CSC	43.00	(0.25)	8	43.09
SAPPE	35.50	(0.25)	12,441	35.79	PRINC	2.42	(0.02)	2,086	2.44	CSC-P	-	-	-	-
SAPPE01C2504A	-	-	-	-	RAM	18.00	0.10	87	18.06	CSC-Q	-	-	-	-
SAPPE13C2507A	0.10	-	5,308	0.10	RJH	14.90	-	3,882	14.95	NEP	0.24	-	1	0.24
SAPPE19C2508A	0.33	-	2,860	0.33	RPH	5.35	-	818	5.35	PJW	2.26	0.02	2,606	2.26
SALUCE	38.25	-	36	38.41	SAFE	9.05	-	252	9.06	PTL	10.70	-	496	10.71
SNNP	12.00	(0.10)	11,164	12.09	SKR	7.80	-	445	7.80	SCGP	14.00	0.10	128,023	14.02
SNP	11.40	(0.10)	548	11.40	THG	8.70	0.10	4,894	8.69	SCGP01C2504A	-	-	-	-
SORKON	4.44	(0.02)												

Main Board Quotation

Issue Date :

Wednesday March 26, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCGP13C2507A	0.16	-	97,068	0.16	CMC	0.86	-	24	0.86	SABINA	19.10	0.10	1,084	19.03
SCGP13P2504A	-	-	-	-	CPN	49.75	(0.25)	77,562	49.69	SAWANG	10.00	(1.00)	2	10.00
SCGP13P2504B	-	-	-	-	CPN01C2505A	-	-	-	-	SUC	31.50	-	676	31.34
SCGP13P2506A	0.34	(0.04)	35	0.34	CPN01C2506A	0.15	(0.02)	3,920	0.15	TR	33.50	(3.50)	11	34.59
SCGP19C2504A	-	-	-	-	CPN13C2504A	-	-	-	-	TTI	-	-	-	-
SCGP19C2505A	-	-	-	-	CPN13C2505A	-	-	-	-	TTT	-	-	-	-
SCGP19C2506A	-	-	-	-	CPN13C2507A	0.19	(0.01)	33,992	0.19	UPF	30.00	-	50	30.00
SCGP19C2506B	0.04	-	5	0.04	CPN19C2504A	-	-	-	-	WACOAL	21.90	(0.70)	17	21.90
SCGP19C2507A	0.26	-	64,324	0.27	CPN19C2505A	-	-	-	-	WFX	1.05	0.01	850	1.04
SCGP19P2505A	-	-	-	-	CPN19C2508A	0.27	(0.01)	93,828	0.27	Transportation & Log	-	-	-	-
SCGP41C2505A	-	-	-	-	CPN41C2504A	-	-	-	-	AAV	1.78	-	462,585	1.78
SCGP41C2606T	0.16	-	10,000	0.16	CPN41C2505A	-	-	-	-	AAV13C2504A	-	-	-	-
SFLEX	2.86	-	6,109	2.86	CPN41C2608T	0.33	(0.01)	13,000	0.33	AAV13C2506A	-	-	-	-
SFLEX-W2	0.05	-	2,848	0.05	ESTAR	0.19	-	5,232	0.19	AAV19C2505A	-	-	-	-
SITHAI	1.09	(0.01)	602	1.10	EVER	0.07	-	2,171	0.06	AAV19C2507A	0.09	(0.01)	3,704	0.09
SLP	0.43	-	1,512	0.44	FPT	6.90	(0.05)	13	6.88	AAV41C2505A	-	-	-	-
SMPC	9.00	-	375	9.00	GLAND	1.01	(0.01)	1	1.01	AAV41C2608T	0.17	-	19,008	0.17
SPACK	1.42	0.04	3,382	1.48	J	0.99	(0.01)	327	0.98	ANI	2.70	-	358	2.68
TCOAT	25.00	0.20	2	25.00	J-W3	0.13	-	140	0.13	AOT	40.00	-	135,911	39.91
TFI	0.05	-	4	0.05	J-W4	0.15	(0.08)	36	0.16	AOT01C2504A	0.01	(0.01)	18	0.01
TFI-W1	-	-	-	-	JCK	0.17	-	9,063	0.17	AOT01C2506A	-	-	-	-
THIP	26.25	-	55	26.10	KC	0.05	-	2,285	0.05	AOT01C2507A	0.11	(0.01)	23,700	0.11
TMD	24.30	0.30	201	23.74	KUN	1.19	-	179	1.15	AOT01C2507B	0.25	-	17,696	0.24
TOPP	155.00	-	1	155.00	KUN-W2	-	-	-	-	AOT01P2507A	-	-	-	-
TPAC	8.00	(0.05)	1,059	8.02	LALIN	5.30	(0.05)	1,767	5.31	AOT01P2507B	0.41	-	6,937	0.41
TPBI	4.02	-	1,563	4.00	LHL	4.38	0.08	351,884	4.39	AOT11C2507A	0.23	-	10,292	0.22
TPP	12.20	(0.10)	99	12.20	LH19C2504A	-	-	-	-	AOT13C2504A	-	-	-	-
Personal Products					LPN	2.06	(0.02)	8,299	2.06	AOT13C2506A	0.01	-	1,081	0.01
APCO	3.38	0.10	432	3.31	MBK	17.10	-	5,767	17.10	AOT13C2507A	0.02	-	31	0.01
BIZ	3.34	0.04	535	3.34	MBK-W4	14.60	-	30	14.60	AOT13C2507B	0.10	(0.01)	10,697	0.10
BLC	4.10	0.06	7,694	4.06	MBK19C2508A	-	-	-	-	AOT13C2507C	-	-	-	-
DDD	6.45	0.15	158	6.28	MJD	0.68	0.03	20,179	0.72	AOT13C2508A	0.25	-	32,520	0.25
IP	3.56	(0.02)	15,820	3.63	MK	1.42	-	148	1.40	AOT13P2507A	-	-	-	-
IP-W2	0.11	(0.02)	17,183	0.13	NCH	0.66	-	272	0.65	AOT13P2507B	0.31	(0.01)	6,808	0.32
JCT	78.75	-	2	79.00	NNCL	1.63	-	1,740	1.63	AOT19C2504A	-	-	-	-
KISS	4.00	0.08	1,859	3.96	NOBLE	2.46	-	8,739	2.45	AOT19C2506A	0.01	-	30	0.01
NAM	4.28	-	218	4.27	NVD	1.21	(0.01)	349	1.22	AOT19C2507A	-	-	-	-
NEO	28.75	(1.00)	7,771	29.06	ORI	2.50	(0.04)	41,055	2.52	AOT19C2507B	-	-	-	-
NV	0.87	0.17	99,869	0.86	ORN	0.73	(0.01)	14,142	0.74	AOT19C2508A	0.25	-	35,072	0.25
OCC	-	-	-	-	PEACE	2.40	-	83	2.33	AOT19P2507A	0.32	-	1,847	0.31
S&J	-	-	-	-	PF	0.11	0.01	154,052	0.11	AOT41C2505A	-	-	-	-
SNPS	5.40	0.10	43,907	5.33	PIN	6.40	0.05	11,590	6.43	AOT41C2507A	0.12	-	8,000	0.12
STGT	7.30	0.10	32,455	7.24	PLAT	1.56	-	1,013	1.56	AOT41C2605T	-	-	-	-
STGT01C2504A	0.02	-	3,904	0.01	PRECHA	0.41	0.01	398	0.41	AOT41P2504A	-	-	-	-
STGT13C2504A	-	-	-	-	PRIN	1.62	(0.04)	25	1.61	AOT41P2606T	-	-	-	-
STGT13C2506A	-	-	-	-	PROUD	1.32	(0.01)	625	1.31	ASIMAR	1.41	(0.01)	1,059	1.41
STGT19C2504A	-	-	-	-	PSH	5.15	0.10	4,444	5.16	B	0.05	(0.01)	43,033	0.05
STGT19C2504B	-	-	-	-	QH	1.60	0.03	115,837	1.59	B-W8	0.01	-	16	0.01
STGT19C2509A	0.37	0.01	8,173	0.37	RABBIT	0.33	-	13,301	0.33	BA	18.70	(0.10)	50,678	18.98
STGT41C2606T	0.16	-	6,000	0.16	RABBIT-P	0.51	0.02	35,830	0.49	BA01C2504A	-	-	-	-
TMAN	11.70	(0.10)	2,237	11.76	RABBIT-Q	-	-	-	-	BA01C2508A	0.32	(0.01)	30,753	0.34
TNR	7.65	(0.05)	165	7.68	RICHY	0.34	(0.01)	3,253	0.35	BA13C2504A	-	-	-	-
TOG	8.95	(0.05)	630	9.00	RML	0.17	-	840	0.17	BA13C2506A	0.14	(0.01)	32,703	0.16
Professional Service					ROJNA	5.80	-	25,201	5.78	BA19C2507A	0.19	(0.01)	19,232	0.22
BWG	0.27	0.01	181,087	0.27	S	0.67	(0.01)	16,096	0.67	BA41C2606T	0.18	-	4,000	0.18
BWG-W6	0.01	-	10	0.01	SA	7.25	(0.05)	817	7.25	BEM	5.50	0.10	307,959	5.47
GENCO	0.29	-	2,083	0.27	SA-W1	0.01	-	30	0.01	BEM13C2505A	-	-	-	-
PRTR	3.78	0.02	1,223	3.77	SAMCO	0.73	(0.01)	404	0.74	BEM13C2506A	-	-	-	-
SISB	17.10	-	20,677	17.04	SC	2.50	0.02	14,947	2.50	BEM13C2508A	0.15	0.01	1,531	0.15
SISB13C2504A	-	-	-	-	SENA	2.12	-	1,471	2.10	BEM19C2505A	-	-	-	-
SISB13C2506A	-	-	-	-	SIRI	1.59	0.01	223,309	1.59	BEM41C2606T	-	-	-	-
SISB13C2506B	-	-	-	-	SIRI01C2504A	-	-	-	-	BTS	5.40	0.10	371,200	5.44
SISB19C2507A	-	-	-	-	SIRI13C2508A	0.21	(0.01)	6,103	0.21	BTS-W8	0.04	-	6,092	0.04
SO	4.28	0.08	31	4.27	SIRI19C2508A	0.24	-	43,396	0.24	BTS01C2504A	-	-	-	-
WAVE	0.04	(0.03)	674,747	0.05	SIRI41C2606T	0.27	(0.01)	8,000	0.27	BTS01C2507A	-	-	-	-
WAVE-W3	0.01	-	3	0.01	SPALI	17.20	0.20	34,346	17.18	BTS01C2508A	0.18	0.02	48,440	0.18
WAVE-W4	0.02	(0.01)	33,902	0.01	SPALI13C2507A	0.24	0.01	13,537	0.24	BTS01P2504A	-	-	-	-
Property Developme					SPALI19C2504A	-	-	-	-	BTS01P2505A	0.16	(0.04)	31,777	0.16
A	4.82	0.08	2	4.81	SPALI19C2509A	0.37	0.02	27,932	0.37	BTS13C2505A	0.02	0.01	110	0.02
A5	2.40	0.04	2	2.40	STELLA	0.16	(0.01)	31,351	0.17	BTS13C2507A	0.09	0.01	11,079	0.10
A5-W4	0.03	-	42,127	0.03	STELLA-W5	0.01	-	300	0.01	BTS13C2508A	0.19	(0.01)	41,298	0.20
AKS	0.01	-	7,236	0.01	STELLA-W6	0.06	-	7,457	0.06	BTS13P2505A	0.10	(0.02)	13,670	0.10
AMATA	21.60	0.60	73,302	21.45	UV	1.08	-	2,726	1.08	BTS19C2505A	0.05	0.02	1	0.05
AMATA01C2507A	-	-	-	-	WHA	3.60	0.04	304,522	3.60	BTS19C2508A	0.15	0.01	76,160	0.16
AMATA01C2508A	0.25	0.03	38,767	0.24	WHA01C2504A	-	-	-	-	BTS19P2508A	0.27	(0.73)	18,850	0.27
AMATA13C2505A	-	-	-	-	WHA01C2506A	0.01	-	164	0.01	BTS41C2504A	-	-	-	-
AMATA13C2506A	-	-	-	-	WHA01C2507A	0.04	-	7	0.04	BTS41C2504B	-	-	-	-
AMATA13C2506B	0.13	0.01	22,410	0.13	WHA01C2508A	0.37	0.01	21,771	0.37	BTS41C2608T	0.17	-	13,599	0.17
AMATA13C2508A	0.39	0.05	40,648	0.38	WHA13C2504A	-	-	-	-	BTS41C2608T	2.84	(0.02)	15,587	2.85
AMATA19C2505A	-	-	-	-	WHA13C2505A	-	-	-	-	DMT	10.20	0.10	8,021	10.12
AMATA19C2508A	0.30	0.04	35,418	0.29	WHA13C2506A	0.01	(0.01)	6	0.01	ETL	0.55	0.01	11,295	0.55
AMATA41C2505A	-	-	-	-	WHA13C2506B	-	-	-	-	III	4.78	(0.02)	1,985	4.78
AMATA41C2608T	0.21	0.01	9,522	0.21	WHA13C2507A	0.18	0.01	18,927	0.18	KEX	1.05	(0.12)	242,577	1.10
AMATAV	3.62	(0.02)	117	3.65	WHA13C2507B	0.32	0.01	29,305	0.32	KIAT	0.30	-	10,746	0.30
ANAN	0.63	0.03	100,347	0.63	WHA19C2504A	-	-	-	-	KWC	-	-	-	-
AP	8.70	0.05	43,656	8.70	WHA19C2506A	-	-	-	-	MENA	1.05	-	4,596	1.06
AP01C2507A	0.33	0.01	1,689	0.33	WHA19C2507A	0.23	0.02	92,242	0.23	NYT	3.38	-	10,440	3.39
ASW	6.55	-	1,413	6.52	WHA41C2605T	-	-	-	-	PORT	1.00	-	403	0.99
AWC	2.66	-	528,376	2.66	WHA41C2608T	0.20	-	5,000	0.20	PRM	6.65	0.05	81,295	6.66
AWC01C2504A	-	-	-	-	WIN	0.35	-	3,863	0.34	PSL	6.60	(0.10)	8,787	6.66
AWC01C2506A	0.03	(0.01)	50	0.03	Paper & Printing	-	-	-	-	RCL	23.80	0.40	18,193	23.89
AWC01C2508A	0.15	-	70,123	0.15	UTP	7.90	-	401	7.93	RCL01C2505A	-	-	-	-
AWC13C2504A	-	-	-	-	Fashion	-	-	-	-	RCL01C2507A	0.17	0.01	22,163	0.17
AWC13C2506A	-	-	-	-	AFC									

Main Board Quotation

Issue Date :

Wednesday March 26, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TFIF	6.20	-	4,996	6.17	TU-PF	-	-	-	-	DJI28C2506A	0.11	-	8,422	0.11
THAI	-	-	-	-	WHABT	7.05	0.05	1	7.05	DJI28P2506A	0.60	(0.01)	2,343	0.60
TSTE	13.20	-	123	13.20	WHAIR	5.70	0.05	1,589	5.66	DJI41C2506A	-	-	-	-
TTA	4.34	-	14,161	4.35	WHART	10.10	-	3,921	10.13	DJI41C2506B	0.70	(0.01)	2,450	0.70
WICE	2.78	(0.02)	980	2.77	Steel and Metal	-	-	-	-	DJI41P2506A	0.48	-	1,041	0.47
Automotive	-	-	-	-	2S	2.12	(0.08)	323	2.17	GEELY41C2506A	0.24	0.03	15	0.25
ACG	0.71	-	238	0.70	AMC	1.96	-	62	1.96	HSI06C2503A	-	-	-	-
AH	12.80	-	520	12.75	BSBM	0.69	(0.02)	1,168	0.70	HSI06C2503B	0.55	(0.77)	208	0.55
CWT	0.55	-	2,460	0.56	CEN	1.84	(0.01)	40	1.84	HSI06C2503C	0.01	(0.01)	16,624	0.01
EASON	1.07	(0.01)	696	1.07	CEN-W5	0.09	-	1,566	0.08	HSI06C2503D	0.02	0.01	520	0.01
GYT	174.00	(1.00)	25	172.54	CITY	-	-	-	-	HSI06C2503E	-	-	-	-
HFT	3.80	(0.02)	3,067	3.80	CSP	0.48	(0.01)	573	0.48	HSI06C2503F	-	-	-	-
IHL	1.51	(0.02)	1,047	1.49	GJS	0.14	-	1,183	0.13	HSI06C2503G	-	-	-	-
INGRS	0.24	(0.01)	1,622	0.24	GSTEEL	-	-	-	-	HSI06C2504A	0.93	0.02	105	0.93
IRC	11.50	-	35	11.45	INOX	0.43	0.01	1,325	0.42	HSI06C2504B	-	-	-	-
MGC	3.26	0.02	1,711	3.22	LHK	3.24	(0.02)	560	3.24	HSI06C2504C	0.50	-	208,557	0.50
NEX	0.68	(0.01)	21,925	0.69	MCS	7.25	0.05	1,396	7.20	HSI06C2504D	0.28	(0.01)	299,800	0.28
PCSGH	3.54	-	96	3.53	MILL	-	-	-	-	HSI06C2504E	0.13	(0.01)	100,428	0.14
POLY	6.70	(0.30)	1,225	6.71	PAP	1.56	(0.02)	97	1.58	HSI06C2505A	-	-	-	-
SAT	11.10	(0.30)	6,147	11.18	PERM	0.37	(0.01)	984	0.36	HSI06C2505B	0.46	-	35,107	0.46
SPG	13.60	(0.40)	1	13.60	SAM	0.15	-	642	0.15	HSI06C2505C	0.24	-	25,004	0.23
STANLY	219.00	(2.00)	13	219.92	SMIT	3.92	-	169	3.92	HSI06C2505D	0.14	0.01	59,914	0.13
TKT	1.05	-	3,278	1.11	SSSC	2.20	-	544	2.20	HSI06C2506A	-	-	-	-
TNPC	0.85	-	112	0.84	TGPRO	0.07	-	22,775	0.07	HSI06C2506B	-	-	-	-
TRU	3.28	-	1,482	3.28	THE	0.72	-	10	0.72	HSI06C2506C	0.58	0.01	37,769	0.57
TSC	13.00	(0.20)	107	12.79	TMT	3.40	0.02	342	3.38	HSI06C2506D	0.38	(0.02)	60,595	0.38
Industrial Materials	-	-	-	-	TSTH	0.49	-	3,498	0.49	HSI06C2506E	0.19	(0.01)	26,969	0.20
AKR	1.01	-	21,751	1.01	TWP	-	-	-	-	HSI06C2507A	0.43	-	45,507	0.43
ALLA	1.34	-	1,270	1.34	TYCN	1.76	-	102	1.67	HSI06P2503A	0.02	0.01	1	0.02
ASEFA	2.92	-	382	2.91	Construction Ser	-	-	-	-	HSI06P2503B	0.01	-	71	0.01
CPT	0.96	(0.02)	672	0.97	APCS	1.40	-	37	1.43	HSI06P2503C	-	-	-	-
CRANE	0.48	(0.01)	7,802	0.49	BJCHI	0.70	-	468	0.71	HSI06P2503D	0.02	-	1	0.02
CTW	2.78	-	400	2.77	BKD	1.23	-	117	1.23	HSI06P2503E	0.01	(0.01)	400	0.01
FMT	28.00	(0.50)	5	28.15	CIVIL	1.61	0.02	2,334	1.60	HSI06P2503F	0.01	-	2	0.01
FTE	1.65	0.02	7,970	1.65	CK	14.40	-	21,761	14.35	HSI06P2503G	0.01	-	290	0.01
HTECH	3.32	0.08	6,435	3.29	CNT	0.97	(0.01)	11	0.98	HSI06P2504A	0.01	-	709	0.01
KKC	-	-	-	-	DEMCO	2.00	(0.02)	346	2.01	HSI06P2504B	-	-	-	-
PCC	2.62	-	2,671	2.61	EMC	0.07	-	36,404	0.06	HSI06P2504C	-	-	-	-
PK	0.41	0.01	901	0.40	EMC-W7	0.04	-	21,550	0.04	HSI06P2504D	-	-	-	-
PSP	4.06	(0.04)	124	4.06	ITD	0.28	(0.01)	36,137	0.27	HSI06P2504E	0.06	(0.01)	841	0.06
QTC	3.94	(0.04)	632	3.85	IRD	1.50	0.01	1,185	1.49	HSI06P2504F	0.12	(0.03)	141,382	0.13
SCI	0.78	-	4,869	0.77	NL	1.04	0.07	86,279	1.07	HSI06P2504G	0.27	(0.04)	136,426	0.28
SE	0.46	0.01	1,381	0.45	NWR	-	-	-	-	HSI06P2504H	0.59	(0.06)	69,794	0.60
SELIC	2.78	-	18	2.78	PLE	0.21	(0.04)	70,319	0.21	HSI06P2505A	0.09	-	6	0.09
SNC	6.30	0.10	431	6.26	PREB	3.80	-	756	3.78	HSI06P2505B	0.18	(0.01)	67,603	0.18
TCJ	-	-	-	-	PYLON	1.87	-	574	1.85	HSI06P2505C	0.27	(0.02)	42,201	0.29
TPCS	11.70	(1.90)	56	11.87	RT	0.29	(0.01)	1,207	0.29	HSI06P2505D	0.57	(0.03)	54,418	0.58
VARO	4.80	0.20	1	4.80	SEAFCO	2.00	0.03	1,068	1.98	HSI06P2506A	0.07	-	131	0.06
Property Fund & REI	-	-	-	-	SQ	0.89	0.09	47,282	0.86	HSI06P2506B	0.10	-	48,031	0.10
AIMCG	2.24	0.02	1,293	2.22	SRICHA	4.56	0.12	2,478	4.51	HSI06P2506C	0.23	(0.01)	12,004	0.23
AIMIRT	10.60	-	730	10.53	STECON	5.50	-	42,281	5.54	HSI06P2506D	0.53	(0.03)	14,650	0.53
ALLY	4.90	(0.02)	584	4.92	STI	2.70	0.02	580	2.52	HSI06P2506E	0.79	(0.04)	711	0.80
AMATAR	6.35	0.15	76	6.31	STPI	2.76	-	1,107	2.73	HSI06P2507A	0.42	(0.03)	26,019	0.43
AXTRART	12.20	0.20	4,882	12.12	SYNTEC	1.58	(0.01)	1,733	1.58	HSI28C2503A	-	-	-	-
B-WORK	4.72	0.06	6,595	4.72	TEAMG	3.18	(0.06)	28,857	3.21	HSI28C2503B	-	-	-	-
BAREIT	9.45	-	2,959	9.43	TEAMG-W1	0.18	-	6,472	0.18	HSI28C2503D	-	-	-	-
BOFFICE	4.84	-	11,458	4.82	TEKA	1.94	(0.03)	83	1.95	HSI28C2503E	-	-	-	-
CPNCG	6.10	-	1,298	6.10	TPOLY	0.47	0.04	25,378	0.47	HSI28C2503F	0.02	(0.02)	8,044	0.02
CPNREIT	12.20	-	5,112	12.14	TRC	0.71	0.17	108,374	0.67	HSI28C2503G	-	-	-	-
CPTREIT	4.70	0.02	201	4.71	TRITN	0.11	0.01	218,838	0.10	HSI28C2503H	-	-	-	-
CTARAF	4.56	0.04	1,210	4.56	TRITN-W7	0.01	-	773	0.01	HSI28C2503I	4.22	0.12	50	4.22
DREIT	5.00	-	146	5.01	TTCL	1.21	(0.02)	7,577	1.23	HSI28C2504A	0.21	-	541,167	0.21
FTREIT	10.20	0.10	1,107	10.14	UNIQ	1.69	0.01	1,261	1.68	HSI28C2504B	0.80	0.04	274	0.79
FUTURET	9.50	-	775	9.49	WGE	0.81	0.08	9,879	0.79	HSI28C2504C	1.84	0.05	1	1.84
GAHREIT	6.50	0.05	145	6.48	Unit Trust	-	-	-	-	HSI28C2504D	0.13	(0.02)	9,426	0.13
GRORREIT	8.50	(0.05)	92	8.53	SCBSET	-	-	-	-	HSI28C2504E	0.09	-	4,515	0.08
GVREIT	6.70	(0.05)	8,963	6.75	VAYU1	10.10	0.10	38,395	10.07	HSI28C2504F	0.05	-	23,792	0.05
HPF	4.70	-	328	4.70	ETF	-	-	-	-	HSI28C2505A	0.38	(0.02)	207,775	0.39
HYDROGEN	-	-	-	-	IDIV	10.28	0.02	342	10.27	HSI28C2505B	0.16	0.01	4,607	0.16
IMPACT	9.75	0.05	1,311	9.73	ABFTH	-	-	-	-	HSI28C2505C	0.07	-	801	0.06
INETREIT	8.75	(0.05)	2,499	8.80	BMSCG	7.60	0.05	137	7.60	HSI28C2505D	0.22	0.01	1,233	0.22
ISSARA	8.65	-	1	8.65	BMSCITH	8.75	0.06	222	8.76	HSI28C2506A	0.48	-	148,011	0.48
KPNREIT	-	-	-	-	BSET100	8.09	0.06	123	8.11	HSI28C2506B	0.20	0.01	5,574	0.19
KTBSTMR	6.05	-	555	6.05	CHINA	5.97	(0.03)	29	5.98	HSI28C2506C	0.31	-	35,063	0.31
LHHOTEL	14.10	(0.10)	12,682	14.13	ENGY	4.20	-	211	4.20	HSI28C2507A	0.28	0.01	48,840	0.27
LHRREIT	4.62	-	1,225	4.62	GLD	4.11	0.02	3,102	4.10	HSI28P2503A	-	-	-	-
LHSC	12.10	0.10	11,061	12.09	TDEX	7.32	0.05	8,101	7.31	HSI28P2503B	-	-	-	-
LUXF	8.10	(0.05)	341	8.10	UBOT	12.99	(0.11)	5	13.00	HSI28P2503C	-	-	-	-
M-PAT	3.42	0.42	27	3.03	UHERO	8.40	0.01	2	8.45	HSI28P2503D	-	-	-	-
M-STOR	7.15	(0.05)	4	7.15	Warrant Foreign	-	-	-	-	HSI28P2503E	-	-	-	-
MII	5.60	-	15	5.60	AI41C2504A	0.09	-	110	0.09	HSI28P2503F	-	-	-	-
MIPF	10.70	-	3	10.27	BABA28C2503A	0.02	0.01	1,581	0.02	HSI28P2504A	-	-	-	-
MIT	0.34	0.01	6	0.35	BABA28C2506A	1.88	-	2,016	1.88	HSI28P2504B	-	-	-	-
MJLF	4.40	(0.04)	200	4.40	BABA28C2506B	0.28	0.02	4,008	0.27	HSI28P2504C	-	-	-	-
MINIT	1.98	(0.01)	31	1.98	BABA28C2509A	0.36	(0.02)	7,508	0.37	HSI28P2504D	-	-	-	-
MINIT2	4.92	0.02	65	4.92	BABA28P2503A	-	-	-	-	HSI28P2504E	0.07	(0.01)	1,970	0.07
MNRF	2.02	(0.02)	316	2.02	BABA28P2509A	-	-	-	-	HSI28P2504F	0.13	(0.01)	8,067	0.13
POPF	5.75	-	2,575	5.73	BABA41C2503A	-	-	-	-	HSI28P2504G	0.27	(0.02)	139,661	0.28
PROSPECT	8.10	(0.05)	622	8.13	BABA41C2504A	2.24	0.08	5	2.24	HSI28P2504H	0.55	(0.04)	661,901	0.56
QHBREIT	3.80	0.02	2,427	3.78	BABA41C2504B	0.19	0.02	737	0.17	HSI28P2505A	0.04	0.01	702	0.04
QHHRREIT	6.70	-	1,305	6.70	BABA41C2505A	0.20	0.02	8,306	0.20	HSI28P2505B	-	-	-	-
QHOP	-	-	-	-	BABA41P2504A	0.02	0.01	50	0.02	HSI28P2505C	-	-	-	-
SIRIPRT	-	-	-	-	BABA41P250									

Main Board Quotation

Issue Date :

Wednesday March 26, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSTECH28C2503A	0.03	(0.02)	33	0.03	SET5013C2503G	-	-	-	-	SET5041P2503F	-	-	-	-
HSTECH28C2506A	1.22	0.02	17	1.24	SET5013C2503H	-	-	-	-	SET5041P2506A	2.34	(0.14)	82	2.32
HSTECH28C2506B	0.31	-	211	0.31	SET5013C2503I	-	-	-	-	SET5041P2506B	0.73	(0.05)	41,128	0.74
HSTECH28P2503A	-	-	-	-	SET5013C2503J	-	-	-	-	SET5041P2506C	0.37	(0.04)	1,457,904	0.38
HSTECH28P2506A	-	-	-	-	SET5013C2503K	-	-	-	-	SET5041P2506D	0.23	(0.03)	996,233	0.24
HSTECH28P2506B	-	-	-	-	SET5013C2503L	-	-	-	-	SET5041P2506T	1.48	(0.06)	340	1.50
HSTECH28P2506C	0.59	(0.03)	1	0.59	SET5013C2503M	-	-	-	-	SET5041P2509T	0.35	(0.02)	1,088	0.35
JD41C2506A	0.42	0.02	12,194	0.42	SET5013C2503T	-	-	-	-	SPX28C2506A	-	-	-	-
KUAIISH41C2506A	0.98	(0.07)	326	0.96	SET5013C2506A	0.01	-	9	0.01	SPX28C2506B	0.20	0.05	312	0.20
KUAIISH41C2506B	0.16	(0.02)	91	0.16	SET5013C2506B	0.02	0.01	7,405	0.01	SPX28C2506C	-	-	-	-
MCA5041C2506A	0.23	(0.01)	423	0.23	SET5013C2506C	0.02	-	354	0.02	SPX28P2506A	0.33	(0.04)	200	0.33
MCA5041P2506A	0.30	(0.01)	1	0.30	SET5013C2506D	0.02	-	202	0.02	SPX28P2506B	-	-	-	-
MEITUA28C2503A	0.07	(0.01)	39	0.06	SET5013C2506E	0.02	(0.01)	3,946	0.02	SPX41C2506A	0.09	-	6,000	0.09
MEITUA28C2504A	-	-	-	-	SET5013C2506F	0.03	(0.01)	6,081	0.04	SPX41C2506B	0.28	-	730	0.28
MEITUA28C2507A	0.16	0.01	52	0.15	SET5013C2506G	0.05	-	54,669	0.06	SPX41C2506C	0.67	0.12	200	0.67
MEITUA28P2503A	-	-	-	-	SET5013C2506H	0.10	0.02	17,874	0.10	SPX41C2509T	2.46	0.02	8	2.48
MEITUA28P2504B	0.19	0.03	4,000	0.19	SET5013C2506I	0.15	0.01	413,437	0.15	SPX41P2506A	0.38	(0.02)	5	0.38
MEITUA41C2504A	0.10	0.04	20,475	0.06	SET5013C2506J	0.26	0.02	590,840	0.26	SPX41P2509T	2.70	(0.02)	355	2.69
MEITUA41C2506A	0.18	-	268	0.18	SET5013C2506K	0.38	0.03	2,585,717	0.38	TENCEN28C2503A	0.04	0.03	900	0.02
MEITUA41P2503A	-	-	-	-	SET5013C2506L	0.63	0.05	1,289,241	0.63	TENCEN28C2508A	1.02	(0.04)	5	1.00
NDX28C2506A	0.16	0.02	16,346	0.15	SET5013C2506M	0.86	0.06	70,726	0.85	TENCEN28C2509A	0.41	0.01	4,149	0.40
NDX28C2506B	0.77	0.10	2	0.77	SET5013C2506N	0.41	0.04	436,586	0.41	TENCEN28P2503A	-	-	-	-
NDX28C2506C	0.38	0.03	397	0.38	SET5013C2506T	0.01	-	12,692	0.01	TENCEN28P2509A	0.31	(0.02)	6,213	0.33
NDX28C2509A	0.94	0.06	2	0.94	SET5013P2503A	2.02	(0.60)	88	2.05	TENCEN41C2504A	-	-	-	-
NDX28P2506A	-	-	-	-	SET5013P2503B	4.76	(0.54)	2	4.76	TENCEN41C2504B	0.10	(0.02)	14,694	0.11
NDX28P2509A	-	-	-	-	SET5013P2503C	-	-	-	-	TENCEN41C2505A	0.16	-	7	0.16
NDX41C2506A	0.11	0.01	4,823	0.11	SET5013P2503D	1.73	(0.53)	8	1.70	TENCEN41C2505B	1.07	0.06	9	1.05
NDX41C2506B	0.30	0.01	1,417	0.30	SET5013P2503E	3.08	(1.14)	612	2.98	TENCEN41C2506A	0.27	(0.73)	20	0.28
NDX41C2506C	0.75	0.05	78	0.76	SET5013P2503F	-	-	-	-	TRIPDC41C2506A	0.56	(0.03)	14	0.57
NDX41C2509T	2.30	0.08	1	2.30	SET5013P2503T	0.31	(0.06)	1,461	0.27	XIAOMI28C2504A	-	-	-	-
NDX41P2506A	0.45	(0.04)	7,266	0.45	SET5013P2506A	1.27	(0.13)	17,368	1.31	XIAOMI28C2508A	1.68	(0.03)	18	1.68
NDX41P2509T	2.94	(0.08)	67	2.94	SET5013P2506B	0.82	(0.08)	1,472	0.84	XIAOMI28C2509A	0.70	-	8,763	0.71
NIKKEI28C2506A	0.37	0.01	10	0.38	SET5013P2506C	-	-	-	-	XIAOMI28P2505A	-	-	-	-
NIKKEI28C2506B	0.18	0.01	208	0.18	SET5013P2506D	1.13	(0.12)	746	1.12	XIAOMI28P2509A	-	-	-	-
NIKKEI28C2506C	-	-	-	-	SET5013P2506E	0.60	(0.02)	581	0.56	XIAOMI41C2503A	4.74	(0.02)	2	4.74
NIKKEI28P2506A	-	-	-	-	SET5013P2506F	0.34	(0.05)	1,702,432	0.35	XIAOMI41C2504A	2.02	(0.10)	53	2.02
NIKKEI28P2506B	0.21	(0.01)	100	0.21	SET5013P2506G	0.19	(0.03)	1,358,144	0.20	XIAOMI41C2506A	1.30	0.05	499	1.30
NIKKEI28P2506C	-	-	-	-	SET5013P2506H	0.46	(0.07)	309,059	0.47	XIAOMI41C2506B	0.35	(0.02)	404	0.37
NIKKEI41C2506A	0.19	0.02	1,005	0.19	SET5013P2506I	0.13	(0.03)	196,619	0.14	XIAOMI41C2507A	0.28	0.01	545	0.28
NIKKEI41C2506B	-	-	-	-	SET5013P2506J	0.23	(0.03)	570,285	0.24	XIAOMI41P2506A	0.28	(0.01)	2	0.28
NIKKEI41C2509A	-	-	-	-	SET5013P2506K	0.32	(0.05)	1,503,943	0.33					
NIKKEI41C2509B	-	-	-	-	SET5013P2506L	0.49	(0.07)	951,391	0.51					
NIKKEI41C2509C	0.71	0.01	363	0.71	SET5013P2506T	2.42	(0.14)	239	2.44					
NIKKEI41P2506A	0.20	(0.02)	145	0.20	SET5019C2503A	-	-	-	-					
NIKKEI41P2506B	-	-	-	-	SET5019C2503B	-	-	-	-					
NIKKEI41P2509A	0.36	(0.02)	15	0.36	SET5019C2503C	-	-	-	-					
NIKKEI41P2509B	-	-	-	-	SET5019C2503D	-	-	-	-					
NIKKEI41P2509C	0.45	(0.03)	6	0.45	SET5019C2503E	-	-	-	-					
NTES41C2506A	0.24	0.02	112	0.24	SET5019C2503F	-	-	-	-					
PINGAN41C2504A	0.14	(0.01)	28	0.14	SET5019C2503G	-	-	-	-					
POPMMAR41C2503A	2.34	0.34	1,345	1.92	SET5019C2503H	-	-	-	-					
POPMMAR41C2506A	0.67	0.19	34,880	0.60	SET5019C2506A	-	-	-	-					
SET01C2505A	0.02	-	5,011	0.01	SET5019C2506B	-	-	-	-					
SET01C2506A	0.02	-	773	0.02	SET5019C2506C	-	-	-	-					
SET01C2506B	0.07	-	2,041	0.07	SET5019C2506D	0.02	0.01	1	0.02					
SET01C2507A	0.41	0.02	24,412	0.42	SET5019C2506E	0.01	-	180	0.01					
SET01P2505A	-	-	-	-	SET5019C2506F	0.07	0.01	50	0.07					
SET01P2506A	0.86	(0.06)	192	0.83	SET5019C2506G	-	-	-	-					
SET01P2507A	0.54	(0.13)	5,377	0.56	SET5019C2506H	0.12	0.01	1	0.12					
SET5001C2503F	0.03	0.02	10,163	0.02	SET5019C2506I	0.16	-	4	0.13					
SET5001C2505A	0.01	-	171	0.01	SET5019C2506J	0.20	-	136	0.21					
SET5001C2506A	0.04	-	2	0.04	SET5019C2506K	0.33	0.03	118,372	0.33					
SET5001C2506F	0.01	(0.01)	923	0.01	SET5019C2506L	0.38	0.04	159,424	0.38					
SET5001C2506G	0.07	0.01	302	0.07	SET5019C2506M	0.55	0.03	224,651	0.55					
SET5001C2507A	0.30	0.02	43,117	0.31	SET5019P2503A	3.06	-	10	3.06					
SET5001C2509F	0.52	0.02	46,738	0.53	SET5019P2503B	-	-	-	-					
SET5001P2503F	0.45	(0.26)	82	0.46	SET5019P2503C	2.18	(0.44)	1	2.18					
SET5001P2505A	2.18	(0.16)	3	2.13	SET5019P2506A	-	-	-	-					
SET5001P2506A	0.89	(0.09)	1,291	0.90	SET5019P2506B	-	-	-	-					
SET5001P2506F	2.12	(0.48)	102	2.12	SET5019P2506C	2.08	(0.18)	252	2.08					
SET5001P2506G	1.29	(0.01)	161	1.23	SET5019P2506D	-	-	-	-					
SET5001P2507A	0.28	(0.10)	10,698	0.34	SET5019P2506E	0.94	(0.16)	2	0.94					
SET5001P2509F	0.81	(0.06)	58	0.84	SET5019P2506F	0.82	(0.13)	2	0.82					
SET5006C2503A	-	-	-	-	SET5019P2506G	0.59	(0.10)	498	0.59					
SET5006C2503B	0.01	-	5	0.01	SET5019P2506H	0.41	(0.04)	180,373	0.42					
SET5006C2503C	-	-	-	-	SET5019P2506I	0.58	(0.05)	166,971	0.59					
SET5006C2503D	-	-	-	-	SET5019P2506J	0.30	(0.03)	137,031	0.30					
SET5006C2503E	-	-	-	-	SET5028C2503A	-	-	-	-					
SET5006C2503F	-	-	-	-	SET5041C2503A	0.01	-	180	0.01					
SET5006C2503G	-	-	-	-	SET5041C2503B	-	-	-	-					
SET5006C2506A	-	-	-	-	SET5041C2503C	-	-	-	-					
SET5006C2506B	0.04	(0.02)	4	0.05	SET5041C2503D	-	-	-	-					
SET5006C2506C	0.20	0.03	128,080	0.20	SET5041C2503E	-	-	-	-					
SET5006C2506D	0.25	0.02	98,296	0.25	SET5041C2503F	-	-	-	-					
SET5006C2506E	0.49	0.03	207,642	0.49	SET5041C2503G	-	-	-	-					
SET5006C2509A	0.57	0.02	94,123	0.58	SET5041C2503H	-	-	-	-					
SET5006P2503A	0.95	(0.30)	796	0.95	SET5041C2503I	-	-	-	-					
SET5006P2503B	-	-	-	-	SET5041C2503J	0.01	-	30	0.01					
SET5006P2503C	-	-	-	-	SET5041C2506A	0.01	(0.01)	7,331	0.02					
SET5006P2503D	-	-	-	-	SET5041C2506B	0.02	-	8	0.02					
SET5006P2506A	-	-	-	-	SET5041C2506C	0.07	0.01	3,304	0.07					
SET5006P2506B	0.84	(0.23)	2	0.84	SET5041C2506D	0.16	0.02	4,545	0.16					
SET5006P2506C	0.55	(0.04)	70	0.56	SET5041C2506E	0.19	0.01	131,408	0.19					
SET5006P2506D	0.37	(0.04)	99,991	0.38	SET5041C2506F	0.28	0.02	487,656	0.					

Main Board Quotation

Issue Date :

Wednesday March 26, 2025

Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average
			(Lot)	Price				(Lot)	Price				(Lot)	Price
Warrant - MAI														
Agro & Food Indust			-		UBIS	1.29	0.02	553	00 1.2	LEO	2.26	-	535	00 2.2
APO	1.57	(0.01)	2,111	00 1.5	UEC	0.75	-	14,098	00 0.7	MCA	1.30	(0.11)	113,142	00 1.4
AU	9.65	0.20	10,550	00 9.6	UKEM	0.52	-	29,967	00 0.5	MEB	22.20	0.30	771	00 22.2
CFARM	0.86	0.06	231,278	00 0.8	UREKA	0.81	(0.01)	11,548	00 0.8	MORE	0.03	-	1,801	00 0.0
JCHK	0.28	(0.03)	20,085	00 0.2	YUASA	10.30	-	51	00 10.2	MOTHER	0.89	(0.01)	18,252	00 0.9
KASET	0.56	-	9,815	00 0.5	ZIGA	1.01	-	4,788	00 1.0	MPJ	3.32	0.02	666	00 3.3
MAGURO	17.70	0.60	5,518	00 17.5	ZIGA-W2	0.10	(0.01)	7,482	00 0.1	MVP	0.61	(0.04)	99,197	00 0.6
MUD	1.20	0.08	852	00 1.1	Property			-		NCL	0.22	0.02	8,486	00 0.2
NTSC	5.65	(0.10)	197	00 5.6	24CS	1.25	(0.02)	6,992	00 1.2	NCP	1.03	(0.03)	1,445	00 1.0
TACC	4.58	0.02	10,360	00 4.5	24CS-W1	0.10	(0.02)	50,537	00 0.1	NEWS	0.01	-	48,165	00 0.0
TMILL	1.88	0.03	903	00 1.8	24CS-W2	0.12	(0.03)	10,424	00 0.1	PEER	0.14	-	1,974	00 0.1
WINNER	1.99	(0.01)	292	00 1.9	ARIN	0.49	(0.04)	41,162	00 0.5	PEER-W2	0.03	-	1,182	00 0.0
XO	16.40	(0.20)	1,826	00 16.5	ARROW	5.15	(0.10)	167	00 5.1	PICO	-	-	-	00 0.0
Consumer Products			-		BC	1.01	0.01	462	00 1.0	PLT	0.59	(0.01)	1,361	00 0.5
ALPHAX	0.43	0.01	22,084	00 0.4	BC-W2	0.02	0.01	209	00 0.0	QLT	3.10	0.10	34	00 3.0
BGT	0.45	-	61	00 0.4	BLESS	0.22	0.02	16,252	00 0.2	RP	0.87	-	275	00 0.8
DOD	1.27	-	647	00 1.2	BSM	1.10	(0.10)	336	00 1.1	SONIC	1.64	0.01	659	00 1.6
ECF	0.19	-	9,649	00 0.1	BTW	0.19	0.01	11,588	00 0.1	THMUI	0.36	-	25	00 0.3
ECF-W5	-	-	-	00 0.0	CAZ	1.71	(0.01)	10	00 1.7	TNDT	0.18	-	420	00 0.1
EFORL	0.16	-	79,208	00 0.1	CHEWA	0.27	(0.01)	445	00 0.2	TNDT-W1	-	-	-	00 0.0
EFORL-W6	-	-	-	00 0.0	CPANEL	3.34	(0.02)	2	00 3.3	TNH	-	-	-	00 0.0
EURO	-	-	-	00 0.0	CPANEL-W1	0.10	(0.02)	9,458	00 0.1	TNP	2.70	-	2,404	00 2.7
HPT	0.44	0.02	42,649	00 0.4	CRD	0.35	-	40	00 0.3	TPL	0.53	(0.04)	4,872	00 0.5
ITTHI	1.63	-	692	00 1.5	DHOUSE	0.60	-	305	00 0.6	TRP	6.35	(0.05)	2,310	00 6.3
JSP	1.65	(0.01)	623	00 1.6	DIMET	0.12	-	1,845	00 0.1	TURTLE	-	-	-	00 0.0
JSP-W2	0.04	-	55,427	00 0.0	DPAINT	0.81	0.01	2,963	00 0.8	TVDH	0.16	-	4,802	00 0.1
JUBILE	8.15	-	633	00 8.1	FLOYD	0.91	(0.03)	18,116	00 0.9	TVDH-W3	-	-	-	00 0.0
LTS	7.35	0.35	27,228	00 7.2	HYDRO	1.40	(0.19)	21	00 1.4	TVT	0.28	0.01	17	00 0.2
MGI	11.00	(0.20)	3,889	00 11.1	HYDRO-W2	-	-	-	00 0.0	UBA	0.95	0.01	6,778	00 0.9
MGI-W1	2.54	(0.02)	4,197	00 2.5	IND	0.86	0.01	1,496	00 0.8	VL	0.90	-	1,542	00 0.8
MOONG	1.93	0.01	54	00 1.9	JAK	1.15	0.06	257	00 1.0	VS	0.38	(0.08)	385	00 0.3
NPK	10.00	-	10	00 10.0	K	1.50	-	54,190	00 1.4	YGG	0.58	(0.01)	11,409	00 0.5
SEI	3.24	0.08	2,632	00 3.2	K-W3	0.22	(0.03)	107	00 0.2	Technology			-	
SMD100	4.10	(0.02)	612	00 4.0	META	0.09	0.01	20,102	00 0.0	APP	1.79	-	7,334	00 1.8
TM	0.61	0.01	55,081	00 0.6	PANEL	1.18	0.03	12,854	00 1.1	BBIK	30.00	(0.50)	843	00 30.3
TM-W1	0.02	0.01	39,038	00 0.0	PPS	0.17	-	9,469	00 0.1	BE8	11.60	(0.20)	4,162	00 11.6
WARRIX	3.68	(0.04)	3,054	00 3.6	PRI	6.55	0.25	2,041	00 6.4	BE8-W1	0.71	0.01	27	00 0.7
WINMED	1.29	0.01	197	00 1.2	PROS	0.93	(0.07)	25,502	00 0.9	BVG	2.08	0.04	969	00 2.0
Financials			-		PROS-W1	0.07	(0.01)	75,728	00 0.0	COMAN	0.59	(0.01)	848	00 0.5
ACAP	-	-	-	00 0.0	PSG	0.17	-	15,115	00 0.1	I2	1.04	-	2,592	00 1.0
AF	0.33	(0.01)	200	00 0.3	QTGC	0.15	-	12,567	00 0.1	IIG	2.96	(0.06)	1,398	00 2.9
AIRA	1.25	0.05	1,623	00 1.2	SENX	0.24	-	273	00 0.2	IRCP	0.40	0.01	562	00 0.3
ASN	1.04	-	77	00 1.0	SK	0.62	(0.01)	2,608	00 0.6	ITNS	1.42	(0.01)	1,753	00 1.4
BTC	0.36	(0.02)	251,369	00 0.3	SMART	0.65	0.01	29,853	00 0.6	NAT	3.78	(0.02)	193	00 3.7
BTC-W7	0.10	-	2,454	00 0.1	STC	0.51	(0.01)	248	00 0.5	NETBAY	19.40	0.20	5,715	00 19.3
GCAP	0.22	0.01	9,906	00 0.2	STX	1.23	-	6,744	00 1.2	PIS	4.58	0.16	10,461	00 4.5
KCC	1.83	(0.01)	287	00 1.8	SVR	0.80	0.19	61,209	00 0.7	PLANET	1.88	0.01	33,292	00 1.8
LIT	0.46	-	7,719	00 0.4	TAPAC	-	-	-	00 0.0	PLANET-W2	0.83	0.07	5,023	00 0.7
MITTSIB	0.65	0.02	1,069	00 0.6	THANA	1.05	-	162	00 1.0	PROEN	1.26	0.02	139,662	00 1.2
SGF	0.16	-	477	00 0.1	TIGER	0.39	0.01	138	00 0.3	PROEN-W2	0.40	0.01	23,885	00 0.3
SGF-P1	-	-	-	00 0.0	TITLE	4.12	-	185	00 4.0	READY	4.58	(0.04)	82	00 4.5
SGF-Q1	-	-	-	00 0.0	WELL	-	-	-	00 0.0	SECURE	11.50	-	91	00 11.5
TQR	4.98	(0.02)	73	00 4.9	YONG	1.00	0.10	71,080	00 0.9	SICT	3.28	-	2,520	00 3.2
Industrials			-		Resources			-		SIMAT	1.23	0.01	9,508	00 1.2
ADB	0.61	(0.01)	2,934	00 0.6	ABM	0.84	-	178	00 0.8	SIMAT-W3	0.01	-	1	00 0.0
BM	2.64	(0.04)	1,431	00 2.6	GTV	0.08	(0.01)	22,493	00 0.0	SPVI	1.41	0.01	4,240	00 1.4
BM-W3	1.12	(0.01)	343	00 1.1	PSTC	0.46	-	7,465	00 0.4	SRS	3.66	(0.04)	558	00 3.6
BPS	0.56	0.03	57,286	00 0.5	PSTC-W2	-	-	-	00 0.0	TBN	6.70	0.10	14	00 6.6
CHO	0.03	-	5,586	00 0.0	PSTC-W3	0.10	(0.01)	1,479	00 0.1	TERA	1.25	(0.04)	2,131	00 1.2
CHO-W4	0.01	-	2	00 0.0	PTC	1.01	-	2,109	00 1.0	TPS	4.00	0.06	9,120	00 3.9
CHOW	1.23	(0.07)	383	00 1.2	SAAM	6.25	-	478	00 6.2	VCOM	2.30	-	1,309	00 2.2
CIG	0.03	(0.01)	504	00 0.0	SR	0.50	0.01	16	00 0.4		-	-	-	-
CIG-W10	-	-	-	00 0.0	STOWER	0.04	(0.01)	424	00 0.0		-	-	-	-
CIG-W9	0.02	-	13	00 0.0	TAKUNI	0.39	0.01	35,718	00 0.3		-	-	-	-
COLOR	1.05	-	11,555	00 1.0	TPCH	3.02	0.06	436	00 2.9		-	-	-	-
CPR	2.90	-	6,783	00 2.9	UMS	0.39	0.01	15	00 0.3		-	-	-	-
FPI	1.67	(0.02)	390	00 1.6	Services			-			-	-	-	-
GTB	0.73	(0.01)	1,641	00 0.7	ADD	3.86	(0.02)	21	00 3.8		-	-	-	-
HARN	2.14	-	214	00 2.1	AKP	0.69	0.02	3,482	00 0.6		-	-	-	-
KCM	0.20	-	1,505	00 0.1	AMA	4.04	-	925	00 4.0		-	-	-	-
KJL	6.65	-	301	00 6.6	AMARC	1.21	0.03	23,377	00 1.2		-	-	-	-
KUMWEL	1.07	0.01	207	00 1.0	ARIP	0.41	0.02	82,459	00 0.4		-	-	-	-
KWM	1.11	-	31,378	00 1.1	ATP30	0.89	-	2,283	00 0.8		-	-	-	-
MBAX	1.72	(0.02)	1	00 1.7	AUCT	7.60	0.10	3,332	00 7.5		-	-	-	-
MGT	1.77	(0.03)	358	00 1.7	BIS	2.70	(0.06)	141	00 2.7		-	-	-	-
MTW	1.07	0.25	114,800	00 1.0	BOL	5.10	-	456	00 5.1		-	-	-	-
MTW-W1	0.02	0.01	533,083	00 0.0	CEYE	2.26	(0.02)	17	31 2.2		-	-	-	-
NDR	1.36	-	221	00 1.3	CHIC	0.36	-	635	00 0.3		-	-	-	-
PACO	1.42	-	1,764	00 1.4	CMO	0.59	(0.01)	337	00 0.5		-	-	-	-
PACO-W1	0.03	(0.01)	13,685	00 0.0	D	2.26	-	2,045	00 2.2		-	-	-	-
PDG	2.70	-	613	00 2.7	DEXON	1.40	0.01	4,124	00 1.4		-	-	-	-
PHOL	2.86	-	566	00 2.8	DV8	0.38	-	1,263	00 0.3		-	-	-	-
PIMO	1.25	-	945	00 1.2	DV8-W2	0.07								