

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Monday March 31, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	DCON-W3	0.01	-	10	0.01	B52-W4	0.03	-	17,295	0.03
Agribusiness					DRT	7.10	-	2,486	7.11	BEAUTY	0.24	-	15,347	0.23
EE	0.39	-	64,900	0.40	EPG	2.88	(0.10)	34,649	2.81	BIG	0.29	-	6,471	0.28
GFPT	8.55	(0.15)	36,868	8.53	GEL	0.05	0.01	2,797	0.04	BJC	22.60	0.30	79,942	22.61
LEE	2.26	(0.02)	731	2.26	GEL-W5	-	-	-	-	BJC13C2505A	-	-	-	-
NER	4.70	(0.04)	87,385	4.70	PPP	1.07	(0.03)	77	1.09	BJC13C2508A	0.42	(0.58)	152,765	0.41
NER-W2	0.29	(0.02)	26,316	0.30	Q-CON	8.05	-	3,531	8.13	BJC41C2606T	0.28	0.02	69,000	0.27
PCE	2.80	(0.12)	74,639	2.82	SCC	156.00	2.50	66,508	158.43	COM7	19.20	(0.70)	55,280	19.46
PPPM	0.38	-	6,944	0.36	SCC01C2505A	0.01	(0.02)	1,404	0.01	COM701C2506A	0.10	(0.01)	6,979	0.09
PPPM-W6	0.27	0.03	33	0.26	SCC01C2505B	-	-	-	-	COM701C2508A	0.35	(0.06)	36,446	0.37
STA	14.40	(0.40)	61,749	14.55	SCC01C2507A	0.28	0.06	4	0.28	COM713C2504A	0.02	-	1	0.02
STA01C2504A	-	-	-	-	SCC01C2508A	0.55	0.03	967	0.59	COM713C2505A	-	-	-	-
STA01C2506A	0.07	(0.02)	170	0.07	SCC01C2508B	0.63	0.05	67,019	0.67	COM713C2506A	0.08	(0.02)	4,450	0.08
STA13C2505A	-	-	-	-	SCC01C2606T	0.48	(0.52)	54,904	0.49	COM713C2507A	0.17	(0.05)	32,327	0.19
STA13C2506A	0.10	(0.03)	14,473	0.12	SCC01P2507A	0.36	(0.04)	10,913	0.34	COM719C2505A	-	-	-	-
STA19C2504A	-	-	-	-	SCC13C2504A	-	-	-	-	COM719C2507A	0.17	(0.06)	56,329	0.19
STA19C2505A	-	-	-	-	SCC13C2504B	0.02	0.01	1	0.02	COM719P2508A	0.50	0.04	52,731	0.48
STA19C2506A	0.08	(0.03)	76,562	0.10	SCC13C2505A	0.02	-	16,152	0.01	COM741C2505A	-	-	-	-
STA41C2505A	-	-	-	-	SCC13C2505B	0.06	0.01	68,101	0.07	COM741C2606T	0.20	(0.02)	4,000	0.20
STA41C2612T	0.32	(0.02)	31,311	0.33	SCC13C2507A	0.40	0.03	204,723	0.45	COM741C2609T	0.33	(0.04)	7,500	0.33
TEGH	3.00	-	15,202	2.99	SCC13P2504A	-	-	-	-	CPALL	49.50	(0.50)	217,469	49.69
TFM	8.95	0.20	1,944	8.52	SCC13P2505A	0.11	(0.04)	33,458	0.10	CPALL01C2504A	0.01	-	3,467	0.01
TRUBB	0.69	(0.04)	11,932	0.68	SCC13P2508A	0.64	(0.08)	49,115	0.60	CPALL01C2505A	0.03	0.01	1	0.03
UPOIC	6.30	(0.05)	5	6.30	SCC19C2504A	-	-	-	-	CPALL01C2507A	0.26	-	13,703	0.26
UVAN	9.15	-	3,469	9.15	SCC19C2505A	-	-	-	-	CPALL01C2606T	0.29	(0.71)	2,662	0.29
VPO	0.49	-	6,981	0.48	SCC19C2505B	-	-	-	-	CPALL01P2505A	-	-	-	-
Banking					SCC19C2506A	0.10	-	41,212	0.13	CPALL01P2507A	0.39	(0.01)	24,584	0.39
BAY	22.70	(0.10)	2,007	22.56	SCC19C2507A	0.51	0.04	71,620	0.55	CPALL06C2504A	-	-	-	-
BBL	147.50	(2.50)	78,090	147.97	SCC19P2505A	0.22	(0.07)	124,457	0.19	CPALL13C2504A	0.01	-	550	0.01
BBL13C2504A	0.01	-	24	0.01	SCC19P2508A	0.79	(0.06)	65,993	0.75	CPALL13C2505A	0.01	-	1	0.01
BBL13C2507A	0.11	(0.03)	16,392	0.11	SCC41C2504A	-	-	-	-	CPALL13C2505B	-	-	-	-
BBL13C2508A	0.29	(0.05)	93,064	0.31	SCC41C2505A	-	-	-	-	CPALL13C2506A	0.06	(0.01)	3,322	0.06
BBL19C2506A	0.04	(0.02)	3,003	0.04	SCC41C2608T	0.47	0.04	185,714	0.47	CPALL13C2506B	0.15	(0.01)	27,758	0.15
BBL19C2508A	0.23	(0.05)	49,833	0.23	SCC41P2508A	-	-	-	-	CPALL13P2504A	-	-	-	-
BBL41C2504A	-	-	-	-	SCCC	159.00	3.00	1,883	159.32	CPALL13P2505A	0.11	-	4,022	0.11
BBL41C2506A	-	-	-	-	SCGD	4.18	0.04	19,270	4.28	CPALL13P2506A	0.16	-	11,473	0.15
BBL41C2609T	0.35	(0.02)	25,000	0.35	SCP	6.15	(0.05)	2,043	6.26	CPALL19C2504A	-	-	-	-
CIMBT	0.61	-	17,318	0.60	SKN	5.60	-	84	5.59	CPALL19C2505A	0.01	-	1	0.01
CREDIT	19.30	(0.30)	244	19.42	STECH	0.99	(0.01)	6,678	1.01	CPALL19C2505B	-	-	-	-
KBANK	161.50	(2.50)	128,711	162.08	TASCO	14.20	(0.30)	22,801	14.36	CPALL19C2506A	-	-	-	-
KBANK01C2506A	0.24	(0.05)	20,719	0.25	TASCO19C2507	0.10	(0.02)	6	0.09	CPALL19C2506B	0.08	(0.01)	1,956	0.08
KBANK01C2508A	0.83	(0.09)	104	0.83	TOA	11.30	0.20	292,321	11.78	CPALL19C2508A	0.24	(0.02)	52,330	0.25
KBANK01P2507A	0.39	0.02	12,574	0.39	TIPII	0.97	(0.01)	172,303	0.98	CPALL19P2505A	0.14	(0.01)	13,994	0.13
KBANK13C2505A	0.06	(0.03)	3	0.06	UMI	0.74	0.04	84,692	0.78	CPALL19P2505B	-	-	-	-
KBANK13C2507A	0.41	(0.07)	115,159	0.43	VNG	2.36	-	931	2.32	CPALL41C2504A	0.01	-	1,000	0.01
KBANK13P2504A	0.01	(0.01)	6	0.01	WIJK	0.89	-	1,139	0.90	CPALL41C2505A	-	-	-	-
KBANK13P2507A	0.27	0.01	10,657	0.27	WIJK-W3	0.03	0.01	2,810	0.03	CPALL41C2506A	0.05	(0.01)	29	0.05
KBANK19C2504A	0.01	(0.01)	1,189	0.01	WINDOW	0.78	-	5,035	0.79	CPALL41C2605T	0.13	(0.01)	15,500	0.14
KBANK19C2505A	-	-	-	-	Petrochemicals &					CPALL41P2504A	-	-	-	-
KBANK19C2507A	0.21	(0.04)	65,910	0.22	BCT	58.00	1.00	27	57.53	CPALL41P2508A	-	-	-	-
KBANK19C2507B	0.35	(0.07)	11,356	0.37	CMAN	2.30	(0.02)	5,431	2.22	CPAXT	26.00	(0.50)	23,173	26.10
KBANK41C2505A	-	-	-	-	GC	5.00	0.02	825	4.97	CPW	2.08	0.08	865	2.03
KBANK41C2604T	0.77	(0.04)	63,596	0.78	GCC	4.88	(0.08)	1,108	4.89	CRC	25.00	(0.50)	131,301	25.06
KBANK41C2609T	0.42	(0.02)	79,980	0.43	IVL	19.50	(0.40)	146,705	19.46	CRC01C2506A	-	-	-	-
KBANK41P2606T	0.37	0.01	60	0.37	IVL01C2504A	0.01	-	3,001	0.01	CRC13C2506A	-	-	-	-
KKP	54.50	(2.25)	29,680	55.36	IVL01C2506A	-	-	-	-	CRC13C2508A	0.10	(0.02)	19,410	0.11
KKP-W6	1.15	(0.07)	2,019	1.14	IVL01C2507A	0.27	(0.06)	3,764	0.28	CRC19C2506A	0.02	-	17	0.02
KKP13C2504A	-	-	-	-	IVL01P2504A	-	-	-	-	CRC19C2508A	0.13	-	98,535	0.13
KKP19C2507A	0.25	(0.07)	4,391	0.29	IVL01P2506A	0.72	0.03	1,224	0.75	CRC41C2608T	0.11	(0.01)	5,000	0.11
KTB	24.10	(0.40)	436,874	24.15	IVL13C2504A	-	-	-	-	CSS	0.84	0.01	4,552	0.83
KTB-P	-	-	-	-	IVL13C2505A	0.02	-	179	0.02	DOHOME	5.60	0.05	314,105	5.74
KTB-Q	-	-	-	-	IVL13C2507A	0.15	(0.03)	43,406	0.15	DOHOME01C2507A	0.11	-	137,184	0.14
KTB01C2506A	0.32	(0.05)	18,268	0.33	IVL13C2508A	0.30	(0.70)	79,357	0.30	DOHOME13C2505A	-	-	-	-
KTB13C2505A	0.18	(0.06)	24,611	0.19	IVL13P2504A	-	-	-	-	DOHOME13C2506A	0.03	-	34,515	0.04
KTB13C2507A	0.21	(0.04)	29,930	0.22	IVL13P2508A	0.55	0.03	62,970	0.56	DOHOME19C2504A	-	-	-	-
KTB13P2507A	0.23	0.01	6,414	0.23	IVL19C2505A	-	-	-	-	DOHOME19C2506A	-	-	-	-
KTB19C2505A	0.15	(0.06)	12,589	0.16	IVL19C2506A	-	-	-	-	DOHOME19C2506B	0.04	(0.02)	648	0.05
KTB19C2506A	0.15	(0.03)	6,153	0.15	IVL19C2507A	0.18	(0.04)	208,332	0.19	FN	0.54	(0.03)	304	0.55
KTB41C2506A	0.21	(0.03)	10,000	0.21	IVL19P2508A	0.58	0.03	52,546	0.58	GLOBAL	6.70	(0.25)	335,272	6.92
LHFG	0.77	(0.02)	30,672	0.77	IVL41C2505A	-	-	-	-	GLOBAL01C2507A	0.10	(0.01)	57,998	0.12
SCB	123.00	(2.50)	137,822	123.91	IVL41C2605T	0.16	(0.02)	125,920	0.17	GLOBAL13C2504A	-	-	-	-
SCB01C2505A	0.11	(0.02)	20,884	0.11	IVL41P2605T	0.49	0.03	65,960	0.49	GLOBAL13C2506A	-	-	-	-
SCB01C2507A	0.25	(0.04)	16,219	0.26	NFC	1.36	(0.03)	241	1.32	GLOBAL13C2507A	0.10	(0.02)	79,262	0.14
SCB01P2507A	0.45	0.03	14,478	0.44	PATO	7.65	(0.05)	279	7.63	GLOBAL19C2507A	0.14	(0.01)	77,514	0.16
SCB13C2505A	0.07	(0.02)	16,774	0.07	PMTA	-	-	-	-	GLOBAL41C2606T	0.12	-	7,210	0.12
SCB13C2508A	0.25	(0.04)	27,093	0.27	PTTGC	17.20	(0.40)	224,511	17.25	HMPRO	8.60	0.25	1,068,484	8.72
SCB13P2507A	0.25	0.03	26,421	0.24	PTTGC01C2504	0.01	-	2,300	0.01	HMPRO01C2504A	-			

Main Board Quotation

Issue Date :

Monday March 31, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SVT	1.31	(0.02)	1,375	1.31	CCET13C2507B	0.26	(0.04)	76,156	0.27	KCE41C2606T	-	-	-	-
TAN	4.78	0.02	16,303	4.78	CCET19C2506A	-	-	-	-	METCO	168.50	(1.50)	11	168.55
Information & Commr	-	-	-	-	CCET19C2506B	-	-	-	-	SMT	1.04	(0.04)	2,407	1.04
3BBIF	5.70	-	98,464	5.69	CCET19C2506C	0.03	(0.02)	4,500	0.03	SVI	7.30	(0.05)	4,805	7.20
ADVANC	275.00	2.00	44,828	272.75	CCET19C2507A	0.09	(0.02)	4,808	0.09	TEAM	2.70	(0.04)	1,778	2.74
ADVANC01C2506A	0.10	-	17,197	0.10	CCET19C2507B	0.27	(0.05)	143,440	0.28	Energy & Utilities	-	-	-	-
ADVANC01C2508A	0.35	0.01	30,566	0.33	CCET41C2505A	-	-	-	-	ACC	0.36	(0.02)	893,043	0.36
ADVANC01P2505A	0.12	-	18,688	0.12	CCET41C2506A	0.07	(0.04)	340	0.07	ACC-W2	0.38	(0.02)	40	0.38
ADVANC01P2507A	0.60	(0.02)	291	0.64	DELTA	65.75	(3.25)	232,397	66.14	ACE	1.32	0.04	29,117	1.29
ADVANC13C2505A	0.05	(0.01)	600	0.05	DELTA01C2505A	0.02	(0.01)	40	0.02	AE	0.09	-	15,816	0.10
ADVANC13C2507A	0.24	-	33,554	0.22	DELTA01C2506A	0.02	-	2,991	0.02	AGE	0.93	(0.04)	4,858	0.93
ADVANC13P2504A	0.02	0.01	1	0.02	DELTA01C2507A	0.74	(0.10)	49,598	0.76	AI	3.34	(0.04)	1,914	3.31
ADVANC13P2507A	0.44	(0.02)	18,352	0.45	DELTA01P2504A	2.82	0.54	36	2.76	AIE	1.23	(0.06)	23,709	1.22
ADVANC19C2505A	-	-	-	-	DELTA06C2504A	-	-	-	-	BAFS	7.90	(0.30)	4,377	7.94
ADVANC19C2506A	0.07	(0.03)	33	0.07	DELTA11C2507A	0.28	(0.08)	19,258	0.29	BANPU	4.12	(0.08)	364,196	4.13
ADVANC19C2507A	0.24	-	60,064	0.23	DELTA13C2505A	-	-	-	-	BANPU01C2504A	0.01	-	734	0.01
ADVANC19P2504A	-	-	-	-	DELTA13C2506A	0.01	-	155	0.01	BANPU01C2506A	-	-	-	-
ADVANC19P2508A	0.38	(0.03)	25,946	0.41	DELTA13C2506E	0.01	-	14	0.01	BANPU01C2507A	0.13	(0.02)	28,842	0.13
ADVANC41C2505A	-	-	-	-	DELTA13C2507A	0.15	(0.05)	109,509	0.16	BANPU01C2508A	0.31	(0.03)	24,772	0.31
ADVANC41C2606T	0.28	-	30,500	0.28	DELTA13C2507E	0.07	(0.02)	9,544	0.07	BANPU01C2606T	0.25	(0.75)	11,859	0.26
ADVANC41P2504A	-	-	-	-	DELTA13C2507C	0.33	(0.08)	349,917	0.34	BANPU13C2504A	-	-	-	-
ADVANC41P2508A	-	-	-	-	DELTA13P2505A	-	-	-	-	BANPU13C2505A	-	-	-	-
AIT	4.60	-	23,676	4.55	DELTA13P2505E	-	-	-	-	BANPU13C2506A	-	-	-	-
ALT	0.80	0.01	1,314	0.79	DELTA13P2506A	1.36	0.29	20	1.34	BANPU13C2506B	0.06	(0.02)	30,059	0.07
AMR	0.59	(0.03)	9,586	0.58	DELTA13P2507A	0.97	0.08	74,648	0.95	BANPU13C2507A	0.20	(0.04)	103,610	0.21
BLISS	-	-	-	-	DELTA13P2507E	0.40	0.03	51,329	0.40	BANPU13P2504A	-	-	-	-
DIF	7.80	(0.05)	66,008	7.85	DELTA19C2506A	0.02	-	5	0.01	BANPU19C2504A	0.01	-	900	0.01
DITTO	10.90	(0.40)	26,315	11.00	DELTA19C2506E	0.01	-	1,000	0.01	BANPU19C2506A	-	-	-	-
DITTO-W1	0.08	(0.02)	19,630	0.08	DELTA19C2506C	-	-	-	-	BANPU19C2507A	0.13	(0.02)	42,460	0.13
DTCENT	0.88	(0.01)	12,240	0.87	DELTA19C2507A	0.07	(0.01)	12,771	0.06	BANPU19C2508A	0.30	(0.03)	114,739	0.30
FORTH	6.60	(0.20)	939	6.68	DELTA19C2507E	0.13	(0.06)	48,657	0.14	BANPU41C2505A	0.01	-	11,500	0.01
GABLE	3.46	(0.06)	7,092	3.40	DELTA19C2507C	0.39	(0.10)	264,415	0.40	BANPU41C2605T	-	-	-	-
HUMAN	8.00	(0.05)	4,150	7.78	DELTA19P2504A	-	-	-	-	BBGI	3.46	(0.10)	7,314	3.46
ICN	1.92	(0.03)	1,573	1.92	DELTA19P2505A	2.74	0.26	1,097	2.74	BCP	38.00	0.25	51,654	37.67
ILINK	5.55	(0.15)	7,032	5.57	DELTA19P2506A	1.55	0.17	1,000	1.55	BCP01C2504A	-	-	-	-
INET	4.74	(0.04)	16,607	4.71	DELTA19P2507A	0.88	0.09	119,222	0.86	BCP01C2505A	0.28	(0.01)	9,720	0.24
INSET	2.06	(0.04)	40,057	2.06	DELTA41C2505A	0.02	-	201	0.01	BCP01C2507A	0.24	(0.02)	14,832	0.23
INTUCH	-	-	-	-	DELTA41C2506A	-	-	-	-	BCP01P2505A	0.05	(0.01)	6,619	0.06
ITEL	1.37	(0.03)	34,873	1.37	DELTA41C2507A	0.09	(0.02)	12,790	0.09	BCP13C2504A	-	-	-	-
JAS	1.51	0.01	214,008	1.46	DELTA41C2608T	0.26	(0.02)	73,974	0.26	BCP13C2505A	0.09	(0.01)	7,020	0.08
JAS-W4	0.31	(0.01)	93,487	0.31	DELTA41C2612T	0.05	(0.01)	500	0.05	BCP13C2507A	0.26	(0.01)	64,769	0.24
JAS13C2505A	-	-	-	-	DELTA41P2504A	2.16	0.19	812	2.16	BCP13P2505A	-	-	-	-
JAS13C2507A	0.22	-	13,928	0.19	DELTA41P2505A	1.77	0.11	1,912	1.74	BCP19C2504A	-	-	-	-
JAS19C2505A	-	-	-	-	DELTA41P2507A	0.29	0.02	16,010	0.29	BCP19C2506A	0.26	(0.01)	14,954	0.22
JAS19C2507A	0.16	(0.01)	14,088	0.14	HANA	15.90	(0.60)	56,361	15.97	BCP19C2507A	0.19	-	109,508	0.17
JAS41C2605T	0.10	(0.02)	525	0.10	HANA01C2504A	-	-	-	-	BCP41C2504A	-	-	-	-
JMART	8.85	(0.55)	69,933	8.95	HANA01C2504W	0.01	(0.01)	10,994	0.01	BCP41C2505A	-	-	-	-
JMART-W5	0.18	(0.01)	14,027	0.20	HANA01C2505A	0.02	0.01	1	0.02	BCP41C2609T	0.34	0.01	42,000	0.33
JMART13C2504A	-	-	-	-	HANA01C2505B	0.01	(0.01)	2	0.01	BCPG	6.90	0.10	106,070	6.87
JMART13C2506A	-	-	-	-	HANA01P2504A	0.36	0.08	12,184	0.34	BCPG01C2506A	0.25	0.02	33,406	0.24
JMART13C2507A	0.11	(0.04)	23,919	0.12	HANA01P2505A	0.89	0.10	11,281	0.88	BCPG01C2508A	0.45	0.03	44,531	0.44
JMART19C2504A	-	-	-	-	HANA06C2504A	-	-	-	-	BCPG01P2506A	0.08	(0.02)	8,971	0.09
JMART19C2506A	-	-	-	-	HANA13C2504A	-	-	-	-	BCPG13C2504A	-	-	-	-
JMART19C2508A	0.15	(0.05)	21,039	0.16	HANA13C2504B	-	-	-	-	BCPG13C2507A	0.19	0.01	135,646	0.19
JMART41C2504A	-	-	-	-	HANA13C2504C	-	-	-	-	BCPG13C2507B	-	-	-	-
JMART41C2606T	0.14	(0.03)	52,947	0.15	HANA13C2505A	-	-	-	-	BCPG19C2505A	0.25	0.03	57,312	0.23
JTS	26.00	(2.25)	3,598	26.94	HANA13C2505B	-	-	-	-	BCPG19C2508A	0.24	0.02	107,903	0.22
MFEI	5.95	-	3,299	5.90	HANA13C2506A	-	-	-	-	BCPG41C2606T	0.34	0.02	72,000	0.33
MSC	7.90	-	24	7.86	HANA13C2507A	0.07	(0.01)	146	0.06	BGRIM	10.20	(0.20)	176,104	10.03
PT	11.50	0.10	4,376	11.44	HANA13C2508A	0.25	(0.06)	51,983	0.27	BGRIM01C2504A	0.01	-	1,000	0.01
ROCTEC	0.57	-	76,204	0.56	HANA13P2504A	-	-	-	-	BGRIM01C2505A	-	-	-	-
ROCTEC-W3	0.01	-	1	0.01	HANA13P2505A	-	-	-	-	BGRIM01C2506A	-	-	-	-
ROCTEC-W5	0.02	(0.01)	300,357	0.03	HANA13P2507A	0.41	0.02	25,447	0.40	BGRIM01C2507A	0.04	(0.01)	30,684	0.03
SAMART	6.90	(0.05)	28,430	6.87	HANA19C2504A	-	-	-	-	BGRIM01C2508A	0.12	(0.03)	84,952	0.11
SAMTEL	5.55	(0.15)	297	5.52	HANA19C2505A	-	-	-	-	BGRIM01C2606T	-	-	-	-
SAMTEL-W2	1.01	(0.09)	447	1.01	HANA19C2505B	-	-	-	-	BGRIM01P2505A	1.51	0.47	574	1.52
SDC	0.04	-	33,278	0.04	HANA19C2507A	0.05	(0.02)	2	0.05	BGRIM01P2507A	0.48	0.03	8,389	0.51
SIS	23.30	(0.10)	1,613	23.07	HANA19C2508A	0.25	(0.05)	34,695	0.26	BGRIM13C2504A	-	-	-	-
SKY	16.00	-	6,935	15.77	HANA19P2504A	1.80	0.02	11	1.80	BGRIM13C2505A	-	-	-	-
SPREME	1.46	0.02	7,424	1.43	HANA19P2504B	-	-	-	-	BGRIM13C2505B	0.01	(0.01)	16	0.01
SVOA	0.98	(0.03)	1,864	0.99	HANA41C2504A	0.01	-	1	0.01	BGRIM13C2506A	-	-	-	-
SYMC	4.86	(0.08)	1,913	4.80	HANA41C2504B	-	-	-	-	BGRIM13C2507A	0.02	(0.01)	21,054	0.02
SYNEX	10.80	0.20	6,002	10.51	HANA41C2505A	-	-	-	-	BGRIM13C2507B	0.07	(0.02)	115,373	0.08
THCOM	10.10	(0.30)	36,319	10.16	HANA41C2606T	-	-	-	-	BGRIM13C2508A	0.17	(0.83)	18,602	0.18
TKC	8.05	(0.40)	199	8.20	KCE	15.70	(1.10)	112,267	15.79	BGRIM13P2505A	2.28	0.91	502	2.29
TRUE	11.70	(0.30)	931,861	11.77	KCE01C2504A	-	-	-	-	BGRIM13P2506A	-	-	-	-
TRUE01C2505A	0.11	(0.01)	28,266	0.11	KCE01C2504W	0.01	-	11,299	0.01	BGRIM19C2504A	-	-	-	-
TRUE01C2507A	0.08	(0.01)	200	0.08	KCE01C2505A	-	-	-	-	BGRIM19C2505A	-	-	-	

Main Board Quotation

Issue Date :

Monday March 31, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
EA13C2505B	-	-	-	-	SEA01L	2.46	(0.02)	622	2.46	BAM13C2504A	0.01	(0.03)	14	0.01
EA13C2506A	0.01	-	2,415	0.01	SGP	6.80	-	465	6.74	BAM13C2505A	-	-	-	-
EA13C2506B	0.03	0.01	27,963	0.02	SKE	0.18	(0.02)	1,226	0.19	BAM13C2506A	0.11	(0.04)	32,704	0.11
EA13C2507A	0.06	(0.02)	72,202	0.06	SKE-W1	0.02	(0.01)	4,946	0.02	BAM19C2504A	-	-	-	-
EA13C2508A	0.15	(0.03)	140,807	0.15	SOLAR	0.20	(0.01)	14,776	0.20	BAM19C2505A	-	-	-	-
EA13P2504A	0.47	0.01	10	0.47	SPCG	7.30	(0.30)	11,441	6.96	BAM19C2506A	0.13	(0.06)	41,108	0.13
EA19C2504A	-	-	-	-	SPRC	5.40	(0.20)	51,838	5.47	BAM41C2504A	-	-	-	-
EA19C2504B	-	-	-	-	SPRC13C2504A	-	-	-	-	BAM41C2505A	-	-	-	-
EA19C2505A	-	-	-	-	SPRC13C2506A	0.09	(0.04)	20,244	0.10	BAM41C2612T	0.29	(0.04)	49,333	0.29
EA19C2506A	0.02	0.01	353	0.01	SPRC19C2505A	-	-	-	-	BYD	0.34	-	50,919	0.33
EA19C2506B	0.02	(0.01)	218	0.02	SPRC41C2606T	0.21	(0.02)	20,500	0.21	CGH	0.45	(0.01)	16,253	0.45
EA19C2508A	0.17	(0.02)	88,433	0.17	SSP	5.05	-	8,863	5.05	CGH-W5	-	-	-	-
EA19P2505A	1.19	0.02	119	1.19	SSP-W2	0.01	-	1,304	0.01	CHASE	0.68	(0.02)	71,348	0.67
EA41C2606T	0.09	(0.02)	534	0.09	SUPER	0.18	0.01	347,927	0.17	CHASE-W1	0.35	0.03	16,816	0.34
EASTW	2.02	-	4,850	2.01	SUPEREIF	5.85	(0.05)	5,205	5.84	CHAYO	2.18	(0.06)	16,547	2.18
EGATIF	5.90	(0.05)	413	5.90	SUSCO	2.90	0.02	15,352	2.86	CHAYO-W3	0.07	-	1,725	0.07
EGCO	91.75	(1.25)	9,440	91.85	TAE	0.76	(0.01)	1,129	0.76	EAST	0.84	-	7,255	0.84
EGCO19C2504A	0.02	-	1	0.02	TCC	0.28	-	2,206	0.27	FNS	1.17	(0.02)	625	1.15
EP	1.46	0.04	1,625	1.41	TCC-W5	0.14	-	4	0.13	FSX	1.56	(0.03)	77	1.56
EP-W4	-	-	-	-	TGE	1.47	(0.02)	4,422	1.44	GBX	0.54	(0.02)	1,049	0.54
ETC	1.40	(0.01)	12,420	1.40	TGE-W2	0.13	-	5,723	0.12	GL	-	-	-	-
GPSC	26.75	(0.50)	64,858	26.46	TOP	24.50	(0.50)	138,193	24.68	HENG	1.02	(0.02)	18,166	1.02
GPSC01C2504W	0.01	-	176	0.01	TOP01C2504A	0.01	-	4,357	0.01	IFS	2.26	(0.02)	554	2.22
GPSC01C2505A	0.01	(0.02)	1	0.01	TOP01C2505A	-	-	-	-	JMT	12.80	(0.50)	115,654	12.84
GPSC01C2507A	0.13	(0.03)	18,940	0.14	TOP01C2506A	0.08	(0.01)	2,000	0.08	JMT01C2504A	-	-	-	-
GPSC01P2506A	0.26	0.02	62,959	0.27	TOP01C2507A	0.48	(0.10)	39,139	0.50	JMT13C2504A	-	-	-	-
GPSC13C2504A	-	-	-	-	TOP01C2508A	0.18	(0.02)	33,542	0.18	JMT13C2506A	0.04	(0.02)	8,210	0.04
GPSC13C2505A	-	-	-	-	TOP01P2504A	-	-	-	-	JMT13C2507A	0.15	(0.03)	33,349	0.15
GPSC13C2505B	-	-	-	-	TOP01P2506A	0.13	0.01	19,252	0.13	JMT19C2504A	-	-	-	-
GPSC13C2506A	0.04	(0.02)	5,150	0.04	TOP01P2508A	0.35	0.01	20,343	0.35	JMT19C2504B	0.01	-	200	0.01
GPSC13C2507A	0.16	(0.01)	34,637	0.15	TOP13C2504A	-	-	-	-	JMT19C2506A	0.05	(0.02)	1,110	0.05
GPSC13P2505A	-	-	-	-	TOP13C2504B	-	-	-	-	JMT19C2507A	0.18	(0.05)	73,473	0.19
GPSC13P2506A	0.21	0.01	11,006	0.22	TOP13C2505A	-	-	-	-	JMT41C2505A	-	-	-	-
GPSC19C2505A	-	-	-	-	TOP13C2505B	-	-	-	-	JMT41C2608T	0.24	(0.02)	22,610	0.25
GPSC19C2506A	-	-	-	-	TOP13C2505C	0.01	(0.02)	1	0.01	KCAR	4.00	(0.02)	147	3.99
GPSC19C2506B	-	-	-	-	TOP13C2506A	0.40	(0.11)	10,430	0.41	KGI	4.28	(0.06)	14,648	4.29
GPSC19C2507A	0.14	(0.02)	91,931	0.14	TOP13C2507A	0.12	(0.01)	55,201	0.13	KTC	45.50	(0.25)	40,090	45.30
GPSC19P2506A	0.32	0.03	23,557	0.33	TOP13P2505A	0.48	0.02	90	0.48	KTC01C2507A	0.13	(0.02)	21,072	0.12
GPSC41C2504A	-	-	-	-	TOP13P2505B	0.11	0.01	751	0.11	KTC01C2508A	0.27	(0.73)	22,362	0.26
GPSC41C2505A	-	-	-	-	TOP13P2508A	0.34	(0.66)	3,204	0.33	KTC13C2506A	0.06	(0.01)	12,054	0.06
GPSC41C2606T	0.11	(0.01)	38,009	0.11	TOP19C2504A	-	-	-	-	KTC19C2504A	-	-	-	-
GREEN	0.75	(0.02)	730	0.77	TOP19C2505A	0.01	-	500	0.01	KTC19C2507A	0.08	(0.03)	9	0.08
GULFI	-	-	-	-	TOP19C2505B	-	-	-	-	KTC41C2606T	0.22	(0.02)	31,030	0.22
GUNKUL	1.54	(0.06)	151,086	1.55	TOP19P2505A	-	-	-	-	MFC	25.00	(0.25)	78	24.78
GUNKUL13C2504A	0.01	-	400	0.01	TOP41C2505A	-	-	-	-	MICRO	0.81	(0.02)	1,968	0.81
GUNKUL13C2505A	-	-	-	-	TOP41C2506B	0.06	(0.03)	1,650	0.06	ML	0.35	(0.02)	1,815	0.35
GUNKUL19C2504A	-	-	-	-	TOP41P2505A	-	-	-	-	MST	8.00	0.05	48	7.95
GUNKUL19C2505A	-	-	-	-	TPIPP	2.22	(0.02)	14,661	2.21	MTC	36.50	(2.75)	184,163	36.42
IRPC	0.91	(0.03)	197,994	0.92	TSE	0.35	(0.02)	12,460	0.35	MTC01C2504A	-	-	-	-
IRPC01C2504A	-	-	-	-	TTW	8.70	(0.05)	21,904	8.74	MTC01C2506A	0.04	(0.04)	8,323	0.05
IRPC19C2508A	0.19	(0.03)	27,651	0.20	UBE	0.51	(0.01)	15,110	0.51	MTC01C2508A	0.20	(0.80)	67,797	0.19
KBSPIF	7.40	-	535	7.35	WHAUP	3.54	-	26,556	3.48	MTC01P2506A	0.51	0.12	48,974	0.50
LANNA	14.80	(0.40)	13,493	14.98	WP	3.48	0.02	654	3.46	MTC13C2505A	-	-	-	-
MDX	2.74	(0.06)	2,315	2.77	Media & Publishi	-	-	-	-	MTC13C2506A	0.03	(0.03)	7,397	0.03
NOVA	7.15	(0.20)	13	7.23	AMARIN	2.38	0.02	120	2.38	MTC13C2508A	0.18	(0.08)	147,286	0.18
OR	11.80	(0.10)	500,089	11.87	AQUA	0.22	(0.01)	9,399	0.22	MTC13P2506A	0.35	0.09	23,018	0.35
OR01C2505A	-	-	-	-	AS	2.28	(0.06)	2,747	2.26	MTC19C2504A	-	-	-	-
OR01C2507A	0.14	(0.01)	94,454	0.14	BEC	3.80	-	1,010	3.77	MTC19C2506A	0.03	(0.04)	16	0.03
OR01C2508A	0.27	(0.02)	132,370	0.27	FE	192.00	5.00	69	191.28	MTC19C2508A	0.14	(0.08)	145,783	0.17
OR13C2504A	-	-	-	-	GPI	1.60	(0.01)	8,493	1.60	MTC19P2506A	0.38	0.09	95,728	0.37
OR13C2506A	0.04	(0.01)	1,211	0.04	GRAMMY	-	-	-	-	MTC41C2505A	-	-	-	-
OR13C2507A	0.13	(0.02)	101,499	0.14	JKN	-	-	-	-	MTC41C2606T	0.17	(0.05)	70,350	0.18
OR13C2508A	0.28	(0.04)	8,424	0.28	MAJOR	10.40	(0.20)	6,834	10.44	NCAP	2.16	(0.04)	121,257	2.15
OR19C2504A	-	-	-	-	MATCH	1.12	(0.01)	81	1.11	PL	1.02	(0.01)	499	1.02
OR19C2505A	-	-	-	-	MATI	4.60	(0.10)	1	4.60	S11	2.78	-	130	2.76
OR19C2506A	0.10	(0.01)	75,930	0.10	MICOT	3.98	(0.04)	262,208	3.99	SAK	3.82	(0.08)	12,547	3.84
OR19C2508A	0.33	(0.05)	7,113	0.33	MONO	1.26	(0.04)	132,735	1.26	SAWAD	26.75	(1.25)	102,317	26.90
OR41C2505A	-	-	-	-	NATION	0.02	(0.01)	1,391	0.03	SAWAD-W2	0.18	(0.02)	5,034	0.18
OR41C2605T	-	-	-	-	NATION-W4	-	-	-	-	SAWAD01C2504A	0.01	(0.07)	2,012	0.01
OR41C2608T	0.30	0.01	89,650	0.29	ONEE	2.50	(0.10)	18,259	2.51	SAWAD01C2506A	-	-	-	-
PRIME	0.07	(0.01)	91,335	0.07	PLANB	5.35	(0.25)	59,260	5.41	SAWAD01C2508A	0.06	(0.02)	10,319	0.06
PTG	6.80	(0.10)	22,497	6.79	PLANB13C2508A	0.15	(0.05)	36,303	0.16	SAWAD01P2505A	0.86	0.13	17,692	0.87
PTT	32.00	-	381,831	31.87	PLANB19C2508A	0.15	(0.03)	18,205	0.15	SAWAD13C2505A	-	-	-	-
PTT01C2505A	-	-	-	-	PLANB41C2606T	0.17	(0.01)	28,000	0.17	SAWAD13C2506A	-	-	-	-
PTT01C2508A	0.22	(0.02)	5,851	0.23	PRAKTI	11.40	0.10	26	11.21	SAWAD13C2507A	0.05	(0.02)	7,705	0.05
PTT13C2508A	0.21	(0.02)	40,723	0.21	PTECH	0.80	(0.02)	1	0.80	SAWAD13C2508A	0.11	(0.04)	78,562	0.11
PTT19C2505A	-	-	-	-	SE-ED	1.94	-	326	1.94	SAWAD13P2504A	0.16	(0.01)	6	0.16
PTT41C2606T	0.28	(0.02)	1,500	0.28	TKS	5.60	(0.10)	2,516	5.54	SAWAD19C2504A	-	-	-	-
PTTTP	116.50	(0.50)	82,836	116.13	VGI	2.98	(0.10)	1,015,788	3.00	SAWAD19C2505A	-	-	-	-
PTTTEP01C2504A	-	-	-	-	VGI-W3	0.05	(0.01)	107,201	0.05	SAWAD19C2506A	-	-	-	-
PTTTEP01C2505A	0.07	(0.01)	11,138	0.06	VGI-W4	1.23	(0.04)	13,802	1.24	SAWAD19C2507A	0.07	(0.02)	3	0.07
PTTTEP01C2507A	0.33	(0.03)	61,468	0.32	VGI01C2505A	0.06	(0.02)	103	0.06	SAWAD19C2508A	0.15	(0.04)	169,656	0.16
PTTTEP01P2506A	0.16	-	26,217	0.17	VGI01C2507A	0.31	(0.05)	89,518	0.32	SAWAD19P2504A	-	-	-	-
PTTTEP13C2504A	-	-	-	-	VGI13C2504A	0.03	(0.06)	141	0.03	SAWAD41C2505A	-	-	-	-
PTTTEP13C2505A	-	-	-	-	VGI13C2505A	0.05	(0.01)	3,564	0.04	SAWAD41C2609T	0.22	(0.03)	144,963	0.22
PTTTEP13C2507A	0.22	(0.03)	69,963	0.22	VGI13C2507A	0.18	(0.04)	100,659	0.20	SCAP	1.22	0.01	10,730	1.20
PTTTEP13C2507B	-	-	-	-	VGI13P2504A	-	-	-	-	SGC	0.91	(0.04)	185,105	0.92
PTTTEP13P2506A	0.23	(0.01)	25,938	0.24	VGI19C2504A	-	-	-	-	SGC-W1	0.10	-	2,160	0.10
PTTTEP19C2504A	-	-	-	-	VGI19C2505A	0.04	(0.03)	8,115						

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Monday March 31, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TNL	29.25	(1.75)	1	29.25	RBF13C2504A	0.01	-	797	0.01	PR9	20.50	0.30	20,057	20.45
UOBKH	5.35	(0.15)	1,035	5.35	RBF13C2507A	-	-	-	-	PR901C2507A	0.13	-	16,426	0.12
XPG	0.81	0.01	108,871	0.80	RBF19C2505A	0.01	(0.01)	100	0.01	PR913C2505A	-	-	-	-
Food & Beverage					RBF19C2508A	-	-	-	-	PR913C2506A	0.05	-	702	0.04
AAI	5.05	(0.25)	32,387	5.17	SAPPE	34.75	0.25	18,840	34.21	PR919C2506A	-	-	-	-
APURE	3.46	(0.02)	365	3.39	SAPPE01C2504A	0.01	-	180	0.01	PR941C2609T	0.33	(0.67)	31,500	0.34
ASIAN	7.95	(0.05)	5,913	7.95	SAPPE13C2507A	0.07	(0.02)	4,332	0.07	PRINC	2.40	(0.02)	1,668	2.42
BR	1.60	-	5,462	1.60	SAPPE19C2508A	0.29	0.01	8,538	0.26	RAM	18.10	0.30	1,083	17.97
BR-W1	0.04	0.01	6,424	0.03	SAUCE	38.00	(0.25)	72	38.21	RJH	13.80	(0.20)	18,523	13.79
BRR	4.60	-	1,729	4.58	SNPP	12.00	-	9,325	11.93	RPH	5.35	0.05	2,183	5.31
BRR-W2	0.20	(0.01)	2,707	0.20	SNP	11.40	-	711	11.31	SAFE	8.95	(0.05)	311	8.99
BTG	21.00	(0.10)	16,965	20.85	SORKON	4.40	(0.04)	4,180	4.41	SKR	7.80	-	2,082	7.72
CBG	56.75	(3.00)	58,148	56.99	SSF	5.50	(0.05)	661	5.57	THG	9.65	1.10	33,592	9.23
CBG01C2504A	-	-	-	-	SST	2.00	0.01	1	2.00	VIBHA	1.57	-	9,017	1.55
CBG01C2506A	-	-	-	-	SUN	3.12	(0.02)	3,205	3.10	VIBHA-W4	0.01	-	2,001	0.01
CBG01C2507A	0.08	(0.04)	19,199	0.09	TC	6.05	0.05	1,613	5.89	VIH	7.15	-	1,702	7.12
CBG01C2508A	0.27	(0.06)	67,540	0.26	TFG	4.50	(0.02)	48,017	4.51	VIH-W1	0.93	(0.04)	50	0.94
CBG01P2504W	-	-	-	-	TFG-W4	0.68	(0.01)	5,705	0.66	WPH	7.95	(0.05)	4,621	7.95
CBG01P2506A	1.40	0.19	3,568	1.40	TFMAMA	198.50	(1.50)	29	198.38	Tourism & Leisure				
CBG01P2507A	0.79	0.11	23,502	0.78	TIPCO	9.40	(0.15)	1,344	9.41	ASIA	5.10	(0.20)	30	5.12
CBG13C2505A	-	-	-	-	TKN	8.00	(0.10)	9,162	7.99	BEYOND	6.80	(0.20)	1,825	6.69
CBG13C2506A	0.01	(0.03)	7,380	0.02	TU	10.90	(0.30)	95,122	10.97	CENTEL	28.75	(1.50)	38,543	28.72
CBG13C2507A	0.12	(0.05)	24,897	0.12	TU01C2505A	-	-	-	-	CENTEL01C2504A	0.01	-	278	0.01
CBG13P2504A	0.19	0.05	21,968	0.19	TU01C2506A	-	-	-	-	CENTEL01C2508A	0.11	(0.04)	52,222	0.12
CBG19C2504A	0.01	(0.02)	3,500	0.01	TU01C2508A	0.11	(0.03)	30,031	0.12	CENTEL13C2504A	-	-	-	-
CBG19C2506A	-	-	-	-	TU13C2504A	-	-	-	-	CENTEL13C2506A	0.05	(0.03)	37,332	0.06
CBG19C2506B	-	-	-	-	TU13C2505A	0.01	(0.01)	10,030	0.01	CENTEL13C2508A	0.16	(0.05)	75,820	0.16
CBG19C2508A	0.21	(0.07)	60,939	0.22	TU19C2504A	-	-	-	-	CENTEL19C2504A	-	-	-	-
CBG19P2507A	0.84	0.11	3,021	0.84	TU19C2505A	-	-	-	-	CENTEL19C2506A	0.10	(0.04)	34,587	0.10
CBG41C2505A	0.01	(0.03)	1,700	0.01	TU19C2506A	-	-	-	-	CENTEL41C2504A	0.01	-	100	0.01
CBG41C2608T	0.21	(0.02)	14,400	0.20	TU41C2506A	-	-	-	-	CENTEL41C2606T	0.23	(0.04)	152,550	0.24
CFRESH	1.07	(0.04)	601	1.07	TU41C2609T	0.22	(0.01)	4,000	0.22	CSR	-	-	-	-
CH	2.06	-	2,892	2.01	TVO	21.50	(0.40)	9,703	21.54	DUSIT	8.65	(0.05)	2,604	8.52
CHAO	4.22	(0.18)	7,131	4.23	TWPC	2.38	-	1,807	2.37	ERW	2.66	(0.16)	248,438	2.70
CHOTI	65.00	-	14	65.00	XBIO	0.10	(0.03)	163,895	0.10	ERW01C2504A	-	-	-	-
CM	1.70	0.02	217	1.67	XBIO-W6	0.02	-	600	0.02	ERW01C2507A	0.08	(0.03)	11,404	0.08
COCOCO	6.85	(0.05)	31,889	6.83	XBIO-W7	0.02	0.01	12,654	0.01	ERW13C2505A	-	-	-	-
COCOCO13C2505A	-	-	-	-	ZEN	6.25	(0.05)	324	6.25	ERW13C2507A	0.06	(0.04)	20,597	0.06
COCOCO19C2506A	-	-	-	-	Health Care Sen					ERW13C2508A	0.23	(0.07)	134,344	0.24
CPF	23.80	(0.10)	128,822	23.78	AHC	13.90	0.10	19	13.72	ERW19C2506A	-	-	-	-
CPF01C2504A	-	-	-	-	BCH	14.00	-	35,005	13.93	ERW19C2508A	0.25	(0.08)	113,025	0.27
CPF01C2508A	0.55	(0.06)	3,370	0.57	BCH01C2508A	0.10	(0.01)	21,550	0.11	ERW41C2606T	0.12	(0.03)	48,381	0.13
CPF13C2504A	-	-	-	-	BCH13C2504A	-	-	-	-	GRAND	0.04	-	23,749	0.04
CPF13C2505A	-	-	-	-	BCH13C2507A	0.08	(0.01)	5,379	0.08	LRH	38.50	0.50	1	38.50
CPF13C2506A	0.36	(0.03)	16,440	0.36	BCH13C2508A	0.22	(0.78)	17,812	0.21	MANRIN	-	-	-	-
CPF19C2504A	-	-	-	-	BCH19C2505A	-	-	-	-	MINT	26.25	(0.25)	155,804	26.08
CPF19C2505A	-	-	-	-	BCH19C2505B	-	-	-	-	MINT01C2504A	0.01	-	2	0.01
CPF41C2505A	-	-	-	-	BCH19C2508A	0.12	-	31,740	0.11	MINT01C2506A	-	-	-	-
CPF41C2505B	-	-	-	-	BCH41C2506A	0.04	(0.01)	50	0.04	MINT01C2507A	0.02	(0.08)	17,553	0.10
CPF41C2612T	0.56	(0.01)	23,276	0.56	BDMS	21.80	(0.40)	386,752	21.96	MINT13C2505A	0.02	(0.02)	10,000	0.02
CPI	2.72	(0.04)	1,154	2.74	BDMS01C2504A	0.01	-	3,001	0.01	MINT13C2506A	-	-	-	-
F&D	-	-	-	-	BDMS01C2506A	0.07	-	55	0.07	MINT13C2506B	0.11	-	66,037	0.11
FM	3.74	(0.06)	20,533	3.75	BDMS01C2508A	0.06	-	1,012	0.06	MINT19C2504A	-	-	-	-
GLOCON	0.14	(0.01)	49,462	0.14	BDMS13C2504A	-	-	-	-	MINT19C2506A	-	-	-	-
HTC	16.30	(0.10)	5,097	16.28	BDMS13C2505A	0.02	-	4,200	0.01	MINT19C2508A	0.14	-	19,389	0.13
ICHI	11.30	(0.30)	97,828	11.32	BDMS13C2508A	0.22	(0.03)	42,486	0.24	MINT41C2504A	-	-	-	-
ICHI13C2504A	-	-	-	-	BDMS19C2504A	-	-	-	-	MINT41C2604T	-	-	-	-
ITC	13.20	(0.90)	68,498	13.48	BDMS19C2505A	-	-	-	-	MINT41C2612T	0.23	-	55,254	0.22
ITC01C2504A	-	-	-	-	BDMS19C2508A	0.27	(0.73)	57,644	0.29	OHTL	317.00	1.00	2	317.00
ITC01C2506A	0.03	(0.01)	1,450	0.03	BDMS41C2505A	0.01	(0.01)	1	0.01	ROH	1.93	0.04	6	1.93
ITC13C2504A	0.01	-	9	0.01	BDMS41C2609T	0.18	-	40,060	0.18	SHANG	49.00	-	8	49.00
ITC13C2506A	0.02	(0.01)	4,165	0.02	BH	164.50	(3.00)	27,069	165.39	SHR	1.97	(0.05)	43,846	1.96
ITC13C2508A	0.21	(0.06)	59,652	0.22	BH-P	-	-	-	-	SPA	4.46	(0.12)	19,058	4.49
ITC19C2505A	-	-	-	-	BH-Q	-	-	-	-	VRANDA	4.58	(0.04)	1,210	4.50
ITC19C2506A	0.04	(0.02)	1,212	0.04	BH01C2504A	0.01	-	1,807	0.01	Home & Office Produ				
ITC41C2505A	-	-	-	-	BH01C2505A	0.02	(0.01)	400	0.02	AJA	0.10	(0.01)	10,608	0.10
ITC41C2612T	0.26	(0.05)	51,873	0.27	BH01C2506A	-	-	-	-	DTCI	25.00	(3.00)	210	26.14
JDF	1.96	(0.03)	4,581	1.97	BH01C2507A	0.32	(0.05)	32,018	0.34	FANCY	0.39	0.01	1,930	0.38
KBS	5.50	(0.05)	4,275	5.49	BH01P2504A	0.11	0.01	26,737	0.10	FTI	1.85	(0.08)	547	1.93
KCG	8.20	0.10	10,250	8.09	BH01P2507A	0.54	0.03	44,457	0.53	KYE	299.00	2.00	11	297.27
KSL	1.45	(0.04)	3,824	1.46	BH13C2504A	-	-	-	-	L&E	-	-	-	-
KTIS	2.34	(0.14)	162	2.36	BH13C2504B	-	-	-	-	MODERN	2.24	(0.02)	162	2.25
LST	4.74	0.04	337	4.76	BH13C2505A	-	-	-	-	OGC	9.55	(0.10)	6	9.55
M	18.80	-	6,115	18.73	BH13C2506A	0.14	(0.04)	30,274	0.15	ROCK	13.00	0.20	2	13.15
MALEE	6.05	(0.10)	4,808	6.05	BH13C2508A	0.51	(0.49)	74,889	0.53	SIAM	0.72	0.02	410	0.70
NRF	0.47	(0.03)	12,095	0.48	BH19C2504A	-	-	-	-	TCMC	0.42	(0.04)	14,263	0.42
NSL	28.25	(0.75)	7,992	28.44	BH19C2504B	0.01	-	71	0.01	TSR	0.20	(0.01)	2,890	0.20
OKJ	7.95	(0.15)	28,651	8.00	BH19C2505A	0.01	(0.03)	20	0.01	TSR-W2	-	-	-	-
OSP	13.50	(1.10)	349,130	13.39	BH19C2506A	-	-	-	-	Insurance				
OSP01C2504A	-	-	-	-	BH19C2506B	0.11	(0.03)	44,642	0.12	AYUD	32.00	0.25		

Main Board Quotation

Issue Date :

Monday March 31, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TSI	0.05	-	4,249	0.05	AMATA19C2505	-	-	-	-	WHA01C2508A	0.28	(0.03)	99,487	0.28
TVH	8.45	-	562	8.21	AMATA19C2508	0.21	(0.07)	74,131	0.22	WHA13C2504A	0.01	(0.01)	60	0.01
Packaging	-	-	-	-	AMATA41C2505	-	-	-	-	WHA13C2505A	-	-	-	-
AJ	2.18	(0.18)	19,058	2.23	AMATA41C2608	0.19	(0.03)	80,860	0.19	WHA13C2506A	-	-	-	-
ALUCON	180.50	1.50	3	180.50	AMATAV	3.52	(0.10)	87	3.53	WHA13C2506B	-	-	-	-
BGC	5.65	-	722	5.59	ANAN	0.48	(0.06)	257,924	0.48	WHA13C2507A	0.12	(0.02)	33,714	0.12
CSC	43.00	-	11	43.05	AP	7.55	(1.05)	1,093,111	7.58	WHA13C2507B	0.23	(0.04)	72,364	0.23
CSC-P	-	-	-	-	AP01C2507A	0.18	(0.13)	5,121	0.25	WHA19C2504A	-	-	-	-
CSC-Q	-	-	-	-	ASW	6.35	(0.10)	4,427	6.27	WHA19C2506A	-	-	-	-
NEP	0.22	(0.01)	211	0.22	AWC	2.46	(0.08)	1,003,331	2.46	WHA19C2507A	0.16	(0.02)	148,864	0.15
PJW	2.24	(0.02)	1,597	2.22	AWC01C2504A	-	-	-	-	WHA41C2605T	-	-	-	-
PTL	10.30	(0.20)	3,612	10.24	AWC01C2506A	0.02	-	10	0.02	WHA41C2608T	0.18	(0.01)	100,000	0.18
SCGP	13.40	(0.30)	142,743	13.46	AWC01C2508A	0.09	(0.02)	35,580	0.09	WIN	0.34	-	2,598	0.33
SCGP01C2504A	0.01	-	2,997	0.01	AWC13C2504A	0.01	-	11	0.01	Paper & Printing Mat	-	-	-	-
SCGP01C2504W	0.01	-	3,300	0.01	AWC13C2506A	-	-	-	-	UTP	7.80	(0.05)	1,302	7.85
SCGP01C2506A	-	-	-	-	AWC13C2508A	0.10	(0.03)	86,967	0.10	Fashion	-	-	-	-
SCGP01C2507A	0.05	(0.01)	9,932	0.05	AWC19C2504A	-	-	-	-	AFC	4.04	0.06	120	3.86
SCGP01C2508A	0.17	(0.03)	116,663	0.18	AWC19C2506A	0.02	(0.01)	20	0.02	AURA	16.60	(0.10)	11,222	16.71
SCGP01P2507A	0.63	0.03	7,137	0.62	AWC41C2606T	0.08	(0.03)	18,960	0.09	BTNC	12.50	-	7	12.50
SCGP13C2504A	-	-	-	-	BLAND	0.42	(0.02)	73,999	0.43	CPH	7.45	(0.25)	805	7.48
SCGP13C2504B	-	-	-	-	BRI	1.89	(0.09)	15,862	1.88	CPL	0.82	(0.05)	1,955	0.81
SCGP13C2506A	0.01	(0.01)	27	0.01	BROCK	1.55	0.11	2	1.60	NC	2.38	(0.02)	330	2.37
SCGP13C2506B	0.02	(0.01)	61	0.02	CGD	0.23	(0.01)	9,695	0.23	PAF	0.74	(0.07)	1,103	0.72
SCGP13C2507A	0.11	(0.03)	100,191	0.12	CI	0.35	(0.06)	9,284	0.37	PDJ	1.75	0.02	1,075	1.71
SCGP13P2504A	-	-	-	-	CMC	0.86	0.03	1,191	0.82	PG	6.80	0.10	17	6.98
SCGP13P2504B	-	-	-	-	CPN	47.00	(1.25)	110,974	47.44	SABINA	18.40	-	10,850	18.22
SCGP13P2506A	0.40	0.03	442	0.42	CPN01C2505A	-	-	-	-	SAWANG	-	-	-	-
SCGP19C2504A	-	-	-	-	CPN01C2506A	0.09	(0.03)	66,520	0.10	SUC	30.75	(0.50)	1,626	30.84
SCGP19C2505A	-	-	-	-	CPN13C2504A	-	-	-	-	TR	-	-	-	-
SCGP19C2506A	-	-	-	-	CPN13C2505A	-	-	-	-	TTI	-	-	-	-
SCGP19C2506B	0.03	-	15	0.03	CPN13C2507A	0.12	(0.02)	80,152	0.13	TTT	50.00	(1.00)	24	50.40
SCGP19C2507A	0.20	(0.03)	324,901	0.21	CPN19C2504A	-	-	-	-	UPF	29.00	(1.25)	25	27.37
SCGP19P2505A	-	-	-	-	CPN19C2505A	-	-	-	-	WACOAL	21.00	(0.20)	19	21.13
SCGP41C2505A	-	-	-	-	CPN19C2508A	0.19	(0.02)	179,028	0.19	WFX	0.97	(0.03)	1,373	0.99
SCGP41C2606T	0.14	(0.02)	54,350	0.15	CPN41C2504A	-	-	-	-	Transportation & Log	-	-	-	-
SFLEX	2.88	0.08	26,175	2.82	CPN41C2505A	-	-	-	-	AAV	1.69	(0.09)	558,713	1.71
SFLEX-W2	0.04	(0.01)	27,443	0.04	CPN41C2608T	0.29	(0.01)	78,000	0.29	AAV13C2504A	-	-	-	-
SITHAI	1.09	(0.01)	1,320	1.08	ESTAR	0.18	-	4,099	0.18	AAV13C2506A	-	-	-	-
SLP	0.40	0.01	1,413	0.38	EVER	0.07	-	24,836	0.06	AAV19C2505A	0.01	-	300	0.01
SMPC	9.05	-	1,102	9.01	FPT	6.50	(0.25)	654	6.54	AAV19C2507A	0.07	(0.02)	13,588	0.07
SPACK	1.39	(0.01)	31	1.38	GLAND	-	-	-	-	AAV41C2505A	-	-	-	-
TCOAT	-	-	-	-	J	0.98	0.01	272	0.96	AAV41C2608T	0.15	(0.03)	33,763	0.16
TFI	0.05	0.01	9,315	0.04	J-W3	0.13	-	1,314	0.13	ANI	2.68	-	246	2.66
TFI-W1	-	-	-	-	J-W4	-	-	-	-	AOT	37.75	(0.75)	330,080	37.71
THIP	26.25	(0.25)	79	26.07	JCK	0.17	(0.02)	34,898	0.18	AOT01C2504A	-	-	-	-
TMD	24.20	(0.30)	702	23.34	KC	0.04	(0.01)	98,258	0.04	AOT01C2506A	-	-	-	-
TOPP	-	-	-	-	KUN	1.20	0.01	692	1.21	AOT01C2507A	0.06	(0.02)	29,936	0.07
TPAC	8.00	-	1,951	7.93	KUN-W2	0.01	-	19,004	0.01	AOT01C2507B	0.17	(0.03)	48,701	0.17
TPBI	3.98	0.02	873	3.93	LALIN	5.30	-	2,018	5.20	AOT01C2606T	0.21	(0.79)	7,308	0.21
TPP	-	-	-	-	LH	4.24	(0.10)	689,641	4.25	AOT01P2507A	1.50	0.18	4	1.50
Personal Products	-	-	-	-	LH19C2504A	0.02	(0.01)	1	0.02	AOT01P2507B	0.49	0.03	17,674	0.49
APCO	3.30	(0.04)	141	3.31	LPN	1.97	(0.07)	37,179	1.97	AOT11C2507A	0.14	(0.05)	7,136	0.14
BIZ	3.26	(0.02)	2,390	3.27	MBK	17.00	0.20	21,215	16.80	AOT13C2504A	-	-	-	-
BLC	4.02	(0.02)	14,298	4.01	MBK-W4	14.50	(0.10)	25	14.50	AOT13C2506A	0.01	-	1,180	0.01
DDD	6.25	(0.15)	604	6.27	MBK19C2508A	0.09	(0.03)	1,223	0.09	AOT13C2507A	0.02	0.01	31,087	0.01
IP	3.62	(0.02)	19,468	3.61	MJD	0.65	(0.02)	1,421	0.64	AOT13C2507B	0.06	(0.02)	13,523	0.06
IP-W2	0.11	(0.01)	7,556	0.11	MK	1.42	-	756	1.39	AOT13C2507C	0.03	-	2,901	0.01
JCT	78.25	(0.50)	1	78.25	NCH	0.65	-	10,476	0.65	AOT13C2508A	0.18	(0.02)	71,997	0.17
KISS	3.80	(0.10)	2,539	3.80	NNCL	1.63	0.01	535	1.61	AOT13P2507A	-	-	-	-
NAM	4.20	(0.06)	511	4.21	NOBLE	2.14	(0.22)	26,721	2.11	AOT13P2507B	0.38	0.02	34,366	0.38
NEO	28.25	(0.50)	1,612	28.32	NVD	1.23	0.02	17	1.21	AOT19C2504A	-	-	-	-
NV	0.70	(0.02)	4,363	0.66	ORI	2.04	(0.24)	476,364	1.95	AOT19C2506A	-	-	-	-
OCC	9.05	-	23	8.37	ORN	0.69	(0.02)	12,059	0.69	AOT19C2507A	0.02	-	3,001	0.01
S&J	-	-	-	-	PEACE	2.36	0.08	371	2.39	AOT19C2507B	-	-	-	-
SNPS	5.15	(0.10)	18,695	5.18	PF	0.10	(0.01)	157,399	0.10	AOT19C2508A	0.17	(0.03)	54,293	0.17
STGT	7.10	(0.10)	44,666	7.15	PIN	6.30	(0.10)	25,086	6.30	AOT19P2507A	0.43	0.07	12	0.41
STGT01C2504A	0.01	-	6,501	0.01	PLAT	1.48	(0.07)	34,183	1.49	AOT41C2505A	-	-	-	-
STGT13C2504A	0.01	-	200	0.01	PRECHA	0.39	(0.01)	90	0.36	AOT41C2507A	0.07	(0.03)	11,220	0.07
STGT13C2506A	-	-	-	-	PRIN	-	-	-	-	AOT41C2605T	-	-	-	-
STGT13C2508A	0.26	(0.02)	66,767	0.27	PROUD	1.27	(0.02)	11,147	1.26	AOT41C2609T	0.24	(0.02)	30,780	0.24
STGT19C2504A	-	-	-	-	PSH	4.98	(0.02)	24,747	4.94	AOT41P2504A	1.81	0.61	1	1.81
STGT19C2504B	-	-	-	-	QH	1.54	(0.02)	294,156	1.55	AOT41P2606T	0.58	0.04	36,530	0.59
STGT19C2509A	0.33	(0.02)	25,154	0.34	RABBIT	0.32	(0.02)	58,790	0.32	ASIMAR	1.40	0.01	1,829	1.38
STGT41C2606T	-	-	-	-	RABBIT-P	0.50	-	42,504	0.49	B	0.05	-	37,876	0.05
TMAN	11.30	(0.30)	3,973	11.34	RABBIT-Q	-	-	-	-	B-W8	0.01	-	1	0.01
TNR	7.65	0.05	396	7.59	RICHY	0.39	0.04	14,346	0.35	BA	18.40	(0.40)	63,092	18.17
TOG	8.95	-	226	8.90	RML	0.15	(0.01)	39,767	0.15	BA01C2504A	0.01	-	517	0.01
Professional Service	-	-	-	-	ROJNA	5.70	(0.05)	74,742	5.68	BA01C2508A	0.27	(0.04)	41,225	0.26
BWG	0.26	-	110,621	0.26	S	0.61	(0.05)	48,514	0.60	BA13C2504A	-	-	-	-
BWG-W6	0.01	-	91	0.01	SA	7.50	0.20	3,107	7.45	BA13C2506A	0.11	(0.04)	12,362	0.11
GENCO	0.28	(0.01)	489	0.27	SA-W1	0.01	-	393	0.01	BA19C2507A	0.16	(0.04)	74,128	0.15
PRTR	3.72	0.02	4,591	3.74	SAMCO	0.70	(0.01)	640	0.70	BA41C2606T	0.16	(0.02)	28,385	0.16
SISB	16.10	(0.30)	35,015	16.14	SC	2.38	(0.10)	54,773	2.39	BEM	5.40	(0.05)	637,454	5.30
SISB13C2504A	-	-	-	-	SENA	2.00	(0.08)	11,608	2.00	BEM13C2505A	-	-	-	-
SISB13C2506A	0.01	(0.01)	8,150	0.01	SIRI	1.42	(0.14)	2,112,336	1.45	BEM13C2506A	-	-	-	-
SISB13C2506B	0.01	-	67	0.01	SIRI01C2504A	-	-	-	-	BEM13C2508A	0.13	(0.01)	76,390	0.13
SISB19C2507A	0.03	-	6,025	0.02	SIRI13C2508A	0.11	(0.08)	110,017	0.12	BEM19C2505A	-	-	-	-
SO	4.10	-	470	4.10	SIRI19C2508A	0.12	(0.10)	106,478	0.14	BEM41C2606T	-	-	-	-
WAVE	0.05	-	228,381	0.05	SIRI41C2606T	0.21	(0.06)	103,879	0.21	BTS	5.15	(0.35)	816,301	5.25
WAVE-W3	0.01	-	100,000	0.01	SPALI	16.00	(1.00)	348,221	16.08	BTS-W8	0.04	-	123,758	0.04
WAVE-W4	0.03	-	104,761	0.02	SPALI13C2507A	0.14	(0.10)	62,152	0.15	BTS01C2504A	-	-	-	-
Property Developmei	-	-	-	-										

Main Board Quotation

Main Board Quotation					Main Board Quotation					Issue Date : Monday March 31, 2025				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BTS41C2504B	-	-	-	-	LHRREIT	4.64	0.02	515	4.64	TDEX	7.17	(0.06)	21,652	7.18
BTS41C2608T	0.15	(0.04)	8,490	0.16	LHSC	12.10	-	22,024	11.86	UBOT	12.37	0.27	21	12.22
BTS5GIF	2.84	0.02	26,381	2.82	LUXF	8.15	0.05	225	8.01	UHERO	8.40	(0.10)	15	8.46
DMT	10.00	(0.10)	5,810	10.03	M-PAT	-	-	-	-	Warrant Foreign	-	-	-	-
ETL	0.53	-	6,130	0.53	M-STOR	7.20	-	31	7.26	AIA41C2504A	0.07	(0.03)	85	0.07
III	4.76	-	2,405	4.72	MII	5.50	(0.10)	5	5.50	BABA28C2503A	-	-	-	-
KEX	0.93	(0.06)	109,005	0.92	MIPF	10.50	(1.20)	1	10.50	BABA28C2506A	1.86	(0.08)	4	1.79
KIAT	0.30	-	4,017	0.29	MIT	0.37	0.04	39	0.39	BABA28C2506B	0.25	(0.04)	1,914	0.24
KWC	302.00	(24.00)	68	302.00	MJLF	4.36	(0.04)	596	4.38	BABA28C2509A	0.37	(0.02)	21,577	0.34
MENA	0.97	(0.03)	9,935	0.98	MNIT	1.98	-	150	2.00	BABA28P2503A	-	-	-	-
NYT	3.32	(0.02)	17,391	3.33	MNIT2	4.94	0.02	10	4.94	BABA28P2509A	-	-	-	-
PORT	0.99	-	155	0.99	MNRF	2.00	(0.02)	69	2.01	BABA41C2503A	-	-	-	-
PRM	6.55	0.10	34,038	6.51	POPF	5.70	(0.05)	976	5.66	BABA41C2504A	2.18	(0.14)	13	2.03
PSL	6.20	(0.20)	41,085	6.20	PROSPECT	8.10	-	1,437	8.06	BABA41C2504B	0.17	(0.02)	5,475	0.14
RCL	23.50	0.20	24,507	23.19	QHBREIT	3.74	(0.06)	5,979	3.74	BABA41C2505A	0.17	(0.04)	1,898	0.15
RCL01C2505A	0.03	(0.02)	1,807	0.03	QHRRREIT	6.65	-	1,224	6.61	BABA41P2504A	0.01	(0.01)	50	0.01
RCL01C2507A	0.15	(0.01)	15,870	0.15	QHOP	3.20	-	3	3.13	BABA41P2506A	0.19	0.02	118	0.20
RCL13C2506A	0.05	(0.03)	30	0.05	SIRIPRT	7.15	-	270	6.54	BABA41P2507A	0.61	0.04	1,060	0.64
RCL13C2507A	0.45	(0.03)	11,829	0.44	SPRIME	4.10	(0.02)	1,590	4.06	BIDU41C2504A	0.13	(0.08)	6,094	0.14
RCL19C2504A	-	-	-	-	SRIPANWA	5.40	-	54	5.31	BIDU41C2506A	0.56	(0.14)	6,818	0.56
RCL19C2507A	0.16	(0.02)	5,082	0.15	SSPF	3.70	0.20	10	3.70	BYDCOM28C2503A	-	-	-	-
RCL41C2505A	-	-	-	-	SSTRT	-	-	-	-	BYDCOM28C2508A	1.53	(0.18)	41	1.53
RCL41C2608T	0.40	(0.02)	47,400	0.41	TIF1	-	-	-	-	BYDCOM28C2510A	0.56	(0.06)	49,701	0.54
SAV	14.70	(0.40)	3,881	14.69	TLHPF	2.50	(0.08)	1,458	2.53	BYDCOM28P2503A	-	-	-	-
SINO	0.92	(0.01)	2,200	0.91	TNPF	-	-	-	-	BYDCOM28P2510A	0.19	0.01	17,000	0.19
SJWD	6.90	(0.15)	18,111	6.94	TPRIME	6.75	-	16	6.75	BYDCOM41C2506A	1.48	(0.17)	91	1.48
SJWD13C2504A	-	-	-	-	TTLPF	12.20	-	84	12.19	BYDCOM41C2506B	0.30	(0.07)	1,782	0.30
TFIF	6.10	(0.05)	17,653	6.10	TU-PF	-	-	-	-	DJI28C2506A	0.07	(0.02)	9,332	0.05
THAI	-	-	-	-	WHABT	6.85	(0.15)	193	6.85	DJI28P2506A	0.74	0.14	859	0.73
TSTE	13.20	-	143	12.42	WHAIR	5.60	(0.05)	5,207	5.60	DJI41C2506A	0.05	(0.07)	140	0.05
TTA	4.02	(0.18)	51,393	4.03	WHART	10.20	-	8,348	10.13	DJI41C2506B	0.42	(0.26)	20	0.42
WICE	2.68	(0.04)	6,556	2.68	Steel and Metal	-	-	-	-	DJI41P2506A	0.63	0.15	11,560	0.61
Automotive	-	-	-	-	2S	2.16	(0.02)	546	2.20	GEELY41C2506A	0.20	-	1,113	0.20
ACG	0.70	(0.01)	221	0.70	AMC	1.99	0.04	7,586	2.06	HSIO6C2503A	-	-	-	-
AH	12.50	(0.20)	1,188	12.44	BBSM	0.70	-	31,212	0.72	HSIO6C2503B	-	-	-	-
CWT	0.56	(0.03)	9,689	0.57	CEN	1.81	-	60	1.82	HSIO6C2503C	-	-	-	-
EASON	1.04	(0.02)	18,612	1.02	CEN-W5	0.08	-	22	0.08	HSIO6C2503D	-	-	-	-
GYT	-	-	-	-	CITY	1.62	(0.01)	134	1.54	HSIO6C2503E	-	-	-	-
HFT	3.68	(0.06)	2,385	3.68	CSP	0.51	0.03	4,752	0.50	HSIO6C2503F	-	-	-	-
IHL	1.47	(0.01)	2,915	1.47	GJS	0.13	-	5,420	0.13	HSIO6C2503G	-	-	-	-
INGRS	0.25	0.01	1,355	0.24	GSTEEL	-	-	-	-	HSIO6C2504A	-	-	-	-
IRC	11.30	(0.10)	82	11.33	INOX	0.45	0.02	108,948	0.45	HSIO6C2504B	-	-	-	-
MGC	3.22	0.04	4,396	3.21	LHK	3.30	0.06	1,921	3.26	HSIO6C2504C	0.31	(0.13)	184,400	0.32
NEX	0.59	(0.04)	59,166	0.60	MCS	7.65	0.30	16,676	7.56	HSIO6C2504D	0.15	(0.08)	95,961	0.16
PCSGH	3.50	(0.08)	36	3.51	MILL	-	-	-	-	HSIO6C2504E	0.07	(0.04)	176,651	0.07
POLY	6.95	(0.05)	10	6.95	PAP	1.61	0.04	432	1.61	HSIO6C2505A	-	-	-	-
SAT	11.10	-	6,936	10.98	PERM	0.38	0.02	81,055	0.39	HSIO6C2505B	0.34	(0.08)	1,499	0.34
SPG	-	-	-	-	SAM	0.15	(0.01)	6,751	0.14	HSIO6C2505C	0.17	(0.04)	9,738	0.16
STANLY	218.00	(2.00)	66	218.20	SMIT	3.90	-	179	3.91	HSIO6C2505D	0.09	(0.03)	5,432	0.09
TKT	1.05	0.01	311	1.06	SSSC	2.18	(0.02)	1,025	2.17	HSIO6C2506A	-	-	-	-
TNPC	0.81	0.01	1,175	0.78	TGPRO	0.08	-	40,664	0.07	HSIO6C2506B	-	-	-	-
TRU	3.28	0.02	2,161	3.26	THE	0.66	-	327	0.66	HSIO6C2506C	0.47	(0.08)	2,709	0.48
TSC	12.80	(0.20)	19	12.82	TMT	3.04	(0.06)	2,714	3.05	HSIO6C2506D	0.28	(0.06)	5,364	0.29
Industrial Materials	-	-	-	-	TSTH	0.59	0.10	237,685	0.57	HSIO6C2506E	0.14	(0.03)	8,071	0.14
AKR	1.00	(0.01)	12,698	1.00	TWP	-	-	-	-	HSIO6C2507A	0.36	(0.05)	6,044	0.37
ALLA	1.31	(0.01)	5,121	1.31	TYCN	1.85	0.06	65	1.87	HSIO6P2503A	-	-	-	-
ASEFA	2.90	-	1,454	2.89	Construction Ser	-	-	-	-	HSIO6P2503B	-	-	-	-
CPT	0.97	-	19	0.96	APCS	1.49	0.05	82	1.49	HSIO6P2503C	-	-	-	-
CRANE	0.49	-	1,611	0.48	BJCHI	0.69	(0.01)	2,896	0.69	HSIO6P2503D	-	-	-	-
CTW	2.70	(0.10)	56	2.67	BKD	1.23	(0.01)	683	1.24	HSIO6P2503E	-	-	-	-
FMT	28.00	1.00	11	27.68	CIVIL	1.61	0.03	11,077	1.60	HSIO6P2503F	-	-	-	-
FTE	1.62	(0.02)	1,295	1.62	CK	13.80	(0.50)	40,716	13.74	HSIO6P2503G	-	-	-	-
HTECH	3.14	(0.06)	8,826	3.13	CNT	0.95	-	230	0.96	HSIO6P2504A	0.01	-	249	0.01
KKC	-	-	-	-	DEMCO	1.99	(0.01)	949	2.00	HSIO6P2504B	-	-	-	-
PCC	2.60	0.02	2,149	2.59	EMC	0.06	-	10,340	0.06	HSIO6P2504C	0.02	(0.01)	1	0.02
PK	0.37	(0.01)	3,957	0.36	EMC-W7	0.03	(0.01)	83,638	0.04	HSIO6P2504D	0.01	(0.01)	1,715	0.01
PSP	3.98	(0.06)	1,739	3.99	ITD	0.19	(0.07)	714,541	0.19	HSIO6P2504E	0.06	0.01	276	0.06
QTC	3.86	(0.04)	415	3.86	JR	1.50	0.02	295	1.49	HSIO6P2504F	0.15	0.04	17,405	0.14
SCI	0.75	(0.03)	1,412	0.75	NL	0.99	(0.01)	3,775	0.97	HSIO6P2504G	0.31	0.06	30,241	0.31
SE	0.42	(0.02)	6,201	0.42	NWR	-	-	-	-	HSIO6P2504H	0.67	0.10	46,734	0.66
SELIC	2.80	0.02	19	2.80	PLE	0.21	-	13,834	0.21	HSIO6P2505A	-	-	-	-
SNC	6.15	(0.05)	2,429	6.09	PREB	3.78	0.02	396	3.76	HSIO6P2505B	0.17	0.02	10,200	0.18
TCJ	2.86	-	34	2.72	PYLON	1.83	(0.01)	1,039	1.83	HSIO6P2505C	0.30	0.04	10,400	0.30
TPCS	11.90	-	1	11.90	RT	0.30	0.01	8,855	0.29	HSIO6P2505D	0.64	0.08	65,101	0.65
VARO	4.50	-	20	4.53	SEAFCO	1.96	(0.02)	1,478	1.95	HSIO6P2506A	0.06	-	19	0.06
Property Fund & REI	-	-	-	-	SQ	0.83	0.01	6,697	0.81	HSIO6P2506B	0.10	-	6,330	0.10
AIMCG	2.20	(0.02)	971	2.21	SRICHA	4.46	(0.08)	1,959	4.44	HSIO6P2506C	0.24	0.03	3,801	0.23
AIMIRT	10.50	-	573	10.48	STECON	5.55	0.15	102,298	5.35	HSIO6P2506D	0.52	0.03	639	0.52
ALLY	4.90	(0.04)	961	4.88	STI	2.64	-	994	2.58	HSIO6P2506E	0.83	0.08	4,706	0.81
AMATAR	6.25	(0.05)	25	6.23	STPI	2.56	(0.08)	12,244	2.45	HSIO6P2507A	0.46	0.03	13,324	0.47
AXTRART	11.90	(0.10)	3,760	11.90	SYNTEC	1.62	0.03	11,877	1.61	HSI28C2503A	-	-	-	-
B-WORK	4.64	(0.08)	1,899	4.65	TEAMG	3.04	(0.10)	378,867	3.26	HSI28C2503B	-	-	-	-
BAREIT	9.25	(0.05)	1,586	9.23	TEAMG-W1	0.18	0.01	133,236	0.21	HSI28C2503D	-	-	-	-
BOFFICE	4.78	-	1,080	4.78	TEKA	1.94	(0.01)	595	1.93	HSI28C2503E	-	-	-	-
CPNCG	5.95	(0.10)	12,303	5.98	TPOLY	0.43	(0.03)	3,821	0.41	HSI28C2503F	-	-	-	-
CPNREIT	11.80	(0.20)	14,727	11.85	TRC	0.55	(0.05)	7,295	0.56	HSI28C2503G	-	-	-	-
CPTREIT	4.52	(0.20)	502	4.54	TRITN	0.08	(0.01)	171,974	0.08	HSI28C2503H	-	-	-	-
CTARAF	4.56	-	1,562	4.55	TRITN-W7	-	-	-	-	HSI28C2503I	-	-	-	-
DREIT	5.10	-	303	5.10	TTCL	1.17	0.01	7,166	1.16	HSI28C2504A	0.11	(0.07)	154,448	0.11
FTREIT	10.00	(0.20)	5,505	10.00	UNIQ	1.66	-	2,820	1.61	HSI28C2504B	0.52	(0.19)	200,473	0.54
FUTURET	9.50	-	1,559	9.41	WGE	0.78	(0.01)	1,171	0.77	HSI28C2504C	1.50	(0.28)	1	1.50
GAHREIT	6.60	-	75	6.60	Unit Trust	-	-	-	-	HSI28C2504D	0.07	(0.04)	16,451	0.07
GROREIT	8.50	-												

Main Board Quotation

Issue Date :

Monday March 31, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSI28C2508A	0.24	(0.06)	5,189	0.25	SET5001P2507A	0.36	0.05	28,591	0.36	SET5019P2506D	1.96	0.41	1	1.96
HSI28P2503A	-	-	-	-	SET5001P2509F	1.04	0.07	113	1.01	SET5019P2506E	1.35	0.20	1	1.35
HSI28P2503B	-	-	-	-	SET5006C2503A	-	-	-	-	SET5019P2506F	-	-	-	-
HSI28P2503C	-	-	-	-	SET5006C2503B	-	-	-	-	SET5019P2506G	0.89	0.29	3	0.82
HSI28P2503D	-	-	-	-	SET5006C2503C	-	-	-	-	SET5019P2506H	0.58	0.08	742,885	0.59
HSI28P2503E	-	-	-	-	SET5006C2503D	-	-	-	-	SET5019P2506I	0.81	0.12	683,717	0.82
HSI28P2503F	-	-	-	-	SET5006C2503E	-	-	-	-	SET5019P2506J	0.41	0.06	335,088	0.42
HSI28P2504A	-	-	-	-	SET5006C2503F	-	-	-	-	SET5019P2506K	0.88	0.14	8,962	0.85
HSI28P2504B	-	-	-	-	SET5006C2503G	-	-	-	-	SET5028C2503A	-	-	-	-
HSI28P2504C	-	-	-	-	SET5006C2506A	0.02	-	800	0.02	SET5041C2503A	-	-	-	-
HSI28P2504D	-	-	-	-	SET5006C2506B	0.04	-	4	0.04	SET5041C2503B	-	-	-	-
HSI28P2504E	-	-	-	-	SET5006C2506C	0.10	(0.04)	6,159	0.09	SET5041C2503C	-	-	-	-
HSI28P2504F	0.13	0.01	28,489	0.13	SET5006C2506D	0.13	(0.05)	22,050	0.12	SET5041C2503D	-	-	-	-
HSI28P2504G	0.30	0.04	394,326	0.30	SET5006C2506E	0.25	(0.09)	44,437	0.26	SET5041C2503E	-	-	-	-
HSI28P2504H	0.62	0.07	891,199	0.62	SET5006C2509A	0.41	(0.08)	81,876	0.41	SET5041C2503F	-	-	-	-
HSI28P2505A	0.03	-	108	0.03	SET5006P2503A	-	-	-	-	SET5041C2503G	-	-	-	-
HSI28P2505B	-	-	-	-	SET5006P2503B	-	-	-	-	SET5041C2503H	-	-	-	-
HSI28P2505C	0.25	0.05	191	0.25	SET5006P2503C	-	-	-	-	SET5041C2503I	-	-	-	-
HSI28P2505D	0.17	0.02	300	0.18	SET5006P2506A	-	-	-	-	SET5041C2503J	-	-	-	-
HSI28P2505E	0.40	0.04	3,140	0.40	SET5006P2506B	-	-	-	-	SET5041C2506A	0.02	-	10	0.02
HSI28P2505F	0.72	0.06	310	0.72	SET5006P2506C	-	-	-	-	SET5041C2506B	0.02	(0.01)	40	0.02
HSI28P2505G	1.10	0.06	7	1.10	SET5006P2506D	0.77	0.11	6,043	0.79	SET5041C2506C	0.04	(0.01)	691	0.03
HSI28P2506A	0.08	-	11,310	0.08	SET5006P2506E	0.50	0.08	198,965	0.50	SET5041C2506D	0.06	(0.05)	13,623	0.07
HSI28P2506B	0.11	-	671	0.11	SET5006P2506F	0.34	0.04	263,755	0.35	SET5041C2506E	0.08	(0.05)	34,858	0.09
HSI28P2506C	0.14	0.01	2,076	0.14	SET5006P2506G	0.22	0.03	166,726	0.23	SET5041C2506F	0.14	(0.05)	5,779	0.14
HSI28P2506D	0.33	0.02	2,159	0.33	SET5006P2509A	0.45	0.04	172,322	0.46	SET5041C2506G	0.23	(0.09)	649,881	0.23
HSI28P2506E	0.81	0.06	55	0.81	SET5013C2503A	-	-	-	-	SET5041C2506T	-	-	-	-
HSI28P2506F	0.50	0.03	7,056	0.50	SET5013C2503B	-	-	-	-	SET5041C2509T	0.07	(0.01)	58,572	0.06
HSI28P2507A	0.42	0.05	21,179	0.41	SET5013C2503C	-	-	-	-	SET5041C2509U	0.31	(0.05)	413,669	0.30
HSI28P2508A	0.45	0.04	22,420	0.46	SET5013C2503D	-	-	-	-	SET5041P2503A	-	-	-	-
HSTECH28C2503A	-	-	-	-	SET5013C2503E	-	-	-	-	SET5041P2503B	-	-	-	-
HSTECH28C2506A	1.04	(0.05)	5	1.03	SET5013C2503F	-	-	-	-	SET5041P2503C	-	-	-	-
HSTECH28C2506B	0.22	(0.05)	1,224	0.22	SET5013C2503G	-	-	-	-	SET5041P2503D	-	-	-	-
HSTECH28C2506C	0.44	(0.10)	110	0.44	SET5013C2503H	-	-	-	-	SET5041P2503E	-	-	-	-
HSTECH28P2503A	-	-	-	-	SET5013C2503I	-	-	-	-	SET5041P2503F	-	-	-	-
HSTECH28P2506A	-	-	-	-	SET5013C2503J	-	-	-	-	SET5041P2506A	3.04	0.42	366	3.00
HSTECH28P2506B	0.37	0.02	9	0.37	SET5013C2503K	-	-	-	-	SET5041P2506B	1.00	0.15	13,437	0.99
HSTECH28P2506C	0.70	0.07	29,733	0.70	SET5013C2503L	-	-	-	-	SET5041P2506C	0.52	0.08	436,313	0.53
JD41C2506A	0.37	(0.05)	123	0.35	SET5013C2503M	-	-	-	-	SET5041P2506D	0.34	0.06	1,740,194	0.34
KUAI5H41C2506A	0.88	(0.14)	422	0.87	SET5013C2503T	-	-	-	-	SET5041P2506E	0.50	0.09	1,074,613	0.49
KUAI5H41C2506B	0.12	(0.04)	522	0.12	SET5013C2506A	0.01	-	165	0.01	SET5041P2506T	1.74	0.12	983	1.78
MCA5041C2506A	-	-	-	-	SET5013C2506B	0.01	-	4,110	0.01	SET5041P2509T	0.43	0.05	404,612	0.44
MCA5041P2506A	0.32	0.03	100	0.31	SET5013C2506C	0.02	-	3,809	0.02	SPX28C2506A	-	-	-	-
MEITUA28C2503A	-	-	-	-	SET5013C2506D	0.02	-	17,322	0.02	SPX28C2506B	0.08	(0.12)	2	0.08
MEITUA28C2504A	-	-	-	-	SET5013C2506E	0.01	(0.01)	79,512	0.01	SPX28C2506C	0.28	(0.26)	203	0.27
MEITUA28C2507A	0.12	(0.03)	8,086	0.13	SET5013C2506F	0.02	-	14,094	0.02	SPX28P2506A	0.46	0.10	1	0.46
MEITUA28P2503A	-	-	-	-	SET5013C2506G	0.03	(0.01)	15,381	0.03	SPX28P2506B	-	-	-	-
MEITUA28P2504B	0.19	0.03	9,000	0.19	SET5013C2506H	0.05	(0.02)	59,978	0.05	SPX41C2506A	0.03	(0.04)	2	0.03
MEITUA41C2504A	0.04	(0.01)	12,165	0.04	SET5013C2506I	0.06	(0.04)	310,389	0.06	SPX41C2506B	0.11	(0.09)	320	0.11
MEITUA41C2506A	0.14	(0.04)	114	0.14	SET5013C2506J	0.12	(0.06)	267,250	0.13	SPX41C2506C	0.32	(0.35)	1,726	0.32
MEITUA41P2503A	-	-	-	-	SET5013C2506K	0.17	(0.10)	1,895,608	0.18	SPX41C2509T	1.90	(0.38)	6	1.92
NDX28C2506A	0.05	(0.06)	5,107	0.05	SET5013C2506L	0.31	(0.15)	1,909,864	0.32	SPX41P2506A	0.56	0.15	1,182	0.55
NDX28C2506B	0.32	(0.26)	16	0.32	SET5013C2506M	0.46	(0.18)	676,607	0.47	SPX41P2509T	3.28	0.42	58	3.28
NDX28C2506C	0.14	(0.15)	670	0.14	SET5013C2506N	0.21	(0.09)	530,478	0.22	TENCEN28C2503A	-	-	-	-
NDX28C2509A	0.49	(0.25)	5,147	0.49	SET5013C2506T	0.01	(0.01)	2,554	0.01	TENCEN28C2508A	0.92	(0.14)	16	0.92
NDX28P2506A	0.52	0.14	1,194	0.51	SET5013P2503A	-	-	-	-	TENCEN28C2509A	0.38	(0.04)	10,191	0.36
NDX28P2509A	0.57	0.10	9,404	0.58	SET5013P2503B	-	-	-	-	TENCEN28P2503A	-	-	-	-
NDX41C2506A	0.03	(0.05)	11,731	0.03	SET5013P2503C	-	-	-	-	TENCEN28P2509A	0.34	0.03	2,003	0.34
NDX41C2506B	0.11	(0.12)	5,001	0.11	SET5013P2503D	-	-	-	-	TENCEN41C2504A	-	-	-	-
NDX41C2506C	0.34	(0.27)	929	0.34	SET5013P2503E	-	-	-	-	TENCEN41C2504B	0.06	(0.05)	14,583	0.08
NDX41C2509T	1.56	(0.42)	167	1.57	SET5013P2503F	-	-	-	-	TENCEN41C2505A	0.12	(0.03)	236	0.13
NDX41P2506A	0.74	0.19	36,562	0.74	SET5013P2503T	-	-	-	-	TENCEN41C2506A	0.95	(0.14)	1	0.95
NDX41P2509T	3.78	0.56	16,257	3.78	SET5013P2506A	1.76	0.25	24,098	1.78	TENCEN41P2506A	0.28	0.02	21	0.29
NIKKEI28C2506A	0.20	(0.10)	3,869	0.19	SET5013P2506B	1.13	0.18	11,739	1.18	TRIPDC41C2506A	0.55	(0.09)	1,038	0.55
NIKKEI28C2506B	0.08	(0.05)	978	0.08	SET5013P2506C	3.00	0.32	93	3.07	XIAOMI28C2504A	3.20	(0.52)	176	3.20
NIKKEI28C2506C	-	-	-	-	SET5013P2506D	1.63	0.24	821	1.51	XIAOMI28C2508A	1.23	(0.17)	3	1.23
NIKKEI28P2506A	0.18	(0.02)	1,000	0.18	SET5013P2506E	0.86	0.26	18,620	0.81	XIAOMI28C2509A	0.48	(0.09)	44,364	0.48
NIKKEI28P2506B	-	-	-	-	SET5013P2506F	0.52	0.09	2,775,069	0.53	XIAOMI28P2505A	0.02	-	172	0.02
NIKKEI28P2506C	0.56	0.15	2,135	0.58	SET5013P2506G	0.30	0.06	1,902,703	0.32	XIAOMI28P2509A	-	-	-	-
NIKKEI41C2506A	0.08	(0.05)	1,937	0.07	SET5013P2506H	0.69	0.12	271,829	0.70	XIAOMI41C2503A	-	-	-	-
NIKKEI41C2506B	0.03	(0.02)	2,000	0.03	SET5013P2506I	0.21	0.04	443,612	0.21	XIAOMI41C2504A	1.49	(0.20)	4	1.49
NIKKEI41C2509A	0.29	(0.10)	8,416	0.28	SET5013P2506J	0.33	0.05	256,907	0.34	XIAOMI41C2506A	0.90	(0.15)	82	0.92
NIKKEI41C2509B	-	-	-	-	SET5013P2506K	0.47	0.08	1,041,234	0.48	XIAOMI41C2506B	0.21	(0.06)	1,531	0.21
NIKKEI41C2509C	0.45	(0.14)	710	0.45	SET5013P2506L	0.71	0.11	1,138,727	0.72	XIAOMI41C2507A	0.17	(0.04)	2,750	0.16
NIKKEI41P2506A	0.32	0.08	374	0.33	SET5013P2506M	0.98	0.15	87,152	0.99	XIAOMI41P2506A	0.41	0.06	113	0.41
NIKKEI41P2506B	0.18	0.05	2,527	0.19	SET5013P2506T	3.08	0.34	3,316	3.03		0	-	-	-
NIKKEI41P2509A	0.50	0.09	2,855	0.50	SET5019C2503A	-	-	-	-		0	-	-	-
NIKKEI41P2509B	-	-	-	-	SET5019C2503B	-	-	-	-		0	-	-	-
NIKKEI41P2509C	0.64	0.12	714	0.64	SET5019C2503C	-	-	-	-		0	-	-	-
NTES41C2506A	0.25	(0.01)	160	0.25	SET5019C2503D	-	-	-	-		0	-	-	-
PINGAN41C2504A	0.10	(0.03)	1	0.10	SET5019C2503E	-	-	-	-		0	-	-	-
POP41C2503A	-	-	-	-	SET5019C2503F	-	-	-	-		0	-	-	-
POP41C2506A	0.91	0.09	464	0.90	SET5019C2503G	-	-	-	-		0	-	-	-
POP41C2507A	0.44	(0.56)	1,097	0.43	SET5019C2503H	-	-	-	-		0	-	-	-
SET01C2505A	0.01	(0.01)	3,918	0.01	SET5019C2506A	-	-	-	-		0	-	-	-
SET01C2506A	0.01	-	8,084	0.02	SET5019C2506B	-	-	-	-		0	-	-	-
SET01C2506B	0.04	-	2,24											

Main Board Quotation

Issue Date :

Monday March 31, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
Warrant - MAI														
Agro & Food Indust					UBIS	1.27	-	134	00 1.2	LEO	2.06	(0.12)	3,142	00 2.1
APO	1.59	-	31,821	00 1.5	UEC	0.72	(0.05)	5,386	00 0.7	MCA	1.12	(0.10)	17,614	00 1.1
AU	9.65	(0.15)	14,525	00 9.6	UKEM	0.50	0.03	25,892	00 0.4	MEB	22.10	(0.10)	1,294	00 21.9
CFARM	0.75	(0.02)	36,856	00 0.7	UREKA	0.75	(0.04)	29,370	00 0.7	MORE	0.03	0.01	12,920	00 0.0
JCKH	0.24	0.03	4,476	00 0.2	YUASA	10.30	(0.10)	61	00 10.1	MOTHER	0.84	(0.03)	19,170	00 0.8
KASET	0.66	(0.08)	5,276	00 0.6	ZIGA	0.94	(0.04)	9,211	00 0.9	MPJ	3.20	(0.08)	6,434	00 3.2
MAGURO	17.00	(0.20)	3,586	00 16.9	ZIGA-W2	0.10	-	12,526	00 0.0	MVP	0.49	(0.02)	10,731	00 0.4
MUD	1.19	(0.01)	831	00 1.1	Property					NCL	0.18	(0.03)	8,196	00 0.1
NTSC	5.50	(0.10)	435	00 5.5	24CS	1.14	(0.22)	19,428	00 1.2	NCP	1.05	(0.02)	550	00 1.0
TACC	4.46	(0.06)	11,864	00 4.4	24CS-W1	0.09	(0.02)	38,511	00 0.0	NEWS	0.01	-	82,868	00 0.0
TMILL	1.75	(0.07)	2,480	00 1.7	24CS-W2	0.15	(0.02)	6,343	00 0.1	PEER	0.13	-	24,577	00 0.1
WINNER	1.98	(0.01)	1,848	00 1.9	ARIN	0.42	(0.04)	19,527	00 0.4	PEER-W2	0.03	-	505	00 0.0
XO	15.50	(0.20)	4,759	00 15.5	ARROW	5.20	0.05	105	00 5.1	PICO	4.36	(0.02)	23	00 4.2
Consumer Products					BC	1.05	-	13	00 1.0	PLT	0.58	-	1,742	00 0.5
ALPHAX	0.39	0.01	28,480	00 0.3	BC-W2	0.01	(0.01)	10,087	00 0.0	QLT	3.06	0.04	41	00 3.0
BGT	0.42	-	516	00 0.4	BLESS	0.19	(0.01)	6,185	00 0.1	RP	0.85	(0.03)	22	00 0.8
DOD	1.25	(0.01)	2,371	00 1.2	BSM	0.94	(0.04)	85	00 0.9	SONIC	1.56	(0.07)	4,683	00 1.5
ECF	0.18	(0.02)	22,069	00 0.1	BTW	0.19	(0.01)	4,257	00 0.1	THMUI	0.35	(0.01)	9	00 0.3
ECF-W5	0.01	(0.01)	12,537	00 0.0	CAZ	1.68	(0.02)	95	00 1.6	TNDT	0.19	0.01	11,774	00 0.1
EFORL	0.17	0.01	34,157	00 0.1	CHEWA	0.27	(0.01)	5,697	00 0.2	TNDT-W1	-	-	-	00 0.0
EFORL-W6	-	-	-	00 0.0	CPANEL	3.28	0.14	1,190	00 3.2	TNH	-	-	-	00 0.0
EURO	4.46	-	821	00 4.4	CPANEL-W1	0.10	-	10,954	00 0.1	TNP	2.68	(0.02)	3,715	00 2.7
HPT	0.43	-	14,158	00 0.4	CRD	0.33	(0.02)	3,275	19 0.3	TPL	0.49	(0.02)	1,378	00 0.4
ITTHI	1.63	-	152	00 1.6	DHOUSE	0.60	0.01	1,312	00 0.5	TRP	6.10	(0.10)	2,710	00 6.1
JSP	1.64	(0.01)	5,377	00 1.6	DIMET	0.11	0.01	1,097	00 0.1	TURTLE	5.60	0.40	2	00 5.6
JSP-W2	0.03	-	17,954	00 0.0	DPAIN	0.85	0.05	248,340	00 0.9	TVDH	0.16	0.01	628	00 0.1
JUBILE	8.15	-	427	00 8.0	FLOYD	0.89	0.02	10,670	00 0.8	TVDH-W3	-	-	-	00 0.0
LTS	6.65	(0.35)	5,977	00 6.7	HYDRO	1.42	(0.01)	27	00 1.4	TVT	0.26	(0.03)	14,432	00 0.2
MGI	10.30	(0.60)	4,837	00 10.4	HYDRO-W2	0.12	0.01	4	00 0.1	UBA	0.94	(0.01)	7,188	00 0.9
MGI-W1	2.38	(0.08)	2,878	00 2.4	IND	0.83	(0.02)	11,422	00 0.8	VL	0.89	-	1,834	00 0.8
MOONG	1.91	(0.01)	350	00 1.9	JAK	1.10	0.02	7	00 1.1	VS	0.36	(0.08)	54	00 0.3
NPK	9.40	(0.60)	16	00 9.8	K	1.46	0.01	10,789	00 1.4	YGG	0.46	(0.04)	38,933	00 0.4
SEI	3.12	(0.02)	6,149	00 3.1	K-W3	0.21	0.01	604	00 0.1	Technology				
SMD100	4.02	-	179	00 3.9	META	0.08	(0.01)	5,313	00 0.0	APP	1.79	0.01	884	00 1.7
TM	0.58	-	3,302	00 0.5	PANEL	1.17	0.03	1,977	00 1.1	BRIK	28.50	(0.75)	1,883	00 28.8
TM-W1	-	-	-	00 0.0	PPS	0.23	0.06	63,362	00 0.2	BE8	10.90	0.30	7,876	00 10.5
WARRIX	3.56	(0.04)	4,195	00 3.5	PRI	6.00	(0.20)	1,833	00 5.8	BE8-W1	0.87	0.17	1	00 0.8
WINMED	1.26	(0.02)	31	00 1.2	PROS	0.81	(0.05)	10,675	00 0.8	BVG	1.91	(0.11)	3,473	00 1.9
Financials					PROS-W1	0.06	(0.01)	71,690	00 0.0	COMAN	0.64	0.01	318	00 0.6
ACAP	-	-	-	00 0.0	PSG	0.19	0.02	388,645	00 0.1	I2	1.03	(0.03)	4,638	00 1.0
AF	0.34	-	1,722	00 0.3	QTCG	0.15	-	4,269	00 0.1	IIG	2.84	(0.18)	730	00 2.8
AIRA	1.50	0.16	2,555	00 1.3	SENX	0.22	(0.01)	5,989	00 0.2	IRCP	0.39	-	2,981	00 0.3
ASN	1.00	-	365	00 0.9	SK	0.61	(0.02)	9,490	00 0.6	ITNS	1.39	(0.02)	314	00 1.3
BTC	0.34	(0.02)	102,428	00 0.3	SMART	0.64	-	17,285	00 0.6	NAT	3.80	0.06	1,084	00 3.7
BTC-W7	0.09	(0.01)	2,191	00 0.0	STC	0.51	0.01	284	00 0.5	NETBAY	18.60	-	11,253	00 18.6
GCAP	0.22	-	2,537	00 0.2	STX	1.19	-	3,409	00 1.1	PIS	4.72	(0.22)	9,239	00 4.8
KCC	1.75	(0.03)	666	00 1.7	SVR	0.67	-	1,880	00 0.6	PLANET	1.79	(0.02)	7,506	00 1.7
LIT	0.42	(0.04)	4,588	00 0.4	TAPAC	-	-	-	00 0.0	PLANET-W2	0.74	-	493	00 0.7
MITSIB	0.60	(0.02)	937	00 0.6	THANA	1.02	(0.02)	130	00 0.9	PROEN	1.21	0.02	91,604	00 1.2
SGF	0.15	(0.01)	6,578	00 0.1	TIGER	0.39	(0.01)	24	00 0.3	PROEN-W2	0.38	-	16,901	00 0.3
SGF-P1	-	-	-	00 0.0	TITLE	4.02	(0.02)	1,372	00 4.0	READY	4.62	0.06	734	00 4.8
SGF-Q1	-	-	-	00 0.0	WELL	-	-	-	00 0.0	SECURE	11.40	(0.10)	347	00 11.3
TQR	4.96	(0.02)	4,059	00 4.9	YONG	1.13	0.15	294,068	00 1.1	SICT	3.28	-	545	00 3.2
Industrials					Resources					SIMAT	1.07	(0.10)	14,138	00 1.0
ADB	0.57	(0.02)	1,213	00 0.5	ABM	0.80	(0.05)	135	00 0.8	SIMAT-W3	-	-	-	00 0.0
BM	2.66	-	687	00 2.6	GTV	0.07	(0.01)	74,313	00 0.0	SPVI	1.37	-	731	00 1.3
BM-W3	1.06	(0.04)	617	00 1.0	PSTC	0.45	(0.02)	3,779	00 0.4	SRS	3.68	(0.06)	357	00 3.6
BPS	0.52	(0.04)	22,007	00 0.5	PSTC-W2	-	-	-	00 0.0	TBN	6.55	0.30	1,168	00 5.9
CHO	0.02	(0.01)	56,525	00 0.0	PSTC-W3	0.09	(0.02)	1,205	00 0.0	TERA	1.19	(0.05)	1,626	00 1.2
CHO-W4	-	-	-	00 0.0	PTC	0.97	(0.03)	897	00 0.9	TPS	3.84	(0.12)	5,603	00 3.8
CHOW	1.29	-	981	00 1.2	SAAM	6.35	0.10	1,596	00 6.2	VCOM	2.28	0.02	1,721	00 2.2
CIG	0.04	-	946	00 0.0	SR	-	-	-	00 0.0		-	-	-	-
CIG-W10	-	-	-	00 0.0	STOWER	0.04	-	220,112	00 0.0		-	-	-	-
CIG-W9	-	-	-	00 0.0	TAKUNI	0.39	-	23,644	00 0.3		-	-	-	-
COLOR	1.05	(0.02)	940	00 1.0	TPCH	3.02	0.02	636	00 3.0		-	-	-	-
CPR	2.82	-	935	00 2.7	UMS	0.35	(0.04)	20	00 0.3		-	-	-	-
FPI	1.64	0.01	789	00 1.6	Services						-	-	-	-
GTB	0.74	(0.01)	1,239	00 0.7	ADD	3.80	(0.16)	200	00 3.7		-	-	-	-
HARN	2.12	-	888	14 2.1	AKP	0.67	(0.02)	4,845	00 0.6		-	-	-	-
KCM	0.19	0.01	1,665	00 0.1	AMA	4.06	-	6,980	00 3.9		-	-	-	-
KJL	6.95	0.30	420	00 6.8	AMARC	1.20	(0.02)	1,371	00 1.1		-	-	-	-
KUMWEL	1.05	(0.06)	1,707	00 1.0	ARIP	0.39	(0.02)	2,372	00 0.3		-	-	-	-
KWM	1.10	(0.04)	5,855	00 1.1	ATP30	0.87	(0.02)	2,402	00 0.8		-	-	-	-
MBAX	1.67	(0.03)	155	00 1.6	AUCT	7.55	0.10	1,628	00 7.4		-	-	-	-
MGT	1.78	0.02	376	00 1.7	BIS	2.80	-	221	00 2.7		-	-	-	-
MTW	0.90	(0.03)	9,700	00 0.8	BOL	4.94	(0.16)	1,557	00 4.9		-	-	-	-
MTW-W1	0.01	-	7,400	00 0.0	CEYE	-	-	-	00 0.0		-	-	-	-
NDR	1.28	(0.06)	867	00 1.2	CHIC	0.34	(0.01)	112	00 0.3		-	-	-	-
PACO	1.41	-	3,024	00 1.3	CMO	0.64	0.05	78	00 0.6		-	-	-	-
PACO-W1	0.03	-	61	00 0.0	D	2.24	(0.02)	2,617	00 2.2		-	-	-	-
PDG	2.66	(0.02)	2,413	00 2.6	DEXON	1.36	(0.07)	783	00 1.3		-	-	-	-
PHOL	2.86	-	403	00 2.8	DV8	0.42	0.02	21,250	00 0.4		-	-	-	-
PIMO	1.28	(0.02)	2,251	00 1.2	DV8-W2</									