

## Main Board Quotation

Issue Date :

Wednesday April 02, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	DCON-W3	-	-	-	-	B52	0.20	-	4	0.20
Agribusiness	-	-	-	-	DCON-W4	0.03	-	17,909	0.03	B52-W4	0.03	-	40	0.03
EE	0.39	0.01	25,592	0.39	DRT	7.05	(0.05)	1,266	7.06	BEAUTY	0.23	(0.01)	4,182	0.24
GFPT	8.30	(0.10)	7,364	8.33	EPG	2.84	(0.04)	18,053	2.86	BIG	0.30	(0.01)	1,447	0.30
LEE	2.24	(0.02)	53	2.24	GEL	0.04	-	8,772	0.04	BJC	23.00	0.10	29,708	23.14
NER	4.74	0.02	19,990	4.74	GEL-W5	-	-	-	-	BJC13C2505A	-	-	-	-
NER-W2	0.30	0.01	9,182	0.30	PPP	1.08	-	1,274	1.09	BJC13C2508A	0.45	-	22,471	0.47
PCE	2.98	0.08	50,336	2.95	Q-CON	7.80	(0.10)	1,106	7.83	BJC41C2606T	0.29	-	20,309	0.30
PPPM	0.37	-	446	0.37	SCC	149.00	(4.50)	29,713	149.70	COM7	19.60	0.50	51,797	19.51
PPPM-W6	0.24	0.02	22	0.21	SCC01C2505A	-	-	-	-	COM701C2506A	-	-	-	-
STA	14.40	-	30,552	14.44	SCC01C2505B	-	-	-	-	COM701C2508A	0.37	0.02	25,743	0.36
STA01C2504A	-	-	-	-	SCC01C2507A	-	-	-	-	COM713C2504A	0.01	(0.01)	1	0.01
STA01C2506A	0.07	-	2,900	0.07	SCC01C2508A	0.45	(0.04)	2,486	0.43	COM713C2505A	-	-	-	-
STA13C2505A	-	-	-	-	SCC01C2508B	0.52	(0.04)	25,235	0.54	COM713C2506A	0.08	0.01	5,808	0.07
STA13C2506A	0.10	(0.01)	12,203	0.10	SCC01C2606T	0.44	(0.04)	100	0.44	COM713C2507A	0.19	0.02	41,824	0.18
STA19C2504A	-	-	-	-	SCC01P2507A	0.42	0.04	898	0.41	COM719C2505A	-	-	-	-
STA19C2505A	-	-	-	-	SCC13C2504A	-	-	-	-	COM719C2507A	0.19	0.02	36,064	0.19
STA19C2506A	-	-	-	-	SCC13C2504B	0.01	(0.01)	1	0.01	COM719P2508A	0.45	(0.06)	48,091	0.46
STA41C2505A	-	-	-	-	SCC13C2505A	-	-	-	-	COM741C2505A	-	-	-	-
STA41C2612T	0.32	(0.01)	17,000	0.33	SCC13C2505B	0.03	(0.02)	11,319	0.03	COM741C2606T	0.19	0.01	32,444	0.19
TEGH	2.94	(0.06)	52,536	2.90	SCC13C2507A	0.31	(0.04)	239,977	0.34	COM741C2609T	0.34	0.01	36,960	0.34
TFM	9.05	0.20	2,059	8.96	SCC13P2504A	-	-	-	-	CPALL	50.75	0.75	223,211	50.53
TRUBB	0.69	-	4,607	0.70	SCC13P2505A	0.14	0.01	16,495	0.13	CPALL01C2504A	0.01	(0.01)	1	0.01
UPOIC	6.25	(0.05)	71	6.25	SCC13P2508A	0.71	0.03	67,048	0.70	CPALL01C2505A	-	-	-	-
UVAN	9.20	(0.05)	1,084	9.20	SCC19C2504A	-	-	-	-	CPALL01C2507A	0.28	0.02	65,371	0.28
VPO	0.48	-	3,562	0.48	SCC19C2505A	-	-	-	-	CPALL01C2606T	0.30	0.01	23,930	0.30
Banking	-	-	-	-	SCC19C2505B	0.01	-	500	0.01	CPALL01P2505A	0.19	(0.04)	30,684	0.20
BAY	22.50	-	580	22.55	SCC19C2506A	0.08	(0.01)	355	0.08	CPALL01P2507A	0.35	(0.03)	23,443	0.35
BBL	148.00	0.50	29,001	148.21	SCC19C2507A	0.40	(0.04)	89,515	0.42	CPALL06C2504A	-	-	-	-
BBL13C2504A	-	-	-	-	SCC19P2505A	0.28	0.02	51,708	0.26	CPALL13C2504A	-	-	-	-
BBL13C2507A	0.11	-	29,830	0.11	SCC19P2508A	0.86	0.03	32,669	0.85	CPALL13C2505A	-	-	-	-
BBL13C2508A	0.29	-	38,002	0.30	SCC41C2504A	-	-	-	-	CPALL13C2505B	-	-	-	-
BBL19C2506A	0.05	0.01	1	0.05	SCC41C2505A	-	-	-	-	CPALL13C2506A	0.07	0.02	11,619	0.06
BBL19C2508A	0.24	0.01	75,598	0.24	SCC41C2608T	0.42	(0.02)	107,650	0.43	CPALL13C2506B	0.17	0.02	50,776	0.17
BBL41C2504A	-	-	-	-	SCC41P2508A	0.39	0.02	53,714	0.38	CPALL13P2504A	0.13	(0.35)	30	0.13
BBL41C2506A	-	-	-	-	SCCC	157.00	(0.50)	320	157.11	CPALL13P2505A	0.07	(0.02)	2,062	0.07
BBL41C2609T	0.36	-	47,960	0.36	SCGD	4.18	-	1,876	4.18	CPALL13P2506A	0.12	(0.02)	3,742	0.13
CIMBT	0.60	(0.01)	5,057	0.61	SCP	6.20	-	1,066	6.18	CPALL19C2504A	0.01	-	500	0.01
CREDIT	19.40	(0.40)	72	19.46	SKN	5.55	(0.05)	167	5.55	CPALL19C2505A	-	-	-	-
KBANK	164.00	0.50	79,583	163.82	STECH	0.99	-	12,960	0.99	CPALL19C2505B	0.02	-	101	0.02
KBANK01C2506A	0.26	-	8,960	0.26	TASCO	14.00	-	31,439	14.08	CPALL19C2506A	-	-	-	-
KBANK01C2508A	0.87	(0.03)	1	0.87	TASCO19C2507	-	-	-	-	CPALL19C2506B	0.10	0.01	4,984	0.10
KBANK01P2507A	0.36	-	3,497	0.36	TOA	11.40	(0.10)	33,199	11.44	CPALL19C2508A	0.27	0.02	89,080	0.27
KBANK13C2505A	-	-	-	-	TIPIPL	0.96	(0.03)	44,248	0.97	CPALL19P2505A	0.09	(0.02)	14,172	0.10
KBANK13C2507A	0.45	0.01	30,373	0.44	UMI	0.72	-	3,865	0.72	CPALL19P2505B	-	-	-	-
KBANK13P2504A	-	-	-	-	VNG	2.32	(0.04)	692	2.30	CPALL41C2504A	-	-	-	-
KBANK13P2507A	0.24	-	4,216	0.24	WIJK	0.89	-	213	0.89	CPALL41C2505A	-	-	-	-
KBANK19C2504A	-	-	-	-	WIJK-W3	0.02	(0.01)	105	0.02	CPALL41C2506A	0.06	0.02	1	0.06
KBANK19C2505A	-	-	-	-	WINDOW	0.79	0.01	6,685	0.80	CPALL41C2605T	0.14	-	14,150	0.14
KBANK19C2507A	0.23	-	29,155	0.23	Petrochemicals &	-	-	-	-	CPALL41P2504A	-	-	-	-
KBANK19C2507B	0.38	-	4,609	0.38	BCT	60.00	1.50	6	57.92	CPALL41P2508A	-	-	-	-
KBANK41C2505A	-	-	-	-	CMAN	2.24	(0.02)	1,164	2.23	CPAXT	25.75	-	39,820	25.94
KBANK41C2604T	0.81	0.01	22,960	0.80	GC	4.98	-	1,686	4.97	CPW	2.02	(0.06)	37	2.03
KBANK41C2609T	0.44	0.01	10,444	0.44	GGC	4.64	(0.22)	2,681	4.74	CRC	25.75	0.50	37,767	25.72
KBANK41P2606T	0.35	(0.02)	1	0.35	IVL	20.10	0.30	92,583	19.80	CRC01C2506A	0.02	0.01	300	0.02
KKP	55.50	0.75	14,576	55.25	IVL01C2504A	-	-	-	-	CRC13C2506A	-	-	-	-
KKP-W6	1.14	(0.03)	2,067	1.11	IVL01C2506A	-	-	-	-	CRC13C2508A	0.12	-	28,134	0.12
KKP13C2504A	-	-	-	-	IVL01C2507A	0.31	0.02	47,588	0.28	CRC19C2506A	-	-	-	-
KKP19C2507A	0.26	0.02	1,837	0.25	IVL01P2504A	-	-	-	-	CRC19C2508A	0.14	0.01	18,611	0.14
KTB	24.30	0.10	320,291	24.21	IVL01P2506A	0.65	(0.03)	2,459	0.67	CRC41C2608T	0.12	-	4,000	0.12
KTB-P	-	-	-	-	IVL13C2504A	-	-	-	-	CSS	0.83	-	1,143	0.83
KTB-Q	-	-	-	-	IVL13C2505A	-	-	-	-	DOHOME	5.40	0.15	104,864	5.40
KTB01C2506A	0.32	-	31,917	0.32	IVL13C2507A	0.17	0.01	59,015	0.15	DOHOME01C2507A	0.09	0.01	38,569	0.09
KTB13C2505A	0.19	-	68,474	0.18	IVL13C2508A	0.34	0.02	76,037	0.31	DOHOME13C2505A	-	-	-	-
KTB13C2507A	0.21	(0.01)	1,000	0.22	IVL13P2504A	-	-	-	-	DOHOME13C2506A	0.03	0.01	6	0.02
KTB13P2507A	0.21	(0.01)	6,001	0.21	IVL13P2508A	0.48	(0.03)	47,460	0.51	DOHOME13C2508A	0.23	(0.77)	27,906	0.23
KTB19C2505A	0.15	-	7,762	0.15	IVL19C2505A	-	-	-	-	DOHOME19C2504A	-	-	-	-
KTB19C2506A	0.15	0.01	1,148	0.15	IVL19C2506A	-	-	-	-	DOHOME19C2506A	-	-	-	-
KTB41C2506A	-	-	-	-	IVL19C2507A	0.21	0.01	101,071	0.20	DOHOME19C2506B	0.03	0.01	350	0.03
LHFG	0.78	0.01	17,442	0.78	IVL19P2508A	0.51	(0.03)	25,705	0.54	FN	0.54	-	145	0.54
LHFG	124.50	0.50	67,002	124.36	IVL41C2505A	-	-	-	-	GLOBAL	6.65	0.10	75,941	6.62
SCB01C2505A	0.10	(0.01)	5,948	0.10	IVL41C2605T	0.18	0.02	31,029	0.17	GLOBAL01C2507A	0.09	0.01	700	0.09
SCB01C2507A	0.26	-	18,646	0.26	IVL41P2605T	-	-	-	-	GLOBAL13C2504A	-	-	-	-
SCB01P2507A	0.42	(0.01)	740	0.42	NFC	1.53	0.09	869	1.48	GLOBAL13C2506A	-	-	-	-
SCB13C2505A	0.07	-	672	0.07	PATO	7.55	-	25	7.55	GLOBAL13C2507A	0.09	0.01	34,948	0.09
SCB13C2508A	0.26	0.01	40,347	0.26	PMTA	8.05	-	25	8.03	GLOBAL19C2507A	0.12	0.01	1,304	0.12
SCB13P2507A	0.22	(0.01)	14,414	0.22	PTTGC	17.00	(0.10)	199,405	17.05	GLOBAL41C2606T	0.11	0.01	9,333	0.11
SCB19C2504A	-	-	-	-	PTTGC01C2504A	-	-	-	-	HMPRO	8.55	(0.05)	259,054	8.53
SCB19C2507A	0.16	-	6,859	0.16	PTTGC01C2505A	-	-	-	-	HMPRO01C2504A	-	-	-	-
SCB41C2505A	-	-	-	-	PTTGC01C2506A	-	-	-	-	HMPRO01C2507A	0.09	(0.02)	9,032	0.09
SCB41C2609T	0.34	0.01	13,388	0.34	PTTGC01C2507A	0.14	(0.01)	45,502	0.15	HMPRO01C2508A	0.31	(0.03)	41,018	0.32
SCB41P2504A	-	-	-	-	PTTGC01P2506A	0.65	-	2,045	0.66	HMPRO13C2504A	-	-	-	-
TCAP	51.00	0.50	19,555	50.99	PTTGC13C2504A	-	-	-	-	HMPRO13C2506A	0.08	-	17,752	0.07
TCAP-P	-	-	-	-	PTTGC13C2505A	-	-	-	-	HMPRO13C2508A	0.38	(0.02)	26,284	0.37
TCAP-Q	-	-	-	-	PTTGC13C2506A	-	-	-	-	HMPRO19C2506A	0.09	(0.01)	2,420	0.08
TCAP13C2508A	0.31	0.01	42,662	0.31	PTTGC13C2507A	0.13	-	69,309	0.13	HMPRO19C2508A	-	-	-	-
TCAP19C2504A	-	-	-	-	PTTGC13C2507E	0.30	(0.01)	128,395	0.30	HMPRO41C2606T	0.15	(0.01)	32,000	0.15
TISCO	99.00	0.50	30,847	98.87	PTTGC13P2506A	0.45	-	14	0.45	ICC	31.50	1.50	1	31.50
TISCO-P	-	-	-	-	PTTGC19C2504A	-	-	-	-	ILM	14.00	-	1,095	13.91
TISCO-Q	-	-	-</											

## Main Board Quotation

Issue Date :

Wednesday April 02, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SPC	59.00	-	13	59.06	CCET13C2506A	0.02	-	961	0.02	KCE19C2508A	0.20	0.01	104,086	0.19
SPI	62.00	-	1	62.00	CCET13C2507A	0.07	(0.01)	3,710	0.08	KCE19P2504A	-	-	-	-
SVT	1.30	(0.01)	1,566	1.31	CCET13C2507B	0.25	0.01	49,775	0.25	KCE19P2505A	-	-	-	-
TAN	4.78	-	8,332	4.76	CCET19C2506A	-	-	-	-	KCE41C2504A	-	-	-	-
Information & Commr	-	-	-	-	CCET19C2506B	0.02	-	2,531	0.01	KCE41C2504B	-	-	-	-
3BBIF	5.75	-	72,631	5.79	CCET19C2506C	-	-	-	-	KCE41C2505A	-	-	-	-
ADVANC	277.00	(4.00)	34,850	278.80	CCET19C2507A	0.08	-	1,000	0.08	KCE41C2606T	-	-	-	-
ADVANC01C2506A	0.11	(0.01)	7,288	0.12	CCET19C2507B	0.26	0.01	166,528	0.26	METCO	169.00	(1.00)	2	169.50
ADVANC01C2508A	0.37	(0.02)	21,447	0.38	CCET41C2505A	-	-	-	-	SMT	1.08	0.03	2,183	1.07
ADVANC01P2505A	0.08	0.01	4,185	0.08	CCET41C2506A	0.06	(0.01)	251	0.06	SVI	7.30	(0.10)	1,714	7.36
ADVANC01P2507A	0.54	0.02	10,075	0.53	CCET41C2609T	0.34	(0.66)	30,030	0.34	TEAM	2.66	-	2,633	2.69
ADVANC13C2505A	0.06	-	1,109	0.06	DELTA	67.50	0.75	85,809	67.79	Energy & Utilities	-	-	-	-
ADVANC13C2507A	0.25	(0.04)	39,990	0.27	DELTA01C2505A	0.02	-	321	0.01	ACC	0.38	(0.02)	49,726	0.38
ADVANC13P2504A	-	-	-	-	DELTA01C2506A	0.02	-	2,011	0.02	ACC-W2	0.38	(0.03)	476	0.38
ADVANC13P2507A	0.40	0.03	18,801	0.39	DELTA01C2507A	0.77	0.01	46,407	0.78	ACE	1.28	(0.01)	7,622	1.28
ADVANC19C2505A	-	-	-	-	DELTA01P2504A	-	-	-	-	AE	0.09	(0.01)	21,416	0.09
ADVANC19C2506A	0.10	(0.02)	7,722	0.11	DELTA06C2504A	-	-	-	-	AGE	0.93	0.01	2,379	0.92
ADVANC19C2507A	0.25	(0.03)	51,597	0.27	DELTA11C2507A	0.30	0.01	8,611	0.31	AI	3.32	-	1,336	3.32
ADVANC19P2504A	-	-	-	-	DELTA13C2505A	-	-	-	-	AIE	1.31	0.03	65,287	1.31
ADVANC19P2508A	0.36	0.02	8,971	0.35	DELTA13C2506A	-	-	-	-	BAFS	7.90	(0.05)	1,819	7.94
ADVANC41C2505A	-	-	-	-	DELTA13C2506E	0.01	-	3,303	0.01	BANPU	4.28	0.12	335,282	4.21
ADVANC41C2606T	0.30	(0.01)	33,200	0.30	DELTA13C2507A	0.16	0.01	74,377	0.16	BANPU01C2504A	-	-	-	-
ADVANC41P2504A	-	-	-	-	DELTA13C2507E	0.07	-	5,810	0.08	BANPU01C2506A	-	-	-	-
ADVANC41P2508A	-	-	-	-	DELTA13C2507C	0.35	0.01	125,523	0.36	BANPU01C2507A	0.15	0.02	44,695	0.13
AIT	4.68	0.04	23,933	4.67	DELTA13C2508A	0.66	(0.34)	123,791	0.68	BANPU01C2508A	0.36	0.04	27,962	0.32
ALT	0.80	-	1,648	0.81	DELTA19C2505A	0.66	(0.34)	123,791	0.68	BANPU01C2606T	0.28	0.02	28,595	0.27
AMR	0.67	0.06	42,985	0.64	DELTA13P2505E	2.06	(0.08)	5	2.06	BANPU13C2504A	-	-	-	-
BLISS	-	-	-	-	DELTA13P2506A	-	-	-	-	BANPU13C2505A	-	-	-	-
DIF	7.90	-	30,084	7.88	DELTA13P2507A	0.89	(0.03)	68,976	0.88	BANPU13C2506A	-	-	-	-
DITTO	10.80	-	20,636	10.82	DELTA13P2507E	0.36	(0.01)	64,226	0.36	BANPU13C2506B	0.07	-	230	0.08
DITTO-W1	0.04	(0.02)	59,228	0.04	DELTA19C2506A	0.02	-	502	0.01	BANPU13C2507A	0.24	0.02	28,712	0.22
DTCENT	0.88	-	1,609	0.88	DELTA19C2506E	-	-	-	-	BANPU13P2504A	-	-	-	-
FORTH	6.70	-	1,795	6.73	DELTA19C2506C	-	-	-	-	BANPU19C2504A	-	-	-	-
GABLE	3.50	0.04	5,819	3.51	DELTA19C2507A	0.06	(0.01)	51	0.07	BANPU19C2506A	0.02	(0.01)	500	0.02
HUMAN	7.95	-	1,597	7.95	DELTA19C2507E	0.15	0.01	27,622	0.15	BANPU19C2507A	0.15	0.02	10,024	0.14
ICN	1.89	(0.03)	5,162	1.89	DELTA19C2507C	0.42	0.01	84,610	0.43	BANPU19C2508A	0.35	0.04	59,289	0.32
ILINK	5.60	-	1,225	5.65	DELTA19C2508A	0.72	(0.28)	73,983	0.73	BANPU41C2505A	0.01	-	277	0.01
INET	4.84	0.02	17,727	4.89	DELTA19P2504A	-	-	-	-	BANPU41C2605T	0.10	0.01	2,001	0.09
INSET	2.08	0.02	9,326	2.08	DELTA19P2505A	-	-	-	-	BBGI	3.42	-	1,361	3.44
ITEL	1.37	-	15,669	1.38	DELTA19P2506A	-	-	-	-	BGP	39.00	0.75	61,922	38.65
JAS	1.57	(0.01)	87,951	1.58	DELTA19P2507A	0.79	(0.04)	68,953	0.79	BCP01C2504A	-	-	-	-
JAS-W4	0.32	-	44,562	0.32	DELTA41C2505A	0.02	-	7,331	0.01	BCP01C2505A	0.30	0.02	4,373	0.30
JAS13C2505A	-	-	-	-	DELTA41C2506A	-	-	-	-	BCP01C2507A	0.28	0.01	9,428	0.26
JAS13C2507A	0.26	-	7,874	0.26	DELTA41C2507A	0.10	0.01	3,201	0.10	BCP01P2505A	0.03	(0.02)	3,500	0.03
JAS19C2505A	-	-	-	-	DELTA41C2508A	0.26	(0.74)	20,000	0.27	BCP13C2504A	-	-	-	-
JAS19C2507A	0.19	0.01	8,506	0.20	DELTA41C2608T	0.27	0.01	12,000	0.27	BCP13C2505A	0.11	0.02	14,826	0.10
JAS41C2605T	0.13	0.01	8,395	0.13	DELTA41C2612T	0.05	-	699	0.05	BCP13C2507A	0.29	0.02	41,266	0.27
JMART	8.75	(0.05)	54,179	8.87	DELTA41P2504A	-	-	-	-	BCP13P2505A	0.01	-	1	0.01
JMART-W5	0.19	(0.01)	5,341	0.20	DELTA41P2505A	-	-	-	-	BCP19C2504A	-	-	-	-
JMART13C2504A	-	-	-	-	DELTA41P2507A	0.27	(0.02)	105	0.28	BCP19C2506A	0.29	0.03	660	0.28
JMART13C2506A	-	-	-	-	HANA	16.50	0.70	77,394	16.28	BCP19C2507A	0.21	0.01	55,101	0.20
JMART13C2507A	0.10	(0.01)	31,799	0.11	HANA01C2504A	-	-	-	-	BCP41C2504A	-	-	-	-
JMART19C2504A	-	-	-	-	HANA01C2504W	0.02	0.01	2,002	0.01	BCP41C2505A	-	-	-	-
JMART19C2506A	-	-	-	-	HANA01C2505A	-	-	-	-	BCP41C2609T	0.37	0.02	13,000	0.36
JMART19C2508A	0.15	-	6,174	0.15	HANA01C2505B	-	-	-	-	BCPG	6.80	(0.05)	48,327	6.79
JMART19C2508B	0.39	(0.61)	18,407	0.40	HANA01P2504A	0.24	(0.12)	6,972	0.28	BCPG01C2506A	0.21	(0.02)	27,913	0.22
JMART41C2504A	-	-	-	-	HANA01P2505A	0.75	(0.12)	5,245	0.78	BCPG01C2508A	0.40	(0.04)	19,508	0.41
JMART41C2606T	-	-	-	-	HANA06C2504A	-	-	-	-	BCPG01P2506A	-	-	-	-
JTS	27.50	(1.00)	1,743	27.79	HANA13C2504A	0.01	-	300	0.01	BCPG13C2504A	-	-	-	-
MFCF	5.85	(0.05)	3,797	5.81	HANA13C2504B	0.01	-	250	0.01	BCPG13C2507A	0.17	(0.01)	134,094	0.17
MSC	7.80	(0.15)	15	7.76	HANA13C2504C	-	-	-	-	BCPG13C2507B	0.48	0.01	88	0.48
PT	11.40	(0.30)	3,131	11.50	HANA13C2505A	-	-	-	-	BCPG19C2505A	0.21	(0.01)	63,260	0.21
ROCTEC	0.56	0.01	41,864	0.56	HANA13C2505B	-	-	-	-	BCPG19C2508A	0.21	(0.01)	99,177	0.21
ROCTEC-W3	0.01	-	205	0.01	HANA13C2506A	-	-	-	-	BCPG41C2606T	0.32	(0.01)	25,243	0.32
ROCTEC-W5	0.03	-	152,477	0.03	HANA13C2507A	0.07	0.01	1,401	0.07	BGRIM	10.10	(0.10)	123,306	10.05
SAMART	7.05	0.05	59,203	7.03	HANA13C2508A	0.30	0.04	76,060	0.28	BGRIM01C2504A	0.01	-	4	0.01
SAMTEL	5.45	(0.10)	324	5.38	HANA13P2504A	-	-	-	-	BGRIM01C2505A	0.01	(0.01)	400	0.01
SAMTEL-W2	0.94	0.01	1,456	0.92	HANA13P2505A	-	-	-	-	BGRIM01C2506A	-	-	-	-
SDC	0.04	0.01	40,794	0.04	HANA13P2507A	0.37	(0.03)	22,385	0.38	BGRIM01C2507A	0.03	(0.01)	4,400	0.03
SIS	23.00	(0.60)	4,007	23.36	HANA19C2504A	0.01	-	320	0.01	BGRIM01C2508A	0.11	-	52,850	0.11
SKY	16.20	-	1,929	16.08	HANA19C2505A	-	-	-	-	BGRIM01C2606T	-	-	-	-
SPREME	1.46	-	1,616	1.45	HANA19C2505B	-	-	-	-	BGRIM01P2505A	-	-	-	-
SVOA	0.99	-	268	0.99	HANA19C2507A	0.05	-	6	0.05	BGRIM01P2507A	-	-	-	-
SYMC	4.82	0.02	510	4.84	HANA19C2508A	0.28	0.03	43,138	0.27	BGRIM13C2504A	-	-	-	-
SYNEX	10.70	(0.20)	3,988	10.81	HANA19P2504A	-	-	-	-	BGRIM13C2505A	-	-	-	-
THCOM	10.00	(0.10)	14,413	10.07	HANA19P2504B	-	-	-	-	BGRIM13C2505B	-	-	-	-
TKC	8.15	(0.15)	43	8.14	HANA41C2504A	-	-	-	-	BGRIM13C2506A	-	-	-	-
TRUE	11.90	(0.20)	522,270	12.02	HANA41C2504B	-	-	-	-	BGRIM13C2507A	-	-	-	-
TRUE01C2505A	0.11	(0.01)	16,166	0.12	HANA41C2505A	-	-	-	-	BGRIM13C2507B	0.08	0.01	24,342	0.07
TRUE01C2507A	0.09	(0.01)	26,500	0.10	HANA41C2606T	-	-	-	-	BGRIM13C2508A	0.17	-	6,031	0.16
TRUE01C2508A	0.28	(0.01)	3,021	0.29	KCE	16.10	0.10	74,396	16.09	BGRIM13P2505A	1.98	(0.30)	1	1.98
TRUE01P2505A	-	-	-	-	KCE01C2504A	0.02	-	51	0.01	BGRIM13P2506A	-	-	-	-
TRUE01P2507A	0.26	(0.01)	5,660	0.26	KCE01C2504W	-	-	-	-	BGRIM19C2504A	-	-	-	-
TRUE13C2504A	-	-	-	-	KCE01C2505A	-	-	-	-	BGRIM19C2505A	-	-	-	-
TRUE13C2505A	-	-	-	-	KCE01C2507A	-	-	-	-	BGRIM19C2506A	-	-	-	-
TRUE13C2507A	0.20	(0.02)	16,905	0.20	KCE01P2504A	-	-	-	-	BGRIM19C2507A	-	-	-	-
TRUE13P2506A	0.10	-	3,008	0.10	KCE13C2504A	-	-	-	-	BGRIM19C2507B	0.08	(0.01)	5,240	0.07
TRUE19C2504A	-	-	-	-	KCE13C2504B	-	-	-	-	BGRIM19P2506A	0.98	0.19	1	0.98
TRUE19C2507A	-	-	-	-	KCE13C2504C	-	-	-	-	BGRIM41C2504A	-	-	-	-
TRUE19C2507B	0.25	(0.01)	41,876	0.26	KCE13C2504D	-	-	-	-	BGRIM41C2505A	-	-	-	-

## Main Board Quotation

Issue Date :

Wednesday April 02, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CV-W1	-	-	-	-	PTTEP41P2506A	0.14	(0.02)	8,000	0.14	AEONTS	107.00	(0.50)	989	107.40
EA	2.10	0.04	515,214	2.11	RATCH	25.25	(0.25)	5,800	25.33	AMANAHA	0.82	(0.01)	2,587	0.82
EA-W1	0.25	0.01	44,470	0.25	RATCH19C2506A	-	-	-	-	ASAP	1.44	-	122	1.40
EA13C2504A	-	-	-	-	RPC	0.25	(0.01)	7,028	0.25	ASK	7.00	0.05	6,731	6.92
EA13C2504B	0.01	-	130	0.01	SCG	2.54	0.02	11	2.55	ASP	1.99	-	3,164	1.99
EA13C2505A	-	-	-	-	SCN	0.44	0.01	2,554	0.44	BAM	6.00	0.05	71,140	6.00
EA13C2505B	-	-	-	-	SCN-W2	0.03	(0.01)	70	0.04	BAM01C2504A	-	-	-	-
EA13C2506A	0.01	-	373	0.01	SEAOL	2.46	-	82	2.47	BAM01C2506A	0.10	-	34,916	0.11
EA13C2506B	0.02	-	3,758	0.02	SGP	6.70	0.05	234	6.73	BAM13C2504A	-	-	-	-
EA13C2507A	0.07	-	55,422	0.07	SKE	0.19	(0.01)	1,066	0.19	BAM13C2505A	-	-	-	-
EA13C2508A	0.16	0.02	82,742	0.16	SKE-W1	0.04	0.01	39	0.03	BAM13C2506A	0.11	0.01	58,683	0.11
EA13P2504A	0.32	(0.15)	46	0.32	SOLAR	0.20	-	956	0.20	BAM19C2504A	-	-	-	-
EA19C2504A	-	-	-	-	SPCG	7.40	0.05	2,256	7.35	BAM19C2505A	-	-	-	-
EA19C2504B	-	-	-	-	SPRC	5.65	-	58,802	5.63	BAM19C2506A	0.14	0.01	49,011	0.14
EA19C2505A	-	-	-	-	SPRC13C2504A	-	-	-	-	BAM41C2504A	-	-	-	-
EA19C2506A	-	-	-	-	SPRC13C2506A	0.11	(0.01)	39,239	0.11	BAM41C2505A	-	-	-	-
EA19C2506B	0.03	-	10	0.03	SPRC19C2505A	-	-	-	-	BAM41C2612T	0.29	-	20,000	0.29
EA19C2508A	0.18	-	76,475	0.18	SPRC41C2606T	0.23	-	19,000	0.23	BYD	0.35	0.02	19,775	0.35
EA19C2508B	0.26	(0.74)	81,641	0.27	SSP	5.05	-	782	5.05	CGH	0.45	-	4,216	0.45
EA19P2505A	1.17	(0.03)	31	1.17	SSP-W2	0.01	-	15,851	0.01	CGH-W5	-	-	-	-
EA41C2606T	0.09	-	500	0.09	SUPER	0.17	-	75,366	0.17	CHASE	0.67	0.01	67,220	0.69
EASTW	2.00	-	15,777	2.02	SUPEREIF	5.75	(0.10)	3,307	5.80	CHASE-W1	0.36	0.02	13,930	0.36
EGATIF	5.95	0.05	4,803	5.91	SUSCO	2.94	0.02	9,463	2.93	CHAYO	2.16	-	11,456	2.18
EGCO	91.50	(0.25)	4,498	91.66	TAE	0.78	0.02	64	0.77	CHAYO-W3	0.07	0.01	3,498	0.07
EGCO19C2504A	0.01	(0.01)	1	0.01	TCC	0.27	-	925	0.27	EAST	0.85	0.01	3,373	0.85
EP	1.42	(0.04)	751	1.40	TCC-W5	0.14	-	84	0.13	FNS	1.19	0.02	32	1.19
EP-W4	-	-	-	-	TGE	1.48	(0.04)	283	1.49	FSX	1.57	(0.02)	513	1.59
ETC	1.44	0.02	9,306	1.46	TGE-W2	0.12	-	2,849	0.12	GBX	0.54	0.01	2,061	0.53
GPSC	25.50	(0.25)	101,138	25.41	TOP	25.50	-	99,644	25.34	GL	-	-	-	-
GPSC01C2504W	-	-	-	-	TOP01C2504A	-	-	-	-	HENG	1.03	-	6,001	1.03
GPSC01C2505A	-	-	-	-	TOP01C2505A	-	-	-	-	IFS	2.30	-	22	2.28
GPSC01C2507A	0.11	-	43,736	0.10	TOP01C2506A	0.08	(0.01)	1,012	0.08	JMT	13.10	0.30	90,780	13.17
GPSC01P2506A	0.31	0.01	23,815	0.32	TOP01C2507A	0.55	(0.01)	565	0.55	JMT01C2504A	0.01	-	1	0.01
GPSC13C2504A	-	-	-	-	TOP01C2508A	0.20	-	4,784	0.20	JMT13C2504A	0.01	-	2,500	0.01
GPSC13C2505A	-	-	-	-	TOP01P2504A	0.69	(0.01)	15	0.69	JMT13C2506A	0.04	-	1,501	0.04
GPSC13C2505B	-	-	-	-	TOP01P2506A	0.11	-	23,939	0.11	JMT13C2507A	0.15	0.01	80,957	0.16
GPSC13C2506A	0.03	-	2,432	0.03	TOP01P2508A	0.32	(0.01)	2,426	0.32	JMT19C2504A	-	-	-	-
GPSC13C2507A	0.12	(0.01)	116,442	0.12	TOP13C2504A	-	-	-	-	JMT19C2504B	-	-	-	-
GPSC13P2505A	0.59	0.22	1	0.59	TOP13C2504B	-	-	-	-	JMT19C2506A	0.06	0.01	3,300	0.06
GPSC13P2506A	0.27	0.02	968	0.28	TOP13C2505A	-	-	-	-	JMT19C2507A	0.20	0.01	109,792	0.20
GPSC19C2505A	-	-	-	-	TOP13C2505B	-	-	-	-	JMT41C2505A	-	-	-	-
GPSC19C2506A	0.01	(0.02)	100	0.01	TOP13C2505C	-	-	-	-	JMT41C2608T	0.25	0.01	66,200	0.26
GPSC19C2506B	-	-	-	-	TOP13C2506A	-	-	-	-	KCAR	4.00	(0.02)	173	3.97
GPSC19C2507A	0.11	(0.01)	33,405	0.11	TOP13C2507A	0.14	-	12,831	0.14	KGI	4.30	-	6,917	4.30
GPSC19P2506A	0.39	0.03	4,538	0.39	TOP13P2505A	-	-	-	-	KTC	46.75	0.75	28,380	46.40
GPSC41C2504A	-	-	-	-	TOP13P2505B	0.08	(0.03)	2	0.08	KTC01C2507A	0.15	0.02	23,222	0.14
GPSC41C2505A	-	-	-	-	TOP13P2508A	0.29	(0.02)	15,449	0.30	KTC01C2508A	0.29	0.02	22,175	0.28
GPSC41C2606T	0.09	(0.01)	42	0.09	TOP19C2504A	-	-	-	-	KTC13C2506A	-	-	-	-
GREEN	0.78	0.03	161	0.79	TOP19C2505A	-	-	-	-	KTC19C2504A	-	-	-	-
GULF	-	-	-	-	TOP19C2505B	-	-	-	-	KTC19C2507A	0.10	0.02	1,000	0.10
GUNKUL	1.59	0.01	92,820	1.59	TOP19P2505A	-	-	-	-	KTC41C2606T	0.24	0.02	6,000	0.23
GUNKUL13C2504A	-	-	-	-	TOP41C2505A	-	-	-	-	MFC	24.70	(0.30)	129	24.73
GUNKUL13C2505A	-	-	-	-	TOP41C2506B	0.08	-	8,620	0.08	MICRO	0.79	(0.01)	1,519	0.80
GUNKUL19C2504A	-	-	-	-	TOP41P2505A	-	-	-	-	ML	0.36	(0.01)	1,056	0.36
GUNKUL19C2505A	-	-	-	-	TPIPP	2.20	(0.02)	10,532	2.21	MST	7.95	-	3	7.95
IRPC	0.93	0.02	135,599	0.93	TSE	0.35	(0.01)	15,707	0.35	MTC	40.00	1.50	123,962	40.01
IRPC01C2504A	-	-	-	-	TTW	8.75	(0.05)	5,507	8.76	MTC01C2504A	-	-	-	-
IRPC19C2508A	0.21	0.02	116,368	0.21	UBE	0.51	-	3,565	0.51	MTC01C2506A	0.08	0.02	5,359	0.08
KBSPIF	7.45	-	386	7.41	WHAUP	3.56	(0.02)	12,622	3.53	MTC01C2508A	0.28	0.04	64,007	0.28
LANNA	15.00	-	3,005	14.96	WP	3.54	0.04	921	3.52	MTC01P2506A	0.32	(0.07)	9,733	0.38
MDX	3.00	0.04	2,580	2.98	Media & Publishi	-	-	-	-	MTC13C2505A	-	-	-	-
NOVA	7.00	(0.20)	12	7.12	AMARIN	2.36	-	108	2.36	MTC13C2506A	0.06	0.01	16	0.06
OR	12.30	0.40	402,592	12.12	AQUA	0.22	-	25,821	0.21	MTC13C2508A	0.27	0.04	74,967	0.27
OR01C2505A	0.01	-	3	0.01	AS	2.26	(0.04)	11,833	2.29	MTC13P2506A	0.22	(0.05)	26,447	0.22
OR01C2507A	0.17	0.03	90,527	0.15	BEC	3.82	0.02	812	3.79	MTC19C2504A	-	-	-	-
OR01C2508A	0.31	0.04	63,180	0.29	FE	192.00	-	5	192.00	MTC19C2506A	-	-	-	-
OR13C2504A	-	-	-	-	GPI	1.59	(0.01)	8,236	1.60	MTC19C2508A	0.23	0.04	87,555	0.23
OR13C2506A	0.05	0.01	4	0.04	GRAMMY	6.00	(0.40)	2	5.58	MTC19P2506A	0.24	(0.06)	138,298	0.24
OR13C2507A	0.17	0.03	126,863	0.15	JKN	-	-	-	-	MTC41C2505A	-	-	-	-
OR13C2508A	0.33	0.05	17,468	0.31	MAJOR	10.50	0.10	1,028	10.47	MTC41C2606T	0.22	0.02	62,272	0.22
OR19C2504A	-	-	-	-	MATCH	1.12	-	66	1.10	NCAP	2.18	(0.12)	149,595	2.23
OR19C2505A	-	-	-	-	MATI	-	-	-	-	PL	1.02	(0.01)	915	1.03
OR19C2506A	0.12	0.02	83,947	0.11	MCOT	4.86	0.44	519,222	4.80	S11	2.82	0.02	14	2.80
OR19C2508A	0.37	0.03	1,004	0.36	MONO	1.31	(0.03)	155,027	1.31	SAK	3.90	0.06	10,106	3.89
OR41C2505A	-	-	-	-	NATION	0.03	0.01	881,100	0.02	SAWAD	28.25	0.75	51,427	28.41
OR41C2605T	0.05	0.01	2,000	0.05	NATION-W4	-	-	-	-	SAWAD-W2	0.22	0.03	6,748	0.23
OR41C2608T	0.33	0.03	87,177	0.31	ONEE	2.60	0.02	13,211	2.59	SAWAD01C2504A	-	-	-	-
PRIME	0.08	0.01	174,445	0.07	PLANB	5.65	0.30	85,526	5.59	SAWAD01C2506A	-	-	-	-
PTG	6.80	0.10	14,456	6.77	PLANB13C2508A	0.19	0.04	17,013	0.19	SAWAD01C2508A	0.08	0.01	6,000	0.08
PTT	32.25	0.25	327,877	32.09	PLANB19C2508A	0.17	0.03	18,479	0.16	SAWAD01P2505A	0.69	(0.07)	2,898	0.68
PTT01C2505A	-	-	-	-	PLANB41C2606T	0.18	0.02	15,064	0.18	SAWAD13C2505A	-	-	-	-
PTT01C2508A	-	-	-	-	PRAKIT	11.50	0.30	86	11.20	SAWAD13C2506A	0.01	(0.01)	8,100	0.01
PTT13C2508A	0.22	0.01	22,292	0.21	PTECH	0.82	0.11	2	0.82	SAWAD13C2507A	0.06	0.01	151	0.06
PTT19C2505A	0.04	(0.03)	3	0.04	SE-ED	1.94	-	120	1.94	SAWAD13C2508A	0.14	0.02	86,262	0.14
PTT41C2606T	0.28	-	800	0.28	TKS	5.50	(0.05)	1,938	5.52	SAWAD13C2508B	0.25	(0.75)	63,116	0.24
PTTPE	118.00	(3.00)	81,396	118.04	VGI	3.06	(0.02)	1,758,180	3.08	SAWAD13P2504A	-	-	-	-
PTTPE01C2504A	0.01	(0.07)	1	0.01	VGI-W3	0.05	-	133,690	0.05	SAWAD19C2504A	-	-	-	-
PTTPE01C2505A	0.07	(0.04)	1,415	0.07	VGI-W4	1.26	(0.02)	16,713	1.29	SAWAD19C2505A	-	-	-	-
PTTPE01C2507A	0.34	(0.08)	103,431	0.35	VGI01C2505A	0.07	-	400	0.07	SAWAD19C2506A	-	-	-	-
PTTPE01P2506A	0.13	0.02	26,448	0.13	VGI01C2507A	0.33	(0.01)	29,571	0.35	SAWAD19C2507A	0.08	0.01	350	0.08
PTTPE13C2504A	-	-	-	-	VGI13C2504A	-	-	-	-	SAWAD19C				

## Main Board Quotation

Issue Date :

Wednesday April 02, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TIDLOR01C2506A	-	-	-	-	PB	-	-	-	-	CHG19C2505A	-	-	-	-
TIDLOR13C2504A	-	-	-	-	PLUS	3.62	(0.04)	749	3.62	CMR	1.34	(0.01)	2,375	1.32
TIDLOR13C2505A	-	-	-	-	PM	10.10	0.10	9,858	10.07	EKH	6.40	-	4,294	6.38
TIDLOR19C2504A	-	-	-	-	PQS	2.36	0.02	3,244	2.36	KDH	88.00	(3.00)	11	87.98
TIDLOR19C2505A	0.01	(0.01)	1,000	0.01	PRG	8.40	0.25	4	8.25	LPH	3.58	(0.16)	2,470	3.57
TIDLOR19C2505B	-	-	-	-	PRG-W2	-	-	-	-	M-CHAI	19.40	(0.30)	275	19.42
TIDLOR41C2605T	-	-	-	-	PRG-W3	-	-	-	-	MASTER	22.20	1.00	19,324	21.94
TK	3.52	(0.06)	1,899	3.51	PRG-W4	-	-	-	-	MEDEZE	7.40	(0.05)	16,665	7.46
TNITY	2.84	0.02	52	2.84	PRG-W5	-	-	-	-	NEW	97.00	(21.00)	9	98.11
TNL	-	-	-	-	RBF	4.40	-	20,617	4.42	NKT	4.70	0.10	3,188	4.68
UOBKH	5.50	0.10	12	5.38	RBF01C2504A	-	-	-	-	NTV	27.75	-	27	27.76
XPG	0.81	-	42,939	0.80	RBF13C2504A	-	-	-	-	PHG	13.70	(0.50)	113	13.74
Food & Beverage					RBF13C2507A	-	-	-	-	PR9	20.50	(0.40)	13,936	20.66
AAI	5.20	0.15	29,323	5.14	RBF19C2505A	-	-	-	-	PR901C2507A	0.12	(0.02)	23,059	0.13
APURE	3.58	0.20	1,516	3.45	RBF19C2508A	-	-	-	-	PR913C2505A	-	-	-	-
ASIAN	7.60	(0.20)	19,352	7.65	SAPPE	36.00	0.75	11,701	35.88	PR913C2506A	0.05	-	222	0.05
BR	1.61	0.01	1,534	1.62	SAPPE01C2504A	-	-	-	-	PR919C2506A	-	-	-	-
BR-W1	0.04	-	2	0.04	SAPPE13C2507A	0.09	0.01	11	0.09	PR941C2609T	0.34	(0.01)	20,154	0.35
BRR	4.58	(0.04)	3,514	4.60	SAPPE19C2508A	0.32	0.02	10,246	0.31	PRINC	2.38	(0.04)	3,445	2.38
BRR-W2	0.20	-	561	0.19	SAUCE	38.50	-	18	38.60	RAM	18.70	(0.10)	378	18.69
BTG	19.90	(0.10)	29,480	19.97	SNMP	12.00	0.10	18,145	11.88	RJH	13.70	0.10	10,996	13.71
CBG	60.50	3.00	51,042	60.13	SNP	11.40	(0.10)	667	11.44	RPH	5.30	(0.05)	1,417	5.31
CBG01C2504A	-	-	-	-	SORKON	4.40	-	8,325	4.39	SAFE	9.05	0.05	14	9.05
CBG01C2506A	-	-	-	-	SSF	5.60	-	281	5.59	SKR	7.90	(0.05)	610	7.94
CBG01C2507A	0.12	0.03	37,612	0.11	SST	1.98	(0.02)	8	2.00	THG	10.90	-	16,897	10.79
CBG01C2508A	0.34	0.07	42,107	0.32	SUN	3.10	(0.04)	3,661	3.10	VIBHA	1.57	(0.01)	5,325	1.57
CBG01P2504W	0.10	(0.11)	6,230	0.10	TC	6.00	(0.05)	484	5.99	VIBHA-W4	-	-	-	-
CBG01P2506A	1.09	(0.23)	17,880	1.20	TFG	4.60	0.02	101,911	4.58	VIH	7.15	(0.10)	324	7.15
CBG01P2507A	0.60	(0.14)	17,006	0.65	TFG-W4	0.69	(0.02)	7,275	0.70	VIH-W1	1.00	0.07	148	0.84
CBG13C2505A	0.01	-	300	0.01	TFMAMA	199.50	0.50	2	199.50	WPH	8.00	0.05	5,221	7.95
CBG13C2506A	-	-	-	-	TIPCO	9.45	0.05	2,706	9.40	Tourism & Leisure				
CBG13C2507A	0.16	0.04	53,015	0.15	TKN	7.70	(0.30)	25,284	7.86	ASIA	5.15	(0.15)	2	5.15
CBG13C2508A	0.47	(0.53)	96,299	0.44	TU	11.10	0.20	81,599	11.06	BEYOND	6.70	(0.05)	93	6.68
CBG13P2504A	0.01	(0.10)	1,021	0.01	TU01C2505A	-	-	-	-	CENTEL	28.00	(1.25)	55,916	28.40
CBG19C2504A	0.01	-	650	0.01	TU01C2506A	-	-	-	-	CENTEL01C2504A	-	-	-	-
CBG19C2506A	-	-	-	-	TU01C2508A	0.12	-	10,222	0.12	CENTEL01C2508A	0.10	(0.03)	43,403	0.10
CBG19C2506B	0.05	(0.03)	3,000	0.05	TU13C2504A	-	-	-	-	CENTEL13C2504A	-	-	-	-
CBG19C2508A	0.29	0.06	35,870	0.27	TU13C2505A	-	-	-	-	CENTEL13C2506A	0.05	(0.01)	2,601	0.05
CBG19P2507A	0.64	(0.16)	30,616	0.67	TU19C2504A	-	-	-	-	CENTEL13C2508A	0.15	(0.03)	114,316	0.16
CBG41C2505A	-	-	-	-	TU19C2505A	-	-	-	-	CENTEL19C2504A	-	-	-	-
CBG41C2608T	0.23	0.02	13,125	0.23	TU19C2506A	-	-	-	-	CENTEL19C2506A	0.08	(0.03)	7,243	0.09
CFRESH	1.02	(0.04)	5,306	1.02	TU41C2506A	-	-	-	-	CENTEL41C2504A	-	-	-	-
CH	2.02	(0.02)	4,531	2.00	TU41C2609T	-	-	-	-	CENTEL41C2606T	0.21	(0.04)	60,401	0.23
CHAO	4.48	0.16	3,559	4.45	TVO	21.50	0.30	8,481	21.47	CSR	-	-	-	-
CHOTTI	-	-	-	-	TWPC	2.30	-	2,166	2.30	DUSIT	8.35	(0.20)	1,139	8.43
CM	1.68	(0.03)	457	1.68	XBIO	0.12	-	30,429	0.11	ERW	2.58	(0.08)	229,509	2.59
COCOCO	6.85	(0.15)	48,873	6.95	XBIO-W6	-	-	-	-	ERW01C2504A	-	-	-	-
COCOCO13C2505A	-	-	-	-	XBIO-W7	0.02	-	15,676	0.01	ERW01C2507A	0.06	(0.01)	2,930	0.06
COCOCO19C2506A	-	-	-	-	ZEN	6.40	0.20	1	6.40	ERW13C2505A	0.01	-	3,450	0.01
CPF	24.00	0.10	103,074	23.98	Health Care Sen	-	-	-	-	ERW13C2507A	0.05	-	17,067	0.05
CPF01C2504A	-	-	-	-	AHC	13.80	-	10	13.76	ERW13C2508A	0.18	(0.03)	67,436	0.19
CPF01C2508A	0.58	0.02	1,032	0.58	BCH	14.40	0.40	48,603	14.28	ERW19C2506A	-	-	-	-
CPF13C2504A	-	-	-	-	BCH01C2508A	0.12	0.02	35,616	0.12	ERW19C2508A	0.20	(0.05)	82,874	0.22
CPF13C2505A	0.07	(0.03)	12,130	0.07	BCH13C2504A	-	-	-	-	ERW41C2606T	0.11	(0.01)	41,920	0.11
CPF13C2506A	0.36	0.01	15,746	0.36	BCH13C2507A	0.09	0.01	500	0.09	GRAND	0.05	0.01	2,221	0.04
CPF19C2504A	-	-	-	-	BCH13C2508A	0.25	0.03	16,675	0.24	LRH	38.00	-	3	38.00
CPF19C2505A	-	-	-	-	BCH19C2505A	0.01	-	1	0.01	MANRIN	-	-	-	-
CPF41C2505A	-	-	-	-	BCH19C2505B	-	-	-	-	MINT	26.00	-	81,516	26.08
CPF41C2505B	-	-	-	-	BCH19C2508A	0.13	0.02	12,014	0.13	MINT01C2504A	-	-	-	-
CPF41C2612T	0.57	0.01	200	0.57	BCH41C2506A	-	-	-	-	MINT01C2506A	-	-	-	-
CPI	2.76	0.02	205	2.76	BCH41C2609T	0.30	(0.70)	37,456	0.29	MINT01C2507A	0.10	-	17,806	0.09
F&D	40.00	1.00	1	40.00	BDMS	22.50	0.40	144,300	22.36	MINT13C2505A	-	-	-	-
FM	3.76	(0.04)	13,293	3.78	BDMS01C2504A	-	-	-	-	MINT13C2506A	-	-	-	-
GLOCON	0.14	-	8,554	0.14	BDMS01C2506A	0.07	0.01	3,000	0.07	MINT13C2506B	0.09	(0.01)	6,480	0.10
HTC	16.50	-	2,578	16.52	BDMS01C2508A	0.07	0.01	294	0.07	MINT19C2504A	-	-	-	-
ICHI	11.40	-	32,152	11.40	BDMS13C2504A	-	-	-	-	MINT19C2506A	0.28	(0.15)	62	0.28
ICHI13C2504A	-	-	-	-	BDMS13C2505A	0.02	-	500	0.02	MINT19C2508A	0.13	-	8,787	0.13
ITC	13.60	0.30	40,079	13.59	BDMS13C2508A	0.27	0.03	20,762	0.26	MINT41C2504A	-	-	-	-
ITC01C2504A	-	-	-	-	BDMS19C2504A	-	-	-	-	MINT41C2604T	-	-	-	-
ITC01C2506A	0.03	-	290	0.03	BDMS19C2505A	-	-	-	-	MINT41C2612T	0.22	-	11,878	0.22
ITC13C2504A	-	-	-	-	BDMS19C2508A	0.32	0.04	53,889	0.30	OHTL	-	-	-	-
ITC13C2506A	0.02	-	300	0.02	BDMS41C2505A	-	-	-	-	ROH	1.89	(0.04)	48	1.82
ITC13C2508A	0.23	0.02	14,432	0.22	BDMS41C2609T	0.18	-	5,000	0.18	SHANG	49.00	-	1	49.00
ITC19C2505A	-	-	-	-	BH	173.50	7.50	25,776	171.62	SHR	1.95	(0.02)	15,850	1.95
ITC19C2506A	-	-	-	-	BH-P	-	-	-	-	SPA	4.20	(0.06)	28,728	4.24
ITC41C2505A	-	-	-	-	BH-Q	-	-	-	-	VRANDA	4.56	(0.02)	90	4.55
ITC41C2612T	0.27	0.01	24,080	0.27	BH01C2504A	0.01	-	105	0.01	Home & Office Prod.	-	-	-	-
JDF	1.94	(0.04)	1,352	1.95	BH01C2505A	0.04	0.02	2,641	0.03	AJA	0.10	0.01	61,673	0.10
KBS	5.45	(0.10)	2,095	5.51	BH01C2506A	0.02	(0.04)	2	0.02	DTCI	30.75	4.25	197	31.41
KCG	8.10	(0.20)	18,774	8.13	BH01C2507A	0.43	0.10	44,767	0.39	FANCY	0.40	(0.01)	1,698	0.40
KSL	1.44	(0.02)	7,742	1.44	BH01P2504A	0.03	(0.08)	2	0.03	FTI	1.90	(0.03)	315	1.94
KTIS	2.38	0.02	60	2.37	BH01P2507A	0.41	(0.10)	18,823	0.43	KYE	297.00	(2.00)	20	298.45
LST	4.72	(0.04)	716	4.72	BH13C2504A	0.01	-	1	0.01	L&E	1.20	(0.01)	181	1.20
M	18.60	-	9,860	18.64	BH13C2504B	-	-	-	-	MODERN	2.28	-	27	2.27
MALEE	6.15	-	2,785	6.20	BH13C2505A	-	-	-	-	OGC	-	-	-	-
NRF	0.48	-	2,354	0.48	BH13C2506A	0.21	0.07	53,912	0.18	ROCK	-	-	-	-
NSL	28.75	-	3,013	28.88	BH13C2508A	0.65	0.12	106,757	0.61	SIAM	0.73	0.01	439	0.71
OKJ	7.90	(0.10)	10,655	7.95	BH19C2504A	0.01	-	1	0.01	TCMC	0.44	(0.02)	15,508	0.46
OSP	14.00	0.30	93,857	13.95	BH19C2504B	-	-	-	-	TSR	0.19	-	1,513	0.19
OSP01C2504A	-	-	-	-	BH19C2505A	-	-	-	-	TSR-W2	0.01	-	5,530	0.01
OSP01C2507A	-	-	-	-	BH19C2506A	0.03	-	3	0.03	Insurance	-	-	-	-
OSP01C2507B	0.09	0.01	251	0.09	BH19C2506B	0.16	0.04	61,777	0.14	AYUD	32.00	0.25	105	31.94
OSP01P2507A	0.31	0.01	3,146	0.30	BH19C2508A	0.53	0.09	53,985	0.51	BKIH	281.00	(1.00)	494	282.62</















