

## Main Board Quotation

Issue Date :

Thursday April 03, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	DCON-W3	0.01	-	1	0.01	ADVICE	4.62	0.06	9,967	4.57
Agribusiness	-	-	-	-	DCON-W4	0.03	-	26,832	0.03	B52	0.20	-	94	0.19
EE	0.38	(0.01)	32,817	0.37	DRT	6.95	(0.10)	6,326	6.99	B52-W4	0.03	-	240	0.02
GFPT	8.40	0.10	16,927	8.25	EPG	2.90	0.06	14,502	2.87	BEAUTY	0.22	(0.01)	22,126	0.23
LEE	2.24	-	912	2.24	GEL	0.04	-	20,359	0.04	BIG	0.30	-	12,794	0.29
NER	4.66	(0.08)	78,284	4.67	GEL-W5	-	-	-	-	BJC	23.30	0.30	39,214	23.06
NER-W2	0.29	(0.01)	13,690	0.28	PPP	1.05	(0.03)	105	1.06	BJC13C2505A	-	-	-	-
PCE	2.94	(0.04)	66,943	2.91	Q-CON	7.55	(0.25)	3,322	7.60	BJC13C2508A	0.47	0.02	46,362	0.45
PPPM	0.38	0.01	2,369	0.37	SCC	148.00	(1.00)	32,423	146.80	BJC41C2606T	0.30	0.01	22,000	0.29
PPPM-W6	-	-	-	-	SCC01C2505A	-	-	-	-	COM7	19.90	0.30	48,213	19.83
STA	14.10	(0.30)	97,529	13.98	SCC01C2505B	-	-	-	-	COM701C2506A	-	-	-	-
STA01C2504A	-	-	-	-	SCC01C2507A	0.12	(0.10)	45,975	0.12	COM701C2508A	0.37	-	17,032	0.38
STA01C2506A	-	-	-	-	SCC01C2508A	0.37	(0.08)	238	0.39	COM713C2504A	0.01	-	40	0.01
STA13C2505A	-	-	-	-	SCC01C2508B	0.49	(0.03)	31,143	0.49	COM713C2505A	-	-	-	-
STA13C2506A	0.08	(0.02)	19,794	0.08	SCC01C2606T	-	-	-	-	COM713C2506A	0.09	0.01	635	0.09
STA19C2504A	-	-	-	-	SCC01P2507A	-	-	-	-	COM713C2507A	0.20	0.01	17,808	0.20
STA19C2505A	-	-	-	-	SCC13C2504A	0.43	0.01	96	0.44	COM719C2505A	-	-	-	-
STA19C2506A	-	-	-	-	SCC13C2504B	-	-	-	-	COM719C2507A	0.20	0.01	27,495	0.19
STA41C2505A	-	-	-	-	SCC13C2505A	0.01	(0.01)	163	0.01	COM719P2508A	0.43	(0.02)	8,711	0.46
STA41C2612T	0.30	(0.02)	37,560	0.30	SCC13C2505B	0.03	-	2,230	0.02	COM741C2505A	-	-	-	-
TEGH	2.94	-	2,885	2.93	SCC13C2507A	0.29	(0.02)	140,616	0.28	COM741C2606T	-	-	-	-
TFM	9.15	0.10	754	8.95	SCC13P2504A	-	-	-	-	COM741C2609T	0.35	0.01	38,554	0.35
TRUBB	0.60	(0.09)	37,671	0.63	SCC13P2505A	0.14	-	13,271	0.15	CPALL	51.00	0.25	194,825	50.66
UPOIC	6.25	-	3	6.25	SCC13P2508A	0.72	0.01	88,663	0.75	CPALL01C2504A	0.01	-	1	0.01
UVAN	9.25	0.05	2,057	9.18	SCC19C2504A	-	-	-	-	CPALL01C2505A	-	-	-	-
VPO	0.47	(0.01)	2,735	0.48	SCC19C2505A	-	-	-	-	CPALL01C2507A	0.28	-	36,055	0.28
Banking	-	-	-	-	SCC19C2505B	0.01	-	20,300	0.01	CPALL01C2606T	0.30	-	29,046	0.30
BAY	22.60	0.10	1,977	22.47	SCC19C2506A	0.07	(0.01)	306	0.05	CPALL01P2505A	0.18	(0.01)	55,722	0.19
BBL	144.50	(3.50)	162,021	145.35	SCC19C2507A	0.36	(0.04)	77,514	0.36	CPALL01P2507A	0.33	(0.02)	51,820	0.35
BBL13C2504A	-	-	-	-	SCC19P2505A	0.28	-	3,032	0.29	CPALL06C2504A	-	-	-	-
BBL13C2507A	0.08	(0.03)	28,362	0.09	SCC19P2508A	0.88	0.02	12,600	0.90	CPALL13C2504A	-	-	-	-
BBL13C2508A	0.23	(0.06)	98,220	0.25	SCC41C2504A	-	-	-	-	CPALL13C2505A	-	-	-	-
BBL19C2506A	0.03	(0.02)	101	0.03	SCC41C2505A	-	-	-	-	CPALL13C2505B	-	-	-	-
BBL19C2508A	0.18	(0.06)	128,973	0.20	SCC41C2608T	0.41	(0.01)	76,456	0.40	CPALL13C2506A	-	-	-	-
BBL41C2504A	-	-	-	-	SCC41P2508A	0.40	0.01	14,708	0.40	CPALL13C2506B	0.17	-	30,662	0.16
BBL41C2506A	-	-	-	-	SCCC	156.00	(1.00)	403	156.18	CPALL13P2504A	-	-	-	-
BBL41C2609T	0.32	(0.04)	46,000	0.34	SCGD	4.14	(0.04)	3,762	4.13	CPALL13P2505A	0.05	(0.02)	11,068	0.06
CIMBT	0.60	-	9,767	0.60	SCP	6.15	(0.05)	828	6.14	CPALL13P2506A	0.13	0.01	7,011	0.13
CREDIT	19.70	0.30	46	19.63	SKN	5.55	-	45	5.52	CPALL19C2504A	-	-	-	-
KBANK	161.50	(2.50)	187,977	162.48	STECH	0.99	-	1,264	0.99	CPALL19C2505A	-	-	-	-
KBANK01C2506A	0.22	(0.04)	48,790	0.24	TASCO	14.10	0.10	13,622	13.96	CPALL19C2505B	-	-	-	-
KBANK01C2508A	0.82	(0.05)	8,224	0.84	TASCO19C2507	0.08	(0.02)	191	0.08	CPALL19C2506A	-	-	-	-
KBANK01P2507A	0.38	0.02	32,673	0.37	TOA	11.30	(0.10)	36,721	11.28	CPALL19C2506B	0.10	-	60	0.10
KBANK13C2505A	0.04	(0.02)	10,150	0.04	TPIPL	0.96	-	27,073	0.97	CPALL19C2508A	0.27	-	85,886	0.27
KBANK13C2507A	0.40	(0.05)	124,092	0.42	UMI	0.72	-	6,895	0.71	CPALL19P2505A	0.07	(0.02)	26,396	0.09
KBANK13P2504A	-	-	-	-	VNG	2.28	(0.04)	259	2.28	CPALL19P2505B	-	-	-	-
KBANK13P2507A	0.25	0.01	19,807	0.25	WIJK	0.90	0.01	5	0.91	CPALL41C2504A	-	-	-	-
KBANK19C2504A	0.01	-	1	0.01	WIJK-W3	0.02	-	7,718	0.03	CPALL41C2505A	0.02	-	8,538	0.01
KBANK19C2505A	-	-	-	-	WINDOW	0.79	-	14,874	0.81	CPALL41C2506A	-	-	-	-
KBANK19C2507A	0.19	(0.04)	71,940	0.21	Petrochemicals &	-	-	-	-	CPALL41C2605T	0.15	0.01	137	0.15
KBANK19C2507B	0.34	(0.04)	9,760	0.36	BCT	59.00	(1.00)	2	59.50	CPALL41P2504A	-	-	-	-
KBANK41C2505A	-	-	-	-	CMAN	2.30	0.06	2,273	2.29	CPALL41P2508A	0.21	(0.79)	8,000	0.21
KBANK41C2604T	0.77	(0.04)	53,496	0.79	GC	4.92	(0.06)	3,966	4.93	CPAXT	26.75	1.00	30,314	26.40
KBANK41C2609T	0.42	(0.02)	32,444	0.43	GGC	4.48	(0.16)	783	4.56	CPW	1.99	(0.03)	386	2.00
KBANK41P2606T	0.36	0.01	436	0.36	IVL	20.10	-	136,589	19.98	CRC	25.75	-	59,498	25.45
KKP	56.00	0.50	22,120	55.57	IVL01C2504A	-	-	-	-	CRC01C2506A	-	-	-	-
KKP-W6	1.13	(0.01)	431	1.13	IVL01C2506A	-	-	-	-	CRC13C2506A	-	-	-	-
KKP13C2504A	-	-	-	-	IVL01C2507A	0.29	(0.02)	50,781	0.29	CRC13C2508A	0.12	-	10,973	0.12
KKP19C2507A	0.27	0.01	26,210	0.26	IVL01P2504A	0.07	(0.08)	42,000	0.07	CRC19C2506A	-	-	-	-
KTB	23.50	(0.80)	920,066	23.72	IVL01P2506A	0.63	(0.02)	22,274	0.65	CRC19C2508A	0.13	(0.01)	20,673	0.13
KTB-P	-	-	-	-	IVL13C2504A	-	-	-	-	CRC41C2608T	0.12	-	2,400	0.12
KTB-Q	-	-	-	-	IVL13C2505A	-	-	-	-	CSS	0.83	-	3,354	0.83
KTB01C2506A	0.26	(0.06)	26,491	0.28	IVL13C2507A	0.16	(0.01)	143,618	0.16	DOHOME	5.40	-	62,708	5.45
KTB13C2505A	0.12	(0.07)	49,331	0.14	IVL13C2508A	0.34	-	444,961	0.33	DOHOME01C2507A	0.09	-	22,806	0.09
KTB13C2507A	0.16	(0.05)	44,653	0.18	IVL13P2504A	-	-	-	-	DOHOME13C2505A	-	-	-	-
KTB13P2507A	0.25	0.04	18,765	0.23	IVL13P2508A	0.48	-	32,702	0.49	DOHOME13C2506A	0.03	-	276	0.02
KTB19C2505A	0.09	(0.06)	25,552	0.11	IVL19C2505A	-	-	-	-	DOHOME13C2508A	0.22	(0.01)	23,886	0.23
KTB19C2506A	0.10	(0.05)	48,227	0.12	IVL19C2506A	0.03	(0.05)	100	0.03	DOHOME19C2504A	0.01	-	2,000	0.01
KTB41C2506A	0.15	(0.06)	29,760	0.17	IVL19C2507A	0.21	-	43,293	0.20	DOHOME19C2506A	-	-	-	-
LHFG	0.77	(0.01)	11,880	0.77	IVL19C2508A	0.36	(0.64)	100,363	0.35	DOHOME19C2506B	-	-	-	-
SCB	124.00	(0.50)	77,947	123.96	IVL19P2508A	0.50	(0.01)	61,202	0.52	DOHOME19C2508A	0.24	(0.76)	205,578	0.25
SCB01C2505A	-	-	-	-	IVL41C2505A	-	-	-	-	FN	0.53	(0.01)	371	0.54
SCB01C2507A	0.24	(0.02)	1,120	0.24	IVL41C2605T	0.18	-	30,947	0.18	GLOBAL	6.70	0.05	42,541	6.66
SCB01P2507A	0.42	-	16,895	0.42	IVL41P2605T	-	-	-	-	GLOBAL01C2507A	0.09	-	1,000	0.09
SCB13C2505A	-	-	-	-	NFC	1.53	-	148	1.51	GLOBAL13C2504A	-	-	-	-
SCB13C2508A	0.25	(0.01)	35,541	0.25	PATO	7.50	(0.05)	156	7.46	GLOBAL13C2506A	-	-	-	-
SCB13P2507A	0.22	-	31,038	0.22	PMTA	8.05	-	20	8.05	GLOBAL13C2507A	0.09	-	10,572	0.09
SCB19C2504A	-	-	-	-	PTTGC	17.80	0.80	560,433	17.25	GLOBAL13C2508A	0.26	(0.74)	13,028	0.26
SCB19C2507A	-	-	-	-	PTTGC01C2504/	-	-	-	-	GLOBAL19C2507A	0.12	-	8,212	0.12
SCB41C2505A	-	-	-	-	PTTGC01C2505/	-	-	-	-	GLOBAL41C2606T	0.11	-	10,000	0.10
SCB41C2609T	-	-	-	-	PTTGC01C2506/	-	-	-	-	HMPRO	8.50	(0.05)	231,374	8.49
SCB41P2504A	-	-	-	-	PTTGC01C2507/	0.19	0.05	58,274	0.16	HMPRO01C2504A	-	-	-	-
TCAP	51.00	-	11,097	50.87	PTTGC01P2506/	0.55	(0.10)	620	0.61	HMPRO01C2507A	-	-	-	-
TCAP-P	-	-	-	-	PTTGC13C2504/	-	-	-	-	HMPRO01C2508A	0.31	-	39,773	0.31
TCAP-Q	-	-	-	-	PTTGC13C2505/	-	-	-	-	HMPRO13C2504A	-	-	-	-
TCAP13C2508A	0.31	-	17,782	0.31	PTTGC13C2506/	0.03	(0.01)	1,000	0.03	HMPRO13C2506A	-	-	-	-
TCAP19C2504A	-	-	-	-	PTTGC13C2507/	0.17	0.04	146,351	0.14	HMPRO13C2508A	0.37	(0.01)	55,892	0.37
TISCO	99.25	0.25	23,398	99.20	PTTGC13C2507E	0.36	0.06	247,324	0.31	HMPRO19C2506A	0.09	-	8	0.08
TISCO-P	-	-	-	-	PTTGC13P2506/	0.37	(0.08)	9	0.41	HMPRO19C2508A	0.46	(0.04)	809	0.44
TISCO-Q	-	-	-	-	PTTGC19C2504/	-	-	-						

## Main Board Quotation

Issue Date :

Thursday April 03, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCM	0.44	(0.03)	43,741	0.45	CCET	5.40	(0.45)	1,163,929	5.34	KCE19C2505A	0.01	-	150	0.01
SCM-W2	0.04	-	6,481	0.03	CCET13C2505A	0.02	-	1,052	0.01	KCE19C2506A	-	-	-	-
SINGER	6.20	0.20	39,562	6.08	CCET13C2505B	-	-	-	-	KCE19C2507A	0.08	-	4,000	0.08
SPC	59.00	-	41	58.99	CCET13C2506A	0.02	-	50	0.02	KCE19C2508A	0.20	-	137,919	0.19
SPI	64.00	2.00	10	64.00	CCET13C2507A	0.05	(0.02)	23,783	0.04	KCE19P2504A	-	-	-	-
SVT	1.30	-	1,302	1.30	CCET13C2507B	0.18	(0.07)	241,788	0.17	KCE19P2505A	-	-	-	-
TAN	4.70	(0.08)	4,814	4.73	CCET19C2506A	-	-	-	-	KCE41C2504A	-	-	-	-
Information & Commr	-	-	-	-	CCET19C2506B	0.05	0.03	182	0.01	KCE41C2504B	-	-	-	-
3BBIF	5.80	0.05	113,947	5.78	CCET19C2506C	-	-	-	-	KCE41C2505A	-	-	-	-
ADVANC	278.00	1.00	37,614	277.59	CCET19C2507A	0.05	(0.03)	1,050	0.05	KCE41C2606T	-	-	-	-
ADVANC01C2506A	0.10	(0.01)	12,398	0.10	CCET19C2507B	0.18	(0.08)	150,835	0.19	METCO	169.00	-	7	169.00
ADVANC01C2508A	0.36	(0.01)	34,386	0.36	CCET41C2505A	-	-	-	-	SMT	1.05	(0.03)	5,282	1.06
ADVANC01P2505A	0.07	(0.01)	257	0.07	CCET41C2506A	0.04	(0.02)	560	0.04	SVI	7.35	0.05	5,851	7.25
ADVANC01P2507A	0.55	0.01	11,375	0.54	CCET41C2609T	0.28	(0.06)	108,510	0.31	TEAM	2.62	(0.04)	1,492	2.62
ADVANC13C2505A	0.04	(0.02)	1,003	0.04	DELTA	60.50	(7.00)	267,364	62.14	Energy & Utilities	-	-	-	-
ADVANC13C2507A	0.25	-	111,518	0.25	DELTA01C2505A	0.02	-	101	0.01	ACC	0.38	-	34,755	0.38
ADVANC13P2504A	0.01	(0.01)	31	0.01	DELTA01C2506A	0.01	(0.01)	3,280	0.01	ACC-W2	0.33	(0.05)	2,408	0.34
ADVANC13P2507A	0.38	(0.02)	14,331	0.38	DELTA01C2507A	0.57	(0.20)	59,266	0.63	ACE	1.28	-	9,447	1.28
ADVANC19C2505A	-	-	-	-	DELTA01P2504A	3.34	0.52	16,043	3.01	AE	0.10	0.01	101,740	0.09
ADVANC19C2506A	0.09	(0.01)	3,661	0.09	DELTA06C2504A	-	-	-	-	AGE	0.87	(0.06)	9,244	0.88
ADVANC19C2507A	0.25	-	74,678	0.26	DELTA11C2507A	0.18	(0.12)	23,328	0.23	AI	3.30	(0.02)	1,184	3.30
ADVANC19P2504A	-	-	-	-	DELTA13C2505A	-	-	-	-	AIE	1.26	(0.05)	27,000	1.27
ADVANC19P2508A	0.35	(0.01)	24,568	0.35	DELTA13C2506A	0.01	-	10	0.01	BAFS	7.95	0.05	1,017	7.92
ADVANC41C2505A	-	-	-	-	DELTA13C2506E	-	-	-	-	BANPU	4.24	(0.04)	256,162	4.26
ADVANC41C2606T	0.30	-	80,254	0.30	DELTA13C2507A	0.09	(0.07)	137,404	0.10	BANPU01C2504A	0.01	-	520	0.01
ADVANC41P2504A	-	-	-	-	DELTA13C2507E	0.05	(0.02)	26,126	0.05	BANPU01C2506A	0.01	(0.01)	1	0.01
ADVANC41P2508A	-	-	-	-	DELTA13C2507C	0.20	(0.15)	260,800	0.25	BANPU01C2507A	0.15	-	60,612	0.15
AIT	4.58	(0.10)	36,281	4.60	DELTA13C2508A	0.44	(0.22)	341,419	0.50	BANPU01C2508A	0.34	(0.02)	48,075	0.35
ALT	0.81	0.01	2,343	0.80	DELTA13P2505A	-	-	-	-	BANPU01C2606T	0.28	-	17,733	0.28
AMR	0.65	(0.02)	76,050	0.69	DELTA13P2505E	2.54	0.48	100	2.54	BANPU13C2504A	0.01	-	200	0.01
BLISS	-	-	-	-	DELTA13P2506A	1.62	0.26	190	1.59	BANPU13C2505A	-	-	-	-
DIF	7.90	-	42,664	7.88	DELTA13P2507A	1.15	0.26	189,541	1.10	BANPU13C2506A	-	-	-	-
DITTO	10.50	(0.30)	23,217	10.53	DELTA13P2507E	0.47	0.11	160,839	0.44	BANPU13C2506B	-	-	-	-
DITTO-W1	0.03	(0.01)	9,360	0.03	DELTA19C2506A	0.02	-	51	0.01	BANPU13C2507A	0.23	(0.01)	43,840	0.24
DTCENT	0.86	(0.02)	7,287	0.86	DELTA19C2506E	-	-	-	-	BANPU13P2504A	-	-	-	-
FORTH	6.90	0.20	3,372	6.91	DELTA19C2506C	0.02	(0.01)	1,303	0.01	BANPU19C2504A	-	-	-	-
GABLE	3.56	0.06	4,919	3.50	DELTA19C2507A	0.04	(0.02)	38,947	0.04	BANPU19C2506A	-	-	-	-
HUMAN	8.00	0.05	5,809	7.93	DELTA19C2507E	0.07	(0.08)	28,169	0.10	BANPU19C2507A	0.14	(0.01)	17,792	0.14
ICN	1.83	(0.06)	5,461	1.85	DELTA19C2507C	0.26	(0.16)	27,997	0.30	BANPU19C2508A	0.33	(0.02)	119,820	0.34
ILINK	5.55	(0.05)	5,986	5.54	DELTA19C2508A	0.48	(0.24)	55,674	0.56	BANPU41C2505A	-	-	-	-
INET	4.86	0.02	28,678	4.89	DELTA19P2504A	-	-	-	-	BANPU41C2605T	-	-	-	-
INSET	2.06	(0.02)	19,317	2.07	DELTA19P2505A	-	-	-	-	BBGI	3.40	(0.02)	3,475	3.40
ITEL	1.36	(0.01)	29,392	1.36	DELTA19P2506A	-	-	-	-	BCP	38.75	(0.25)	133,034	39.82
JAS	1.53	(0.04)	102,635	1.53	DELTA19P2507A	1.05	0.26	145,939	0.96	BCP01C2504A	-	-	-	-
JAS-W4	0.31	(0.01)	56,452	0.31	DELTA41C2505A	0.01	(0.01)	3,002	0.01	BCP01C2505A	0.31	0.01	35,207	0.36
JAS13C2505A	-	-	-	-	DELTA41C2506A	0.03	0.01	5,712	0.01	BCP01C2507A	0.28	-	36,697	0.32
JAS13C2507A	0.22	(0.04)	3,508	0.23	DELTA41C2507A	0.05	(0.05)	1,049	0.05	BCP01P2505A	0.02	(0.01)	18	0.02
JAS19C2505A	-	-	-	-	DELTA41C2508A	0.19	(0.07)	98,723	0.21	BCP13C2504A	-	-	-	-
JAS19C2507A	0.17	(0.02)	7,730	0.17	DELTA41C2608T	0.22	(0.05)	44,132	0.23	BCP13C2505A	0.10	(0.01)	171,699	0.13
JAS41C2605T	0.12	(0.01)	13,653	0.12	DELTA41C2612T	-	-	-	-	BCP13C2507A	0.28	(0.01)	146,267	0.33
JMART	8.70	(0.05)	59,647	8.61	DELTA41P2504A	-	-	-	-	BCP13P2505A	0.01	-	1	0.01
JMART-W5	0.21	0.02	753	0.20	DELTA41P2505A	2.00	0.26	10,003	1.90	BCP19C2504A	-	-	-	-
JMART13C2504A	-	-	-	-	DELTA41P2507A	0.34	0.07	10,221	0.31	BCP19C2506A	0.31	0.02	1,486	0.32
JMART13C2506A	-	-	-	-	HANA	16.60	0.10	124,468	16.36	BCP19C2507A	0.22	0.01	178,667	0.23
JMART13C2507A	0.10	-	3,180	0.09	HANA01C2504A	-	-	-	-	BCP41C2504A	-	-	-	-
JMART19C2504A	-	-	-	-	HANA01C2504W	0.01	(0.01)	20,000	0.01	BCP41C2505A	0.35	0.09	400	0.37
JMART19C2506A	-	-	-	-	HANA01C2505A	-	-	-	-	BCP41C2609T	0.36	(0.01)	86,712	0.38
JMART19C2508A	0.14	(0.01)	12,473	0.13	HANA01C2505B	-	-	-	-	BCPG	6.70	(0.10)	75,833	6.76
JMART19C2508B	0.37	(0.02)	27,700	0.36	HANA01P2504A	0.16	(0.08)	358	0.19	BCPG01C2506A	0.19	(0.02)	26,033	0.20
JMART41C2504A	-	-	-	-	HANA01P2505A	0.69	(0.06)	8,617	0.74	BCPG01C2508A	0.39	(0.01)	40,052	0.40
JMART41C2606T	0.14	-	12,000	0.14	HANA06C2504A	-	-	-	-	BCPG01P2506A	0.08	(0.01)	200	0.08
JTS	26.50	(1.00)	2,028	26.76	HANA13C2504A	-	-	-	-	BCPG13C2504A	-	-	-	-
MFEC	5.85	-	2,621	5.79	HANA13C2504B	-	-	-	-	BCPG13C2507A	0.16	(0.01)	117,555	0.17
MSC	7.90	0.10	212	7.52	HANA13C2504C	-	-	-	-	BCPG13C2507B	0.45	(0.03)	704	0.45
PT	11.60	0.20	3,929	11.38	HANA13C2505A	0.01	-	12	0.01	BCPG19C2505A	0.19	(0.02)	33,934	0.20
ROCTEC	0.53	(0.03)	123,615	0.52	HANA13C2505B	-	-	-	-	BCPG19C2508A	0.20	(0.01)	55,022	0.20
ROCTEC-W3	0.01	-	360	0.01	HANA13C2506A	-	-	-	-	BCPG41C2606T	0.31	(0.01)	94,098	0.32
ROCTEC-W5	0.03	-	225,575	0.03	HANA13C2507A	0.06	(0.01)	1,601	0.06	BGRIM	10.20	0.10	187,283	10.06
SAMART	6.95	(0.10)	34,196	6.95	HANA13C2508A	0.30	-	94,468	0.28	BGRIM01C2504A	-	-	-	-
SAMTEL	5.50	0.05	243	5.46	HANA13P2504A	-	-	-	-	BGRIM01C2505A	0.02	0.01	1	0.02
SAMTEL-W2	0.95	0.01	1,674	0.94	HANA13P2505A	-	-	-	-	BGRIM01C2506A	-	-	-	-
SDC	0.04	-	11,058	0.04	HANA13P2507A	0.35	(0.02)	44,323	0.37	BGRIM01C2507A	-	-	-	-
SIS	23.00	-	1,530	23.04	HANA19C2504A	-	-	-	-	BGRIM01C2508A	0.11	-	72,747	0.10
SKY	15.90	(0.30)	7,243	15.92	HANA19C2505A	-	-	-	-	BGRIM01C2606T	0.13	(0.02)	28,062	0.13
SPREME	1.45	(0.01)	1,877	1.44	HANA19C2505B	-	-	-	-	BGRIM01P2505A	-	-	-	-
SVOA	1.00	0.01	2,413	1.00	HANA19C2507A	-	-	-	-	BGRIM01P2507A	0.47	(0.01)	15,857	0.48
SYMC	4.72	(0.10)	1,000	4.75	HANA19C2508A	0.29	0.01	32,153	0.27	BGRIM13C2504A	-	-	-	-
SYNEX	11.00	0.30	3,992	10.89	HANA19P2504A	-	-	-	-	BGRIM13C2505A	-	-	-	-
THCOM	9.80	(0.20)	39,155	9.86	HANA19P2504B	-	-	-	-	BGRIM13C2505B	-	-	-	-
TKC	7.95	(0.20)	448	7.99	HANA41C2504A	-	-	-	-	BGRIM13C2506A	0.01	-	1,000	0.01
TRUE	12.10	0.20	521,938	11.98	HANA41C2504B	-	-	-	-	BGRIM13C2507A	-	-	-	-
TRUE01C2505A	0.12	0.01	24,954	0.11	HANA41C2505A	-	-	-	-	BGRIM13C2507B	0.08	-	22,486	0.07
TRUE01C2507A	0.09	-	3,700	0.09	HANA41C2606T	-	-	-	-	BGRIM13C2508A	0.17	-	38,864	0.16
TRUE01C2508A	0.29	0.01	16,679	0.28	KCE	16.20	0.10	109,359	16.00	BGRIM13P2505A	-	-	-	-
TRUE01P2505A	-	-	-	-	KCE01C2504A	-	-	-	-	BGRIM13P2506A	-	-	-	-
TRUE01P2507A	0.26	-	15,080	0.26	KCE01C2504W	-	-	-	-	BGRIM19C2504A	-	-	-	-
TRUE13C2504A	-	-	-	-	KCE01C2505A	-	-	-	-	BGRIM19C2505A	-	-	-	-
TRUE13C2505A	0.06	-	14,032	0.06	KCE01C2507A	-	-	-	-	BGRIM19C2506A	-	-	-	-
TRUE13C2507A	0.21	0.01	17,965	0.20	KCE01P2504A	-	-	-</						

## Main Board Quotation

Issue Date :

Thursday April 03, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BSRC1C2506A	0.16	-	40,107	0.17	PTTEP41C2504A	-	-	-	-	VGI41C2505A	-	-	-	-
CKP	2.50	(0.02)	56,515	2.56	PTTEP41C2505A	-	-	-	-	VGI41C2506T	0.25	(0.03)	47,190	0.25
CKP01C2504A	-	-	-	-	PTTEP41C2507A	0.26	(0.05)	49,012	0.26	WORK	5.15	(0.05)	374	5.09
CV	-	-	-	-	PTTEP41C2604T	0.10	(0.02)	12,000	0.11	ZAA	0.69	(0.02)	327	0.69
CV-W1	-	-	-	-	PTTEP41P2506A	0.16	0.02	4,400	0.16	Finance & Securities	-	-	-	-
EA	2.06	(0.04)	273,185	2.06	RATCH	25.00	(0.25)	8,617	25.17	AEONTS	108.00	1.00	2,300	108.27
EA-W1	0.24	(0.01)	27,442	0.24	RATCH19C2506A	-	-	-	-	AMANAHA	0.84	0.02	12,134	0.84
EA13C2504A	0.01	-	200	0.01	RPC	0.25	-	4,924	0.26	ASAP	1.44	-	600	1.40
EA13C2504B	-	-	-	-	SCG	2.54	-	22	2.53	ASK	7.05	0.05	4,921	6.98
EA13C2505A	0.01	-	1,006	0.01	SCN	0.42	(0.02)	8,232	0.43	ASP	2.00	0.01	6,652	1.99
EA13C2505B	-	-	-	-	SCN-W2	0.04	0.01	103	0.03	BAM	6.20	0.20	124,069	6.09
EA13C2506A	0.01	-	600	0.01	SEAQIL	2.46	-	105	2.43	BAM01C2504A	-	-	-	-
EA13C2506B	0.02	-	4,503	0.02	SGP	6.75	0.05	57	6.79	BAM01C2506A	0.12	0.02	92,222	0.11
EA13C2507A	0.05	(0.02)	23,531	0.06	SKE	0.20	0.01	1,524	0.19	BAM13C2504A	-	-	-	-
EA13C2508A	0.15	(0.01)	111,649	0.14	SKE-W1	0.03	(0.01)	2,070	0.03	BAM13C2505A	-	-	-	-
EA13P2504A	0.33	0.01	40	0.33	SOLAR	0.19	(0.01)	10,617	0.19	BAM13C2506A	0.13	0.02	45,108	0.12
EA19C2504A	-	-	-	-	SPCG	7.30	(0.10)	1,775	7.34	BAM19C2504A	-	-	-	-
EA19C2504B	-	-	-	-	SPRC	5.35	(0.30)	104,305	5.44	BAM19C2505A	-	-	-	-
EA19C2505A	0.01	(0.01)	20,998	0.01	SPRC13C2504A	0.01	-	200	0.01	BAM19C2506A	0.16	0.02	35,992	0.14
EA19C2506A	-	-	-	-	SPRC13C2505A	0.07	(0.04)	32,853	0.09	BAM41C2504A	-	-	-	-
EA19C2506B	0.03	-	237	0.02	SPRC19C2505A	-	-	-	-	BAM41C2505A	-	-	-	-
EA19C2508A	0.16	(0.02)	14,417	0.17	SPRC41C2606T	0.19	(0.04)	17,000	0.21	BAM41C2612T	0.31	0.02	54,090	0.30
EA19C2508B	0.24	(0.02)	56,592	0.24	SSP	5.05	-	21,936	5.05	BYD	0.34	(0.01)	26,509	0.34
EA19P2505A	-	-	-	-	SSP-W2	-	-	-	-	CGH	0.44	(0.01)	5,265	0.45
EA41C2606T	0.09	-	235	0.09	SUPER	0.17	-	89,654	0.17	CGH-W5	-	-	-	-
EASTW	1.99	(0.01)	3,033	2.00	SUPEREIF	5.75	-	3,554	5.72	CHASE	0.68	0.01	28,624	0.68
EGATIF	5.90	(0.05)	5,516	5.92	SUSCO	2.90	(0.04)	16,423	2.92	CHASE-W1	0.36	-	9,192	0.36
EGCO	90.50	(1.00)	6,022	90.88	TAE	0.70	(0.08)	1,434	0.73	CHAYO	2.20	0.04	16,095	2.17
EGCO19C2504A	0.01	-	72	0.01	TCC	0.27	-	6,022	0.26	CHAYO-W3	0.08	0.01	1,970	0.07
EP	1.38	(0.04)	456	1.38	TCC-W5	0.14	-	1,001	0.13	EAST	0.84	(0.01)	2,446	0.84
EP-W4	-	-	-	-	TGE	1.44	(0.04)	553	1.46	FNS	1.18	(0.01)	467	1.15
ETC	1.42	(0.02)	5,942	1.43	TGE-W2	0.11	(0.01)	48,149	0.12	FSX	1.56	(0.01)	231	1.59
GPSC	25.50	-	55,811	25.58	TOP	25.00	(0.50)	199,499	24.96	GBX	0.54	-	191	0.54
GPSC01C2504W	-	-	-	-	TOP01C2504A	0.01	-	1,954	0.01	GL	-	-	-	-
GPSC01C2505A	-	-	-	-	TOP01C2505A	0.02	-	1,814	0.01	HENG	1.04	0.01	45,269	1.06
GPSC01C2507A	0.10	(0.01)	64,484	0.10	TOP01C2506A	0.07	(0.01)	1,000	0.07	IFS	2.28	(0.02)	65	2.26
GPSC01P2506A	0.29	(0.02)	2,135	0.31	TOP01C2507A	-	-	-	-	JMT	13.40	0.30	94,940	13.14
GPSC13C2504A	-	-	-	-	TOP01C2508A	0.18	(0.02)	34,733	0.19	JMT01C2504A	0.01	-	10	0.01
GPSC13C2505A	-	-	-	-	TOP01P2504A	0.74	0.05	1,146	0.71	JMT13C2504A	-	-	-	-
GPSC13C2505B	-	-	-	-	TOP01P2506A	0.11	-	3,344	0.11	JMT13C2506A	0.04	-	277	0.04
GPSC13C2506A	0.03	-	1,000	0.03	TOP01P2508A	0.33	0.01	11,650	0.32	JMT13C2507A	0.17	0.02	31,448	0.15
GPSC13C2507A	0.12	-	57,301	0.12	TOP13C2504A	-	-	-	-	JMT19C2504A	-	-	-	-
GPSC13P2505A	-	-	-	-	TOP13C2504B	-	-	-	-	JMT19C2504B	-	-	-	-
GPSC13P2506A	0.25	(0.02)	1,930	0.25	TOP13C2505A	-	-	-	-	JMT19C2506A	-	-	-	-
GPSC19C2505A	-	-	-	-	TOP13C2505B	0.01	-	30	0.01	JMT19C2507A	0.21	0.01	130,513	0.20
GPSC19C2506A	0.02	0.01	1	0.02	TOP13C2505C	0.01	-	2	0.01	JMT41C2505A	-	-	-	-
GPSC19C2506B	-	-	-	-	TOP13C2506A	-	-	-	-	JMT41C2608T	0.26	0.01	34,490	0.25
GPSC19C2507A	0.11	-	9,554	0.11	TOP13C2507A	0.12	(0.02)	22,314	0.13	KCAR	3.94	(0.06)	231	3.96
GPSC19P2506A	-	-	-	-	TOP13P2505A	-	-	-	-	KGI	4.32	0.02	8,245	4.30
GPSC41C2504A	-	-	-	-	TOP13P2505B	-	-	-	-	KTC	47.25	0.50	36,318	46.94
GPSC41C2505A	-	-	-	-	TOP13P2508A	0.31	0.02	13,855	0.31	KTC01C2507A	0.16	0.01	26,192	0.15
GPSC41C2606T	0.09	-	2	0.09	TOP19C2504A	-	-	-	-	KTC01C2508A	0.31	0.02	35,893	0.29
GREEN	0.75	(0.03)	937	0.78	TOP19C2505A	0.01	-	500	0.01	KTC13C2506A	0.06	-	510	0.06
GULF	48.75	48.75	897,616	49.37	TOP19C2505B	0.04	(0.03)	10,000	0.04	KTC19C2504A	0.01	(0.01)	3	0.01
GUNKUL	1.56	(0.03)	95,623	1.56	TOP19C2508A	0.20	(0.80)	88,654	0.20	KTC19C2507A	-	-	-	-
GUNKUL13C2504A	-	-	-	-	TOP19P2505A	-	-	-	-	KTC41C2606T	0.25	0.01	14,792	0.24
GUNKUL13C2505A	-	-	-	-	TOP41C2505A	-	-	-	-	MFC	24.90	0.20	47	24.86
GUNKUL19C2504A	-	-	-	-	TOP41C2506B	0.06	(0.02)	1,610	0.06	MICRO	0.91	0.12	173,282	0.94
GUNKUL19C2505A	-	-	-	-	TOP41P2505A	-	-	-	-	ML	0.37	0.01	1,517	0.36
IRPC	0.91	(0.02)	322,483	0.90	TPIPP	2.18	(0.02)	19,095	2.20	MST	8.00	0.05	116	7.81
IRPC01C2504A	-	-	-	-	TSE	0.34	(0.01)	8,261	0.35	MTC	41.50	1.50	126,955	41.04
IRPC19C2508A	0.19	(0.02)	83,657	0.18	TTW	8.75	-	25,669	8.74	MTC01C2504A	-	-	-	-
KBSPIF	7.40	(0.05)	459	7.38	UBE	0.50	(0.01)	7,780	0.50	MTC01C2506A	0.09	0.01	35,301	0.10
LANNA	14.90	(0.10)	3,110	14.94	WHAUP	3.34	(0.22)	82,807	3.37	MTC01C2508A	0.32	0.04	90,783	0.32
MDX	2.84	(0.16)	4,278	2.86	WP	3.50	(0.04)	462	3.48	MTC01P2506A	0.27	(0.05)	466	0.29
NOVA	8.45	1.45	25	8.39	Media & Publishi	-	-	-	-	MTC13C2505A	-	-	-	-
OR	12.40	0.10	287,624	12.27	AMARIN	2.36	-	133	2.31	MTC13C2506A	0.08	0.02	8,104	0.08
OR01C2505A	-	-	-	-	AQUA	0.22	-	8,066	0.21	MTC13C2508A	0.32	0.05	84,000	0.31
OR01C2507A	0.17	-	72,328	0.16	AS	2.24	(0.02)	1,941	2.22	MTC13P2506A	0.17	(0.05)	55,178	0.20
OR01C2508A	0.31	-	79,682	0.31	BEC	3.82	-	1,770	3.78	MTC19C2504A	-	-	-	-
OR13C2504A	-	-	-	-	FE	-	-	-	-	MTC19C2506A	0.06	0.02	900	0.06
OR13C2506A	0.05	-	6,041	0.05	GPI	1.62	0.03	5,298	1.61	MTC19C2508A	0.28	0.05	112,505	0.25
OR13C2507A	0.18	0.01	94,626	0.17	GRAMMY	5.95	(0.05)	11	6.04	MTC19P2506A	0.20	(0.04)	160,117	0.21
OR13C2508A	0.33	-	73	0.33	JKN	-	-	-	-	MTC41C2505A	-	-	-	-
OR19C2504A	-	-	-	-	MAJOR	10.50	-	907	10.46	MTC41C2606T	0.24	0.02	94,800	0.24
OR19C2505A	-	-	-	-	MATCH	1.12	-	38	1.13	NCAP	2.42	0.24	303,858	2.39
OR19C2506A	0.12	-	107,674	0.12	MATI	-	-	-	-	PL	1.03	0.01	611	1.03
OR19C2508A	-	-	-	-	MCOT	4.68	(0.18)	170,826	4.82	S11	2.84	0.02	2,058	2.85
OR41C2505A	-	-	-	-	MONO	1.42	0.11	536,617	1.38	SAK	3.96	0.06	17,923	3.95
OR41C2605T	-	-	-	-	NATION	0.03	-	15,750	0.03	SAWAD	30.00	1.75	92,292	29.21
OR41C2608T	0.33	-	65,210	0.32	NATION-W4	-	-	-	-	SAWAD-W2	0.23	0.01	16,099	0.24
PRIME	0.07	(0.01)	64,407	0.07	ONEE	2.60	-	10,248	2.56	SAWAD01C2504A	-	-	-	-
PTG	6.90	0.10	18,513	6.78	PLANB	5.60	(0.05)	41,277	5.61	SAWAD01C2506A	-	-	-	-
PTT	32.25	-	368,248	32.02	PLANB13C2508A	0.19	-	2,404	0.19	SAWAD01C2508A	0.10	0.02	27,118	0.10
PTT01C2505A	-	-	-	-	PLANB19C2508A	0.17	-	43,962	0.17	SAWAD01P2505A	0.58	(0.11)	169	0.64
PTT01C2508A	0.22	(0.01)	10,455	0.22	PLANB41C2606T	0.17	(0.01)	14,000	0.18	SAWAD13C2505A	-	-	-	-
PTT13C2508A	0.22	-	119,090	0.20	PRAKIT	11.70	0.20	404	11.51	SAWAD13C2506A	-	-	-	-
PTT19C2505A	-	-	-	-	PTECH	0.83	0.01	59	0.83	SAWAD13C2507A	0.09	0.03	3,010	0.07
PTT41C2606T	0.29	0.01	14,000	0.28	SE-ED	1.96	0.02	59	1.94	SAWAD13C2508A	0.18	0.04	160,376	0.15
PTTEP	115.50	(2.50)	61,875	115.85	TKS	5.60	0.10	3,642	5.51	SAWAD13C2508B	0.30	0.05	84,857	0.26
PTTEP01C2504A	-	-	-	-	VGI	3.00	(0.06)	1,074,282	2.98	SAWAD13P2504A	-	-	-	-
PTTEP														

## Main Board Quotation

Issue Date :

Thursday April 03, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SM	0.80	-	1,467	0.78	OSP19C2506A	-	-	-	-	BH41P2504A	-	-	-	-
TH	0.61	0.01	21,913	0.61	OSP19C2506B	-	-	-	-	BH41P2508A	0.34	(0.02)	16,796	0.34
TH-W3	0.03	-	12,866	0.02	OSP19C2506C	-	-	-	-	BKGI	1.94	(0.02)	7,351	1.94
THANI	1.73	0.02	123,067	1.73	OSP41C2505A	-	-	-	-	CHG	1.68	(0.01)	290,112	1.67
TIDLOR	14.70	0.10	154,009	14.87	OSP41C2606T	0.13	0.01	12,400	0.12	CHG13C2504A	-	-	-	-
TIDLOR01C2506A	0.07	0.03	150	0.07	PB	55.00	0.25	36	54.10	CHG19C2505A	-	-	-	-
TIDLOR13C2504A	-	-	-	-	PLUS	3.54	(0.08)	1,017	3.53	CMR	1.34	-	191	1.35
TIDLOR13C2505A	0.05	0.03	105	0.04	PM	10.10	-	18,429	9.93	EKH	6.40	-	12,824	6.35
TIDLOR19C2504A	-	-	-	-	PQS	2.38	0.02	1,839	2.34	KDH	87.75	(0.25)	7	87.79
TIDLOR19C2505A	-	-	-	-	PRG	8.20	(0.20)	4	8.20	LPH	3.60	0.02	366	3.60
TIDLOR19C2505B	-	-	-	-	PRG-W2	3.80	(0.16)	1	3.80	M-CHAI	19.40	-	156	19.23
TIDLOR41C2605T	-	-	-	-	PRG-W3	3.50	-	2	2.77	MASTER	21.80	(0.40)	13,804	22.03
TK	3.56	0.04	353	3.51	PRG-W4	3.30	(0.06)	4	3.28	MEDEZE	7.30	(0.10)	14,079	7.31
TNITY	2.84	-	119	2.82	PRG-W5	-	-	-	-	NEW	-	-	-	-
TNL	-	-	-	-	RBF	4.16	(0.24)	71,110	4.21	NKT	4.64	(0.06)	1,262	4.65
UOBKH	5.40	(0.10)	173	5.44	RBF01C2504A	-	-	-	-	NTV	27.25	(0.50)	199	27.44
XPG	0.81	-	151,416	0.80	RBF13C2504A	-	-	-	-	PHG	13.90	0.20	281	13.84
					RBF13C2507A	-	-	-	-	PR9	20.80	0.30	16,232	20.66
Food & Beverage					RBF19C2505A	-	-	-	-	PR901C2507A	0.13	0.01	18,371	0.12
AAT	4.90	(0.30)	79,906	4.91	RBF19C2508A	0.03	(0.01)	100	0.03	PR913C2505A	-	-	-	-
APURE	3.58	-	22	3.53	SAPPE	3.04	(0.25)	9,182	35.37	PR913C2506A	0.04	(0.01)	3,000	0.04
ASIAN	7.10	(0.50)	30,902	7.18	SAPPE01C2504A	0.01	-	609	0.01	PR919C2506A	-	-	-	-
BR	1.60	(0.01)	2,443	1.59	SAPPE13C2507A	0.09	-	2,396	0.08	PR941C2609T	0.34	-	44,654	0.34
BR-W1	0.04	-	3,511	0.03	SAPPE19C2508A	0.30	(0.02)	8,778	0.30	PRINC	2.32	(0.06)	2,774	2.34
BRR	4.60	0.02	3,127	4.59	SAUCE	38.75	0.25	37	38.52	RAM	18.50	(0.20)	379	18.48
BRR-W2	-	-	-	-	SNMP	12.10	0.10	4,179	11.97	RJH	13.70	-	6,179	13.78
BTG	20.10	0.20	10,273	19.81	SNP	11.40	-	1,121	11.41	RPH	5.35	0.05	3,057	5.29
CBG	61.25	0.75	31,683	60.97	SORKON	4.40	-	265	4.40	SAFE	8.75	(0.30)	578	8.82
CBG01C2504A	-	-	-	-	SSF	5.60	-	292	5.60	SKR	7.80	(0.10)	616	7.82
CBG01C2506A	-	-	-	-	SST	1.99	0.01	1	1.99	THG	10.60	(0.30)	10,032	10.54
CBG01C2507A	0.12	-	39,416	0.12	SUN	3.04	(0.06)	4,093	3.07	VIBHA	1.56	(0.01)	9,919	1.55
CBG01C2508A	0.35	0.01	63,951	0.35	SUN	3.04	(0.06)	4,093	3.07	VIBHA-W4	-	-	-	-
CBG01P2504W	-	-	-	-	TC	5.95	(0.05)	720	5.92	VIH	7.05	(0.10)	1,707	7.09
CBG01P2506A	1.03	(0.06)	3,702	1.05	TFG	4.56	(0.04)	43,747	4.54	VIH-W1	-	-	-	-
CBG01P2507A	0.57	(0.03)	19,707	0.58	TFG-W4	0.69	-	6,873	0.69	WPH	8.00	-	1,422	7.88
CBG13C2505A	-	-	-	-	TFMAMA	199.50	-	1	199.50	Tourism & Leisure	-	-	-	-
CBG13C2506A	0.03	0.01	300	0.03	TIPCO	9.45	-	288	9.49	ASIA	5.10	(0.05)	7	5.14
CBG13C2507A	0.17	0.01	38,858	0.17	TKN	7.45	(0.25)	27,367	7.49	BEYOND	6.95	0.25	1,889	6.90
CBG13C2508A	0.49	0.02	82,816	0.47	TU	10.70	(0.40)	124,860	10.62	CENTEL	28.25	0.25	38,974	28.14
CBG13P2504A	0.01	-	570	0.01	TU01C2505A	-	-	-	-	CENTEL01C2504A	-	-	-	-
CBG19C2504A	0.01	-	6	0.01	TU01C2506A	0.02	(0.01)	80	0.02	CENTEL01C2508A	0.09	(0.01)	24,211	0.10
CBG19C2506A	-	-	-	-	TU01C2508A	0.09	(0.03)	4,201	0.09	CENTEL13C2504A	-	-	-	-
CBG19C2506B	0.06	0.01	3,000	0.06	TU13C2504A	-	-	-	-	CENTEL13C2506A	0.04	(0.01)	4,110	0.05
CBG19C2508A	0.31	0.02	109,647	0.30	TU13C2505A	0.01	-	2,000	0.01	CENTEL13C2508A	0.14	(0.01)	39,498	0.14
CBG19P2507A	0.61	(0.03)	32,506	0.63	TU19C2504A	-	-	-	-	CENTEL19C2504A	-	-	-	-
CBG41C2505A	-	-	-	-	TU19C2505A	-	-	-	-	CENTEL19C2506A	0.08	-	20,729	0.08
CBG41C2608T	0.24	0.01	16,000	0.24	TU19C2506A	-	-	-	-	CENTEL41C2504A	-	-	-	-
CFRESH	1.01	(0.01)	4,445	0.99	TU41C2506A	-	-	-	-	CENTEL41C2606T	0.22	0.01	70,002	0.22
CH	2.02	-	1,251	2.00	TU41C2609T	0.21	(0.01)	5,000	0.21	CSR	-	-	-	-
CHAO	4.52	0.04	3,658	4.50	TVO	21.70	0.20	2,998	21.59	DUSIT	8.35	-	769	8.35
CHOTTI	65.00	-	1	65.00	TWPC	2.26	(0.04)	2,184	2.28	ERW	2.62	0.04	150,615	2.61
CM	1.68	-	153	1.67	XBIO	0.12	-	24,114	0.11	ERW01C2504A	-	-	-	-
COCOCO	6.65	(0.20)	49,670	6.66	XBIO-W6	-	-	-	-	ERW01C2507A	-	-	-	-
COCOCO13C2505A	-	-	-	-	XBIO-W7	0.02	-	1,551	0.01	ERW13C2505A	-	-	-	-
COCOCO19C2506A	-	-	-	-	ZEN	-	-	-	-	ERW13C2507A	0.05	-	2	0.05
CPF	23.70	(0.30)	368,915	23.35	Health Care Serv.	-	-	-	-	ERW19C2508A	0.19	0.01	99,166	0.19
CPF01C2504A	-	-	-	-	AHC	13.80	-	27	13.79	ERW19C2506A	-	-	-	-
CPF01C2508A	0.53	(0.05)	27,282	0.50	BCH	14.50	0.10	21,617	14.42	ERW19C2508A	0.22	0.02	120,297	0.22
CPF13C2504A	-	-	-	-	BCH01C2508A	0.12	-	16,648	0.12	ERW41C2606T	0.11	-	13,636	0.11
CPF13C2505A	0.04	(0.03)	9,556	0.05	BCH13C2504A	-	-	-	-	GRAND	0.04	(0.01)	11,345	0.04
CPF13C2506A	0.33	(0.03)	138,683	0.30	BCH13C2507A	0.09	-	200	0.09	LRH	-	-	-	-
CPF19C2504A	-	-	-	-	BCH13C2508A	0.25	-	14,748	0.24	MANRIN	-	-	-	-
CPF19C2505A	-	-	-	-	BCH19C2505A	-	-	-	-	MINT	26.75	0.75	191,145	26.93
CPF41C2505A	-	-	-	-	BCH19C2505B	-	-	-	-	MINT01C2504A	-	-	-	-
CPF41C2505B	-	-	-	-	BCH19C2508A	0.14	0.01	11,691	0.13	MINT01C2506A	-	-	-	-
CPF41C2612T	0.55	(0.02)	202,420	0.52	BCH41C2506A	-	-	-	-	MINT01C2507A	0.11	0.01	44,775	0.11
CPI	2.74	(0.02)	890	2.75	BCH41C2609T	0.30	-	34,000	0.30	MINT13C2505A	0.03	0.01	10,050	0.02
F&D	41.00	1.00	2	40.50	BDMS	22.70	0.20	266,864	22.60	MINT13C2506A	-	-	-	-
FM	3.86	0.10	34,949	3.81	BDMS01C2504A	-	-	-	-	MINT13C2506B	0.11	0.02	50,340	0.12
GLOCON	0.14	-	38,917	0.14	BDMS01C2506A	0.08	0.01	1	0.08	MINT19C2504A	-	-	-	-
HTC	16.40	(0.10)	1,280	16.42	BDMS01C2508A	0.07	-	7,394	0.06	MINT19C2506A	0.34	0.06	78	0.33
ICHI	11.40	-	62,801	11.33	BDMS13C2504A	-	-	-	-	MINT19C2508A	0.15	0.02	19,661	0.15
ICHI13C2504A	-	-	-	-	BDMS13C2505A	-	-	-	-	MINT41C2504A	-	-	-	-
ITC	13.30	(0.30)	246,832	12.94	BDMS13C2508A	0.28	0.01	74,861	0.27	MINT41C2604T	0.06	(0.01)	570	0.06
ITC01C2504A	-	-	-	-	BDMS19C2504A	-	-	-	-	MINT41C2612T	0.25	0.03	27,760	0.24
ITC01C2506A	0.02	(0.01)	620	0.02	BDMS19C2505A	-	-	-	-	OHTL	338.00	21.00	25	338.00
ITC13C2504A	-	-	-	-	BDMS19C2508A	0.33	0.01	59,804	0.31	ROH	1.87	(0.02)	10	1.88
ITC13C2506A	-	-	-	-	BDMS41C2505A	-	-	-	-	SHANG	49.00	-	146	48.99
ITC13C2508A	0.20	(0.03)	139,719	0.17	BDMS41C2609T	0.19	0.01	11,473	0.19	SHR	1.90	(0.05)	22,805	1.91
ITC19C2505A	0.01	-	400	0.01	BH	173.00	(0.50)	11,889	172.19	SPA	4.16	(0.04)	34,945	4.14
ITC19C2506A	0.03	(0.01)	3,100	0.03	BH-P	-	-	-	-	VRANDA	4.56	-	184	4.51
ITC41C2505A	-	-	-	-	BH-Q	-	-	-	-	Home & Office Prodt.	-	-	-	-
ITC41C2612T	0.26	(0.01)	155,695	0.24	BH01C2504A	-	-	-	-	AJA	0.10	-	99,887	0.10
JDF	1.96	0.02	404	1.96	BH01C2505A	-	-	-	-	DTCI	-	-	-	-
KBS	5.50	0.05	1,092	5.44	BH01C2506A	-	-	-	-	FANCY	0.43	0.03	39,888	0.43
KCG	8.10	-	2,566	8.10	BH01C2507A	0.41	(0.02)	16,212	0.40	FTI	1.94	0.04	360	1.94
KSL	1.43	(0.01)	5,220	1.43	BH01P2504A	0.01	(0.02)	1	0.01	KYE	297.00	-	7	297.57
KTIS	2.38	-	1	2.38	BH01P2507A	0.41	-	14,565	0.42	L&E	1.20	-	805	1.20
LST	4.70	(0.02)	452	4.69	BH13C2504A	-	-	-	-	MODERN	2.24	(0.04)	232	2.24
M	18.60	-	5,358	18.59	BH13C2504B	-	-	-	-	OGC	-	-	-	-
MALEE	6.20	0.05	4,280	6.12	BH13C2505A	-	-	-	-	ROCK	-	-	-	-
NRF	0.47	(0.01)	3,183	0.47	BH13C2506A	0.19	(0.02)	55,821	0.19	SIAM	0.71	(0.02)	535	0.70
NSL	28.50	(0.25)	7,828	28.43	BH13C2508A	0.63	(0.02)	55,609	0.61	TCMC	0.44	-	10,016	0.44
OKJ	7.90	-	10,426	7.88	BH19C2504A	-								

## Main Board Quotation

Issue Date :

Thursday April 03, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BLA41C2606T	0.25	(0.01)	14,400	0.25	SISB13C2506B	-	-	-	-	SENA	1.99	(0.01)	5,585	1.97
BUI	20.00	0.40	796	19.96	SISB13C2508A	0.26	(0.02)	39,194	0.27	SIRI	1.46	-	346,926	1.45
CHARAN	17.30	(0.20)	10	17.30	SISB19C2507A	-	-	-	-	SIRI01C2504A	-	-	-	-
INSURE	95.75	(0.25)	11	95.86	SO	4.14	0.06	123	4.10	SIRI13C2508A	0.11	(0.01)	23,877	0.11
KWI	-	-	-	-	WAVE	0.05	-	214,188	0.05	SIRI19C2508A	0.13	(0.01)	15,809	0.13
MTI	110.00	-	160	109.67	WAVE-W3	-	-	-	-	SIRI41C2606T	0.21	-	50,000	0.21
NKI	22.50	(0.40)	36	22.43	WAVE-W4	0.02	-	32,902	0.02	SPALI	16.20	(0.10)	30,941	16.16
TGH	11.50	-	5	11.50	Property Develo	-	-	-	-	SPALI13C2507A	0.15	(0.01)	12,202	0.15
THRE	0.40	-	13,006	0.40	A	4.80	-	2	4.80	SPALI19C2504A	-	-	-	-
THREL	1.43	(0.04)	726	1.42	A5	2.28	(0.04)	2,287	2.23	SPALI19C2509A	0.27	(0.01)	33,405	0.27
TIPH	18.40	0.10	17,787	18.52	A5-W4	0.03	-	466	0.02	SPALI41C2609T	0.27	-	24,960	0.27
TLI	11.70	(0.40)	65,762	11.76	AKS	0.01	-	1,632	0.01	STELLA	0.23	(0.01)	142,878	0.24
TLI01C2507A	0.20	(0.01)	10,734	0.20	AMATA	18.00	(3.30)	434,967	18.41	STELLA-W5	0.01	-	15	0.01
TLI13C2505A	0.07	(0.01)	9,270	0.08	AMATA01C2507	-	-	-	-	STELLA-W6	0.08	-	735	0.10
TLI19C2506A	0.16	(0.04)	16,547	0.17	AMATA01C2508	0.08	(0.13)	35,877	0.09	UV	1.02	-	5,143	1.00
TLI41C2606T	0.29	(0.02)	22,344	0.29	AMATA13C2505	-	-	-	-	WHA	3.10	(0.36)	4,627,356	3.13
TQM	14.10	(0.40)	3,348	14.25	AMATA13C2506	0.01	(0.01)	9,205	0.01	WHA01C2504A	-	-	-	-
TSI	0.05	-	15	0.05	AMATA13C2506	0.03	(0.07)	51,942	0.03	WHA01C2506A	0.01	-	725	0.01
TVH	8.55	0.35	79	8.15	AMATA13C2508	0.14	(0.20)	297,590	0.17	WHA01C2507A	0.01	(0.01)	380	0.01
Packaging	-	-	-	-	AMATA19C2505	-	-	-	-	WHA01C2508A	0.17	(0.12)	134,725	0.17
AJ	2.18	(0.02)	1,813	2.18	AMATA19C2508	0.10	(0.16)	29,821	0.12	WHA13C2504A	-	-	-	-
ALUCON	180.00	0.50	12	180.75	AMATA41C2505	-	-	-	-	WHA13C2505A	-	-	-	-
BGC	5.70	-	1,157	5.60	AMATA41C2608	-	-	-	-	WHA13C2506A	-	-	-	-
CSC	43.25	-	15	43.08	AMATAV	3.36	(0.02)	143	3.37	WHA13C2506B	0.01	-	4,600	0.01
CSC-P	-	-	-	-	ANAN	0.49	(0.01)	14,322	0.49	WHA13C2507A	0.07	(0.06)	96,281	0.07
CSC-Q	-	-	-	-	AP	7.70	-	90,285	7.64	WHA13C2507B	0.12	(0.12)	140,598	0.13
NEP	0.23	-	1	0.23	AP01C2507A	0.16	(0.01)	8,649	0.16	WHA19C2504A	-	-	-	-
PJW	2.16	(0.06)	7,084	2.15	ASW	6.35	-	3,050	6.32	WHA19C2506A	-	-	-	-
PTL	10.40	0.10	1,695	10.29	AWC	2.40	(0.04)	658,164	2.43	WHA19C2507A	0.07	(0.09)	46,799	0.09
SCGP	12.70	(0.10)	110,638	12.65	AWC01C2504A	0.01	-	600	0.01	WHA41C2605T	0.03	(0.02)	19,000	0.03
SCGP01C2504A	0.01	-	4,900	0.01	AWC01C2506A	-	-	-	-	WHA41C2608T	0.13	(0.05)	31,100	0.14
SCGP01C2504W	-	-	-	-	AWC01C2508A	0.07	(0.02)	9,646	0.08	WIN	0.35	(0.01)	678	0.35
SCGP01C2506A	-	-	-	-	AWC13C2504A	-	-	-	-	Paper & Printing Mat	-	-	-	-
SCGP01C2507A	0.04	-	4,768	0.03	AWC13C2506A	-	-	-	-	UTP	7.80	(0.10)	1,188	7.73
SCGP01C2508A	0.14	-	91,191	0.14	AWC13C2508A	0.09	-	24,182	0.09	Fashion	-	-	-	-
SCGP01P2507A	0.70	0.02	7,126	0.70	AWC19C2504A	-	-	-	-	AFC	4.02	(0.04)	63	4.00
SCGP13C2504A	-	-	-	-	AWC19C2506A	0.02	-	10	0.02	AURA	17.70	0.50	22,123	17.58
SCGP13C2504B	-	-	-	-	AWC41C2606T	-	-	-	-	BTNC	-	-	-	-
SCGP13C2506A	-	-	-	-	BLAND	0.43	-	32,310	0.43	CPH	7.40	(0.15)	329	7.39
SCGP13C2506B	-	-	-	-	BRI	1.92	(0.01)	2,429	1.91	CPL	0.78	(0.03)	88	0.79
SCGP13C2507A	0.09	-	1,081	0.09	BROCK	1.50	(0.04)	2	1.43	NC	2.42	0.04	46	2.37
SCGP13C2508A	0.22	(0.01)	48,212	0.22	CGD	0.21	(0.01)	23,534	0.22	PAF	0.73	-	1,032	0.72
SCGP13P2504A	-	-	-	-	CI	0.36	-	2,864	0.36	PDJ	1.68	(0.05)	735	1.70
SCGP13P2504B	-	-	-	-	CMC	0.86	-	3	0.86	PG	6.90	(0.10)	15	6.82
SCGP13P2506A	-	-	-	-	CPN	48.75	-	42,706	48.63	SABINA	18.40	(0.30)	6,085	18.38
SCGP19C2504A	-	-	-	-	CPN01C2505A	-	-	-	-	SAWANG	-	-	-	-
SCGP19C2505A	-	-	-	-	CPN01C2506A	0.11	-	21,162	0.11	SUC	29.00	(0.25)	201	29.00
SCGP19C2506A	-	-	-	-	CPN13C2504A	-	-	-	-	TR	31.25	1.75	114	31.08
SCGP19C2506B	-	-	-	-	CPN13C2505A	-	-	-	-	TTI	24.00	0.70	4	24.88
SCGP19C2507A	0.16	(0.01)	160,510	0.16	CPN13C2507A	0.14	-	52,147	0.14	TTT	-	-	-	-
SCGP19P2505A	-	-	-	-	CPN19C2504A	-	-	-	-	UPF	27.50	(1.75)	1	27.50
SCGP41C2505A	-	-	-	-	CPN19C2505A	-	-	-	-	WACOAL	-	-	-	-
SCGP41C2606T	0.13	-	25,135	0.13	CPN19C2508A	0.21	(0.01)	44,998	0.21	WFX	0.91	(0.04)	1,245	0.91
SFLEX	2.94	-	43,983	2.89	CPN41C2504A	-	-	-	-	Transportation & Log	-	-	-	-
SFLEX-W2	0.04	-	1,886	0.04	CPN41C2505A	-	-	-	-	AAV	1.54	(0.04)	635,331	1.54
SITHAI	1.09	(0.02)	27	1.09	CPN41C2608T	0.31	-	13,000	0.31	AAV13C2504A	0.02	0.01	5	0.02
SLP	0.37	(0.01)	659	0.38	ESTAR	0.20	0.01	9,769	0.20	AAV13C2506A	-	-	-	-
SMPK	9.10	(0.10)	2,517	9.11	EVER	0.06	(0.01)	24,032	0.06	AAV13C2508A	0.27	(0.73)	61,143	0.27
SPACK	1.38	(0.03)	666	1.38	FPT	6.50	0.10	64	6.40	AAV19C2505A	-	-	-	-
TCOAT	24.90	(0.10)	3	24.83	GLAND	1.04	0.04	5	1.04	AAV19C2507A	0.05	-	9,626	0.04
TFI	0.05	-	797	0.04	J	0.95	(0.03)	1,097	0.95	AAV41C2505A	-	-	-	-
TFI-W1	-	-	-	-	J-W3	-	-	-	-	AAV41C2608T	0.11	(0.01)	3,004	0.12
THIP	26.00	(0.25)	49	26.00	J-W4	0.20	-	1	0.20	ANI	2.64	(0.04)	353	2.64
TMD	24.40	(0.10)	42	24.20	JCK	0.16	(0.01)	39,302	0.16	AOT	38.75	(0.50)	227,499	38.72
TOPP	-	-	-	-	KC	0.04	0.01	24,919	0.04	AOT01C2504A	0.01	(0.01)	299	0.01
TPAC	7.90	(0.10)	1,335	7.86	KUN	1.21	0.02	8,735	1.20	AOT01C2506A	0.02	-	1	0.02
TPBI	3.90	(0.06)	1,583	3.90	KUN-W2	-	-	-	-	AOT01C2507A	0.08	(0.01)	1,100	0.08
TPP	-	-	-	-	LALIN	5.15	(0.05)	5,170	5.16	AOT01C2507B	0.19	(0.02)	45,130	0.19
Personal Products	-	-	-	-	LH	4.22	(0.02)	404,115	4.21	AOT01C2606T	-	-	-	-
APCO	3.28	0.06	298	3.24	LH19C2504A	-	-	-	-	AOT01P2507A	1.39	0.06	31	1.37
BIZ	3.16	(0.08)	6,564	3.15	LPN	2.06	(0.04)	21,624	2.03	AOT01P2507B	0.42	0.03	3,578	0.43
BLC	4.00	(0.02)	34,612	3.97	MBK	16.70	(0.20)	7,816	16.71	AOT11C2507A	0.16	(0.02)	24,629	0.16
DDD	6.45	(0.05)	515	6.28	MBK-W4	14.10	(0.40)	71	14.15	AOT13C2504A	-	-	-	-
IP	3.64	(0.06)	10,262	3.64	MBK19C2508A	-	-	-	-	AOT13C2506A	-	-	-	-
IP-W2	0.10	(0.01)	5,501	0.11	MJD	0.53	(0.02)	370	0.53	AOT13C2507A	0.01	(0.01)	7,237	0.01
JCT	79.00	0.50	2	79.00	MK	1.42	-	184	1.41	AOT13C2507B	0.07	(0.01)	4,200	0.07
KISS	3.86	0.04	1,091	3.80	NCH	0.65	-	633	0.65	AOT13C2507C	-	-	-	-
NAM	4.22	-	1,811	4.19	NNCL	1.61	0.01	1,044	1.60	AOT13C2508A	0.19	(0.03)	58,772	0.19
NEO	29.50	0.75	3,360	29.23	NOBLE	2.16	0.02	8,898	2.13	AOT13P2507A	-	-	-	-
NV	0.71	0.03	1,000	0.71	NVD	1.22	(0.01)	15	1.22	AOT13P2507B	0.32	0.01	26,280	0.32
OCC	8.85	0.15	8	8.64	ORI	1.91	(0.05)	114,879	1.91	AOT19C2504A	-	-	-	-
S&J	-	-	-	-	ORN	0.69	-	4,943	0.68	AOT19C2506A	0.01	-	540	0.01
SNPS	4.94	(0.31)	14,801	4.97	PEACE	2.40	-	70	2.34	AOT19C2507A	-	-	-	-
STGT	7.00	(0.20)	114,849	7.02	PF	0.10	(0.01)	22,228	0.10	AOT19C2507B	-	-	-	-
STGT01C2504A	-	-	-	-	PIN	6.20	(0.20)	35,873	6.23	AOT19C2508A	0.19	(0.02)	2,248	0.19
STGT13C2504A	-	-	-	-	PLAT	1.50	-	8,811	1.48	AOT19P2507A	-	-	-	-
STGT13C2506A	-	-	-	-	PRECHA	0.35	-	1,090	0.35	AOT41C2505A	-	-	-	-
STGT13C2508A	0.24	(0.03)	64,638	0.24	PRIN	1.64	0.01	20	1.64	AOT41C2507A	-	-	-	-
STGT19C2504A	-	-	-	-	PROUD	1.26	(0.02)	1,117	1.25	AOT41C2605T	-	-	-	-
STGT19C2504B	-	-	-	-	PSH	4.72	(0.12)	10,043	4.73	AOT41C2609T	0.28	(0.02)	4,005	0.28
STGT19C2509A	0.31	(0.03)	26,751	0.31	QH	1.56	-	187,293	1.56	AOT41P2504A	-	-	-	-
STGT41C2606T	0.15	0.01	4,002	0.15	RABBIT	0.32	-	35,022	0.31	AOT41P2606T	-	-	-	-
TMAN	11.50	(0.10)	2,037	11.51	RABBIT-P	0.50	-	29,470	0.50	ASIMAR	1.39	(0.01)	1,238	1.38
TNR	7.6													



## Main Board Quotation

Issue Date :

Thursday April 03, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BEM13C2505A	-	-	-	-	BAREIT	9.30	-	2,019	9.33	TEKA	1.95	0.01	461	1.94
BEM13C2506A	-	-	-	-	BOFFICE	4.82	0.02	4,471	4.81	TPOLY	0.42	(0.02)	1,875	0.42
BEM13C2508A	0.12	(0.01)	11,079	0.13	CPNCG	6.00	-	4,427	6.00	TRC	0.72	(0.03)	33,311	0.73
BEM19C2505A	-	-	-	-	CPNREIT	11.90	-	2,966	11.85	TRITN	0.09	-	66,046	0.08
BEM41C2606T	-	-	-	-	CPTRREIT	4.68	0.04	681	4.63	TRITN-W7	0.01	-	1	0.01
BTS	5.25	0.05	349,159	5.16	CTARAF	4.62	-	4,928	4.64	TTCL	1.15	-	3,246	1.14
BTS-W8	0.03	(0.01)	17,065	0.03	DREIT	5.00	-	1,033	5.00	UNIQ	1.66	-	1,459	1.65
BTS01C2504A	-	-	-	-	FTREIT	10.10	-	14,644	10.00	WGE	0.77	(0.03)	128	0.75
BTS01C2507A	-	-	-	-	FUTURET	9.70	0.10	2,533	9.60	Unit Trust	-	-	-	-
BTS01C2508A	0.14	-	56,315	0.14	GAHREIT	6.40	0.20	1,616	6.31	SCBSET	-	-	-	-
BTS01P2504A	-	-	-	-	GROREIT	8.50	-	82	8.50	VAYU1	10.10	-	5,562	10.03
BTS01P2505A	0.18	0.01	41,639	0.19	GVREIT	6.70	0.10	3,199	6.69	ETF	-	-	-	-
BTS13C2505A	-	-	-	-	HPF	4.68	-	372	4.68	IDIV	10.13	(0.11)	211	10.15
BTS13C2507A	-	-	-	-	HYDROGEN	8.70	(0.05)	10	8.72	ABFTH	-	-	-	-
BTS13C2508A	0.15	0.01	67,064	0.14	IMPACT	9.75	0.10	3,986	9.63	BMSCG	7.15	(0.14)	7	7.16
BTS13P2505A	0.09	(0.01)	37,618	0.11	INETREIT	8.75	-	3,212	8.74	BMSCITH	8.61	(0.07)	1,507	8.64
BTS19C2505A	-	-	-	-	ISSARA	8.35	-	26	8.15	BSET100	7.87	(0.11)	479	7.88
BTS19C2508A	0.12	-	11,728	0.11	KPNREIT	2.36	-	9	2.36	CHINA	5.86	(0.06)	205	5.88
BTS19P2508A	0.29	-	29,197	0.30	KTBSTM	6.05	-	33	6.02	ENGY	4.12	(0.06)	58	4.13
BTS41C2504A	-	-	-	-	LHHOTEL	13.30	(0.30)	8,385	13.40	GLD	4.42	0.10	39,723	4.39
BTS41C2504B	-	-	-	-	LHRREIT	4.62	(0.02)	1,138	4.62	TDEX	7.17	(0.07)	7,455	7.19
BTS41C2608T	0.15	-	12,000	0.15	LHSC	12.10	0.20	5,175	11.94	UBOT	12.40	0.10	13	12.37
BTSGFIF	2.82	(0.02)	80,951	2.81	LUXF	8.10	-	229	8.01	UHERO	8.10	0.01	4	8.55
DMT	10.00	-	7,513	10.00	M-PAT	-	-	-	-	Warrant Foreign	-	-	-	-
ETL	0.55	-	1,580	0.54	M-STOR	-	-	-	-	AIA41C2504A	-	-	-	-
III	4.82	-	3,066	4.79	MII	-	-	-	-	BABA28C2506A	1.53	(0.39)	68	1.52
KEX	0.92	(0.04)	51,223	0.93	MIPF	-	-	-	-	BABA28C2506B	0.19	(0.07)	100	0.19
KIAT	0.29	-	14,592	0.29	MIT	0.38	0.07	633	0.32	BABA28C2509A	0.29	(0.08)	23,796	0.29
KWC	340.00	-	3	339.67	MJLF	4.44	(0.04)	29	4.49	BABA28P2507A	-	-	-	-
MENA	0.99	-	2,349	0.98	MNIT	1.94	(0.05)	40	1.95	BABA28P2509A	0.16	0.04	1	0.16
NYT	3.36	-	21,355	3.35	MNIT2	-	-	-	-	BABA41C2504A	1.75	(0.53)	8	1.77
PORT	-	-	-	-	MNRF	2.02	-	349	2.02	BABA41C2504B	0.07	(0.08)	20	0.07
PRM	5.80	0.10	148,201	5.72	POPF	5.65	(0.05)	1,337	5.69	BABA41C2505A	0.11	(0.06)	2,676	0.11
PSL	6.10	(0.20)	42,205	6.07	PROSPECT	8.15	0.05	234	8.10	BABA41P2504A	0.01	-	10	0.01
RCL	22.60	(0.90)	29,366	23.09	QHBREIT	3.84	-	1,711	3.82	BABA41P2506A	0.22	0.05	18	0.23
RCL01C2505A	-	-	-	-	QHHRREIT	6.75	0.10	256	6.65	BABA41P2507A	0.72	0.15	70	0.72
RCL01C2507A	0.12	(0.02)	20,548	0.14	QHOP	3.58	0.08	26	3.50	BIDU41C2504A	0.08	(0.04)	28,839	0.08
RCL13C2506A	-	-	-	-	SIRIPRT	6.45	(1.05)	276	6.90	BIDU41C2506A	0.48	(0.06)	5,351	0.47
RCL13C2507A	0.38	(0.08)	27,760	0.44	SPRIME	4.06	-	490	4.04	BYDCOM28C2508A	1.23	(0.20)	134	1.24
RCL19C2504A	-	-	-	-	SRIPANWA	5.40	-	3,130	5.35	BYDCOM28C2510A	0.43	(0.03)	14,000	0.42
RCL19C2507A	0.15	(0.01)	9,520	0.16	SSPF	3.56	(0.14)	5	3.67	BYDCOM28P2510A	0.26	0.04	18,021	0.26
RCL41C2505A	-	-	-	-	SSTRT	4.76	-	12	4.76	BYDCOM41C2506A	1.25	(0.09)	7	1.25
RCL41C2608T	0.39	(0.02)	25,000	0.40	TIF1	6.95	(0.10)	91	6.92	BYDCOM41C2506B	0.21	(0.04)	4	0.22
SAV	15.00	0.10	1,634	14.89	TLHPF	2.34	(0.08)	3,003	2.38	DJ128C2506A	-	-	-	-
SINO	0.90	(0.01)	3,089	0.90	TNPF	1.37	-	4	1.37	DJ128C2509A	0.72	(0.15)	27	0.72
SJWD	7.15	(0.15)	11,474	7.12	TPRIME	6.75	0.05	9	6.67	DJ128P2506A	0.74	0.11	6,019	0.71
SJWD13C2504A	-	-	-	-	TTLPF	12.10	-	91	12.10	DJ141C2506A	-	-	-	-
TFIF	6.05	0.05	13,521	6.05	TU-PF	0.99	-	20	0.99	DJ141C2506B	0.39	(0.13)	5,524	0.39
THAI	-	-	-	-	WHABT	6.75	-	268	6.73	DJ141P2506A	0.61	0.09	2,702	0.60
TTSE	13.30	0.30	68	13.22	WHAIR	5.60	-	3,279	5.59	GEELY41C2506A	0.20	(0.03)	323	0.21
TTA	3.90	(0.02)	16,236	3.92	WHART	10.00	(0.10)	11,732	10.00	HSI06C2504A	0.45	(0.23)	83,292	0.45
WICE	2.76	0.06	3,684	2.69	Steel and Metal I	-	-	-	-	HSI06C2504B	-	-	-	-
Automotive	-	-	-	-	ZS	2.10	(0.10)	122	2.16	HSI06C2504C	0.18	(0.12)	199,562	0.19
ACG	0.70	-	253	0.68	AMC	1.98	0.01	1	1.98	HSI06C2504D	0.08	(0.06)	149,348	0.08
AH	12.20	(0.20)	1,345	12.05	BSBM	0.69	-	400	0.70	HSI06C2504E	0.03	(0.03)	29,482	0.03
CWT	0.55	(0.01)	2,358	0.56	CEN	1.84	-	96	1.83	HSI06C2505A	0.48	(0.63)	61,128	0.48
EASON	1.00	(0.01)	7,664	1.00	CEN-W5	0.08	-	26	0.08	HSI06C2505B	0.22	(0.10)	86,215	0.23
GYT	168.00	(6.00)	7	169.00	CITY	1.59	(0.03)	337	1.52	HSI06C2505C	0.12	(0.04)	65,373	0.12
HFT	3.68	(0.02)	969	3.67	CSP	0.46	(0.02)	275	0.46	HSI06C2505D	0.05	(0.03)	10,246	0.05
IHL	1.46	(0.02)	1,146	1.45	GJS	0.14	-	7,757	0.13	HSI06C2505E	0.90	0.10	30	0.91
INGRS	0.25	0.01	1,969	0.24	GSTEEL	-	-	-	-	HSI06C2505F	1.27	(0.27)	2,308	1.27
IRC	11.50	0.20	12	11.47	INOX	0.46	0.02	22,812	0.45	HSI06C2506A	-	-	-	-
MGC	2.90	(0.26)	7,112	2.95	LHK	3.28	(0.02)	430	3.28	HSI06C2506B	-	-	-	-
NEX	0.60	(0.01)	13,417	0.60	MCS	7.55	(0.05)	14,676	7.46	HSI06C2506C	0.39	(0.09)	27,950	0.39
PCSGH	3.60	(0.04)	74	3.62	MILL	0.08	(0.01)	17,195	0.08	HSI06C2506D	0.22	(0.06)	45,280	0.22
POLY	6.80	(0.20)	20	6.80	PAP	1.55	(0.03)	123	1.56	HSI06C2506E	0.10	(0.04)	2,778	0.10
SAT	11.00	-	4,070	10.95	PERM	0.38	-	1,823	0.36	HSI06C2507A	0.30	(0.07)	28,248	0.31
SPG	12.60	0.10	1	12.60	SAM	0.15	-	4,567	0.15	HSI06C2508A	0.40	(0.60)	1,740	0.40
STANLY	219.00	1.00	54	218.54	SMIT	3.74	0.06	141	3.71	HSI06P2504A	-	-	-	-
TKT	1.05	(0.01)	437	1.07	SSSC	2.16	(0.02)	920	2.15	HSI06P2504B	0.01	-	123	0.01
TNPC	0.83	0.05	103	0.81	TGPRO	0.07	0.01	8,379	0.07	HSI06P2504C	0.03	0.01	3	0.03
TRU	3.28	-	299	3.25	THE	0.66	(0.02)	172	0.66	HSI06P2504D	0.01	-	700	0.01
TSC	12.90	(0.10)	40	12.75	TMT	3.06	(0.02)	756	3.05	HSI06P2504E	0.05	0.01	2,211	0.06
Industrial Materials	-	-	-	-	TSTH	0.54	(0.01)	13,758	0.54	HSI06P2504F	0.14	0.03	126,247	0.14
AKR	1.01	-	15,952	1.01	TWP	1.01	-	233	0.99	HSI06P2504G	0.35	0.09	259,384	0.35
ALLA	1.33	-	2,660	1.31	TYCN	1.72	(0.08)	101	1.66	HSI06P2504H	0.71	0.15	23,400	0.71
ASEFA	2.98	0.02	1,033	2.95	Construction Ser	-	-	-	-	HSI06P2505A	-	-	-	-
CPT	0.95	-	434	0.93	APCS	1.44	(0.03)	2	1.44	HSI06P2505B	0.19	0.04	59,316	0.19
CRANE	0.50	-	3,517	0.51	BJCHI	0.72	0.04	2,175	0.70	HSI06P2505C	0.33	0.07	93,646	0.33
CTW	2.90	0.20	181	2.71	BKD	1.23	(0.01)	1,074	1.22	HSI06P2505D	0.69	0.09	90,028	0.70
FMT	27.50	-	5	27.50	CIVIL	1.59	-	477	1.58	HSI06P2505E	1.14	0.14	200	1.15
FTE	1.61	(0.01)	993	1.61	CK	14.40	0.40	41,005	14.31	HSI06P2505F	2.10	1.10	1,030	2.11
HTECH	3.14	(0.04)	3,136	3.13	CNT	0.98	-	635	0.94	HSI06P2506A	0.05	(0.01)	21	0.05
KKC	-	-	-	-	DEMCO	1.99	(0.03)	692	1.99	HSI06P2506B	-	-	-	-
PCC	2.60	-	2,031	2.61	EMC	0.06	-	42,395	0.06	HSI06P2506C	0.26	0.04	36,400	0.26
PK	0.39	-	2,716	0.37	EMC-W7	0.04	-	150	0.04	HSI06P2506D	0.57	0.08	30,659	0.56
PSP	4.02	0.02	750	4.02	ITD	0.19	-	96,324	0.19	HSI06P2506E	0.86	0.11	15,241	0.86
QTC	3.92	-	169	3.88	JR	1.49	0.01	2,497	1.47	HSI06P2506F	-	-	-	-
SCI	0.82	0.06	2,202	0.79	NL	0.98	-	995	0.96	HSI06P2507A	0.45	0.04	58,472	0.46
SE	0.41	(0.03)	1,244	0.41	NWR	-	-	-	-	HSI06P2508A	0.59	(0.41)	200	0.60
SELIC	2.76	0.04	65	2.76	PLE	0.22	-	4,001	0.21	HSI28C2504A	0.07	(0.03)	109,749	0.06
SNC	6.10	-	420	6.03										

## Main Board Quotation

Issue Date :

Thursday April 03, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSI28C2506A	0.29	(0.08)	163,719	0.30	SET5006P2506B	-	-	-	-	XIAOMI41C2504A	1.06	0.07	17	1.04
HSI28C2506B	0.10	(0.03)	23,585	0.10	SET5006P2506C	0.71	0.11	8	0.70	XIAOMI41C2506A	0.71	0.07	47	0.65
HSI28C2506C	0.17	(0.06)	39,634	0.17	SET5006P2506D	0.44	0.08	60,722	0.42	XIAOMI41C2506B	0.14	0.01	1,806	0.13
HSI28C2507A	0.16	(0.04)	27,531	0.17	SET5006P2506E	0.29	0.04	337,132	0.29	XIAOMI41C2507A	0.11	0.02	2,613	0.11
HSI28C2508A	0.21	(0.05)	22,139	0.21	SET5006P2506F	0.18	0.03	85,326	0.18	XIAOMI41P2506A	0.52	(0.05)	8,111	0.56
HSI28P2504A	-	-	-	-	SET5006P2509A	0.44	0.05	96,363	0.43					
HSI28P2504B	-	-	-	-	SET5013C2506A	0.01	-	200	0.01					
HSI28P2504C	-	-	-	-	SET5013C2506B	0.01	-	24,494	0.01					
HSI28P2504D	0.04	-	2	0.04	SET5013C2506C	0.02	-	7,082	0.01					
HSI28P2504E	0.08	0.02	2,500	0.08	SET5013C2506D	0.02	-	1,542	0.02					
HSI28P2504F	0.16	0.05	21,326	0.15	SET5013C2506E	0.01	-	171,430	0.01					
HSI28P2504G	0.34	0.09	1,390,449	0.35	SET5013C2506F	0.02	(0.01)	3,237	0.02					
HSI28P2504H	0.71	0.17	1,026,485	0.73	SET5013C2506G	0.02	(0.01)	448	0.02					
HSI28P2505A	0.03	-	100	0.03	SET5013C2506H	0.05	-	15,040	0.05					
HSI28P2505B	-	-	-	-	SET5013C2506I	0.05	(0.04)	277,335	0.06					
HSI28P2505C	0.29	0.08	350	0.28	SET5013C2506J	0.12	(0.05)	315,634	0.13					
HSI28P2505D	0.19	0.02	899	0.20	SET5013C2506K	0.17	(0.08)	1,648,537	0.18					
HSI28P2505E	0.46	0.09	72,000	0.45	SET5013C2506L	0.30	(0.13)	2,234,695	0.32					
HSI28P2505F	0.84	0.14	169,948	0.83	SET5013C2506M	0.43	(0.18)	1,278,419	0.45					
HSI28P2505G	1.21	0.13	2	1.21	SET5013C2506N	0.20	(0.08)	231,151	0.21					
HSI28P2506A	0.09	0.01	7,314	0.09	SET5013C2506T	0.01	-	1	0.01					
HSI28P2506B	0.13	0.02	1,252	0.13	SET5013P2506A	1.65	0.25	13,207	1.63					
HSI28P2506C	0.16	0.03	700	0.15	SET5013P2506B	1.03	0.18	3,391	1.01					
HSI28P2506D	0.38	0.07	181,804	0.38	SET5013P2506C	2.84	0.28	122	2.73					
HSI28P2506E	0.93	0.16	120	0.92	SET5013P2506D	1.41	0.15	2,516	1.35					
HSI28P2506F	0.58	0.11	83,664	0.56	SET5013P2506E	0.76	0.13	3,073	0.74					
HSI28P2507A	0.46	0.08	213,058	0.46	SET5013P2506F	0.46	0.11	1,557,402	0.46					
HSI28P2508A	0.50	0.07	96,768	0.50	SET5013P2506G	0.26	0.07	2,288,520	0.25					
HSTECH28C2506A	0.94	(0.08)	101	0.94	SET5013P2506H	0.61	0.14	303,600	0.59					
HSTECH28C2506B	0.20	(0.05)	2,709	0.20	SET5013P2506I	0.18	0.04	329,386	0.17					
HSTECH28C2506C	0.39	(0.08)	63	0.39	SET5013P2506J	0.29	0.06	148,615	0.28					
HSTECH28P2506A	-	-	-	-	SET5013P2506K	0.41	0.09	849,007	0.40					
HSTECH28P2506B	0.39	0.03	1,000	0.39	SET5013P2506L	0.62	0.14	2,059,300	0.61					
HSTECH28P2506C	0.76	0.10	2,121,531	0.75	SET5013P2506M	0.85	0.18	131,402	0.82					
JD41C2506A	0.27	(0.10)	3,135	0.27	SET5013P2506T	2.94	0.36	173	2.83					
KUAIISH41C2506A	0.97	(0.11)	552	0.98	SET5019C2506A	-	-	-	-					
KUAIISH41C2506B	0.14	(0.03)	125	0.14	SET5019C2506B	-	-	-	-					
MCA5041C2506A	0.15	(0.04)	415	0.16	SET5019C2506C	-	-	-	-					
MCA5041P2506A	0.34	0.02	40	0.34	SET5019C2506D	-	-	-	-					
MEITUA28C2504A	-	-	-	-	SET5019C2506E	0.01	-	90	0.01					
MEITUA28C2507A	0.12	-	1,071	0.13	SET5019C2506F	0.08	(0.02)	50	0.08					
MEITUA28P2504B	0.17	-	4,000	0.18	SET5019C2506G	-	-	-	-					
MEITUA41C2504A	0.04	-	120	0.04	SET5019C2506H	-	-	-	-					
MEITUA41C2506A	0.15	-	16	0.14	SET5019C2506I	0.11	0.04	7	0.05					
NDX28C2506A	0.07	0.02	105	0.04	SET5019C2506J	-	-	-	-					
NDX28C2506B	0.29	(0.08)	22	0.28	SET5019C2506K	0.16	(0.07)	142,227	0.17					
NDX28C2506C	-	-	-	-	SET5019C2506L	0.21	(0.08)	192,081	0.22					
NDX28C2509A	0.52	(0.04)	2	0.52	SET5019C2506M	0.31	(0.10)	234,561	0.31					
NDX28P2506A	0.52	0.10	257	0.52	SET5019P2506A	-	-	-	-					
NDX28P2509A	0.59	0.08	513	0.59	SET5019P2506B	-	-	-	-					
NDX41C2506A	-	-	-	-	SET5019P2506C	-	-	-	-					
NDX41C2506B	0.10	(0.03)	200	0.10	SET5019P2506D	1.89	(0.07)	1	1.89					
NDX41C2506C	0.29	(0.11)	21,661	0.30	SET5019P2506E	-	-	-	-					
NDX41C2509T	1.54	(0.19)	266	1.52	SET5019P2506F	1.00	0.16	1	1.00					
NDX41P2506A	0.74	0.11	60,809	0.74	SET5019P2506G	0.75	0.14	6	0.79					
NDX41P2509T	3.82	0.28	11,019	3.88	SET5019P2506H	0.55	0.11	307,044	0.54					
NIKKEI28C2506A	0.13	(0.06)	3,903	0.13	SET5019P2506I	0.76	0.13	391,420	0.76					
NIKKEI28C2506B	0.05	(0.02)	1,530	0.05	SET5019P2506J	0.37	0.07	267,089	0.37					
NIKKEI28C2506C	-	-	-	-	SET5019P2506K	0.80	0.16	12,504	0.80					
NIKKEI28P2506A	0.24	0.06	1,001	0.25	SET5041C2506A	0.01	-	25,340	0.01					
NIKKEI28P2506B	0.43	0.10	3,913	0.41	SET5041C2506B	0.02	-	801	0.01					
NIKKEI28P2506C	0.69	0.12	102	0.69	SET5041C2506C	0.02	(0.02)	275	0.03					
NIKKEI41C2506A	0.04	(0.03)	1,992	0.04	SET5041C2506D	0.06	(0.05)	6,117	0.07					
NIKKEI41C2506B	0.02	(0.01)	252	0.02	SET5041C2506E	0.07	(0.05)	6,823	0.08					
NIKKEI41C2509A	0.20	(0.07)	42,171	0.21	SET5041C2506F	0.12	(0.07)	58,464	0.13					
NIKKEI41C2509B	0.13	(0.87)	302	0.13	SET5041C2506G	0.21	(0.10)	1,221,087	0.22					
NIKKEI41C2509C	0.35	(0.08)	7,422	0.34	SET5041C2506H	0.39	(0.16)	1,662,384	0.41					
NIKKEI41P2506A	0.44	0.11	311	0.45	SET5041C2506T	0.02	-	4,902	0.01					
NIKKEI41P2506B	0.23	0.05	6	0.23	SET5041C2509T	0.05	(0.03)	66,664	0.06					
NIKKEI41P2509A	0.63	0.14	3,028	0.66	SET5041C2509U	0.31	(0.05)	4,114	0.31					
NIKKEI41P2509B	0.49	0.10	1,050	0.49	SET5041P2506A	2.82	0.30	5,163	2.76					
NIKKEI41P2509C	0.80	0.16	1,320	0.80	SET5041P2506B	0.92	0.16	5,412	0.91					
NTES41C2506A	0.30	(0.01)	12	0.31	SET5041P2506C	0.46	0.08	915,232	0.46					
PINGAN41C2504A	0.10	(0.03)	506	0.11	SET5041P2506D	0.30	0.06	2,710,941	0.29					
POPMMAR41C2506A	0.99	(0.02)	951	0.92	SET5041P2506E	0.44	0.08	1,661,830	0.41					
POPMMAR41C2507A	0.46	(0.01)	1,772	0.48	SET5041P2506T	1.71	0.15	351	1.70					
SET01C2505A	0.02	-	38,338	0.01	SET5041P2509T	0.41	0.04	47,091	0.41					
SET01C2506A	0.02	0.01	8,101	0.02	SPX28C2506A	-	-	-	-					
SET01C2506B	0.03	(0.02)	5,015	0.03	SPX28C2506B	-	-	-	-					
SET01C2507A	0.24	(0.04)	47,691	0.23	SPX28C2506C	0.23	(0.11)	1,787	0.24					
SET01P2505A	3.16	0.40	91	3.11	SPX28P2506A	0.55	0.15	312	0.54					
SET01P2506A	1.10	0.11	615	1.09	SPX28P2506B	-	-	-	-					
SET01P2507A	0.67	0.01	5,735	0.69	SPX41C2506A	-	-	-	-					
SET5001C2505A	0.01	-	2,542	0.01	SPX41C2506B	0.10	(0.04)	600	0.10					
SET5001C2506A	0.02	-	2	0.02	SPX41C2506C	0.27	(0.10)	448	0.27					
SET5001C2506F	0.01	(0.01)	8,010	0.01	SPX41C2509T	1.85	(0.25)	152	1.88					
SET5001C2506G	0.03	(0.01)	1,425	0.03	SPX41P2506A	0.55	0.10	3,984	0.55					
SET5001C2507A	0.17	(0.05)	35,425	0.18	SPX41P2509T	3.38	0.30	561	3.38					
SET5001C2509F	0.35	(0.07)	42,356	0.35	TENCEN28C250A	-	-	-	-					
SET5001P2505A	2.64	0.28	1,002	2.54	TENCEN28C250B	0.36	-	22,161	0.35					
SET5001P2506A	1.19	0.16	1,545	1.16	TENCEN28P250A	0.35	0.01	5,001	0.35					
SET5001P2506F	2.76	0.48	1,124	2.75	TENCEN41C250A	-	-	-	-					
SET5001P2506G	1.55	0.25	5,107	1.54	TENCEN41C250B	-	-	-	-					
SET5001P2507A	0.32	(0.02)	8,737	0.35	TENCEN41C250C	0.10	(0.02)	14	0.10					
SET5001P2509F	0.97	0.09	1,182	0.97	TENCEN41C250D	0.93	(0.06)	79	0.92					
SET5006C2506A	0.01	(0.01)	2,052	0.01	TENCEN41P250A	0.29	0.02	50	0.3					







## Main Board Quotation

Issue Date :

Thursday April 03, 2025

Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average
			(Lot)	Price				(Lot)	Price				(Lot)	Price
<b>Warrant - MAI</b>														
Agro & Food Indust														
APO	1.60	0.03	4,497	00 1.6	UBIS	-	-	-	00 0.0	LEO	2.02	(0.04)	1,620	00 2.0
AU	9.85	0.20	21,443	00 9.6	UEC	0.71	(0.02)	1,033	00 0.7	LTMH	5.00	(0.05)	139,839	00 4.9
CFARM	0.80	(0.03)	56,534	00 0.8	UKEM	0.50	-	4,967	00 0.4	MCA	1.15	(0.04)	7,514	00 1.1
JCHK	0.26	0.02	20,041	00 0.2	UREKA	0.74	(0.05)	13,941	00 0.7	MEB	22.30	-	480	00 22.1
KASET	0.63	(0.01)	1,064	00 0.6	YUASA	10.20	(0.20)	14	00 10.2	MORE	0.03	-	6,251	00 0.0
MAGURO	17.20	(0.10)	1,721	00 17.1	ZIGA	0.92	(0.01)	8,666	00 0.9	MOTHER	0.82	0.01	10,483	00 0.8
MUD	1.20	-	62	00 1.2	ZIGA-W2	0.10	-	3,094	00 0.0	MPJ	3.36	0.06	1,958	00 3.3
NTSC	5.70	(0.05)	62	00 5.6	Property					MVP	0.53	0.04	62,214	00 0.5
TACC	4.38	0.02	19,189	00 4.3	24CS	1.14	-	6,348	00 1.1	NCL	0.18	(0.02)	17,432	00 0.1
TMILL	1.72	0.01	940	00 1.7	24CS-W1	0.09	-	4,161	00 0.0	NCP	1.08	-	960	00 1.0
WINNER	1.99	-	279	00 1.9	24CS-W2	0.14	0.01	4,799	00 0.1	NEWS	0.01	-	672,059	00 0.0
XO	14.80	(0.30)	9,357	00 14.8	ARIN	0.44	0.03	20,235	00 0.4	PEER	0.13	-	1,449	00 0.1
Consumer Products														
ALPHAX	0.41	0.01	3,507	00 0.4	ARROW	5.20	-	8	00 5.1	PEER-W2	0.02	(0.01)	519	00 0.0
BGT	0.41	(0.01)	11	00 0.4	BC	0.98	(0.07)	138	00 0.9	PICO	-	-	-	00 0.0
DOD	1.24	0.02	555	00 1.2	BC-W2	-	-	-	00 0.0	PLT	0.59	-	2,851	00 0.5
ECF	0.19	-	7,325	00 0.1	BLESS	0.20	-	4,739	00 0.2	QLT	2.96	-	132	00 2.9
ECF-W5	0.01	-	225	00 0.0	BSM	0.80	-	105	00 0.8	RP	0.87	0.01	2	00 0.8
EFORL	0.17	0.01	11,156	00 0.1	BTW	0.20	-	237	00 0.1	SONIC	1.56	(0.01)	1,812	00 1.5
EFORL-W6	-	-	-	00 0.0	CAZ	1.65	-	35	00 1.6	THMUI	0.37	(0.01)	1,283	00 0.3
EURO	4.40	(0.02)	61	00 4.4	CHEWA	0.26	(0.01)	1,174	00 0.2	TNDT	0.21	0.01	4,636	00 0.2
HPT	0.43	-	2,542	00 0.4	CPANEL	3.20	(0.02)	26	00 3.2	TNDT-W1	-	-	-	00 0.0
ITTHI	1.58	(0.02)	70	00 1.5	CPANEL-W1	0.08	(0.02)	2,942	00 0.0	TNH	33.00	(0.25)	3	00 33.1
JSP	1.81	(0.01)	2,460	00 1.7	CRD	0.34	-	365	00 0.3	TNP	2.72	(0.02)	1,744	00 2.7
JSP-W2	0.03	-	2,866	00 0.0	DHOUSE	0.59	-	404	00 0.5	TPL	0.48	(0.01)	1,104	00 0.4
JUBILE	8.00	(0.15)	1,305	00 8.0	DIMET	0.11	(0.01)	847	00 0.1	TRP	6.35	0.05	4,677	00 6.3
LTS	6.25	(0.30)	10,315	00 6.2	DPAINT	0.75	(0.03)	5,480	00 0.7	TURTLE	6.05	0.25	1	00 6.0
MGI	10.30	(0.20)	3,778	00 10.3	FLOYD	0.87	(0.02)	2,855	00 0.8	TVDH	0.16	-	110	00 0.1
MGI-W1	2.60	(0.06)	4,948	00 2.6	HYDRO	1.39	0.02	31	00 1.3	TVDH-W3	-	-	-	00 0.0
MOONG	1.91	-	236	00 1.9	HYDRO-W2	0.10	0.01	267	00 0.0	TVT	0.26	-	14,901	00 0.2
NPK	9.90	(0.30)	4	00 9.9	IND	0.83	-	2,436	00 0.8	UBA	0.94	(0.01)	6,230	00 0.9
SEI	3.16	0.02	1,782	00 3.1	JAK	1.06	(0.14)	222	00 1.1	VL	0.88	(0.01)	3,684	00 0.8
SMD100	3.96	(0.06)	185	00 3.9	K	1.46	(0.01)	272	00 1.4	VS	0.35	(0.03)	96	00 0.3
TM	0.57	(0.01)	589	00 0.5	K-W3	0.21	(0.01)	28	00 0.2	YGG	0.49	-	4,034	00 0.4
TM-W1	-	-	-	00 0.0	META	0.09	-	10,298	00 0.0	Technology				
WARRIX	3.50	(0.08)	6,969	00 3.5	PANEL	1.18	-	206	00 1.1	APP	1.81	(0.01)	113	00 1.8
WINMED	1.34	0.06	1,546	00 1.3	PPS	0.22	-	94,017	00 0.2	BBIK	29.00	0.50	2,320	00 28.3
Financials														
ACAP	-	-	-	00 0.0	PRI	5.80	(0.10)	407	00 5.7	BE8	10.70	-	6,595	00 10.7
AF	0.32	-	80	00 0.3	PROS	0.99	0.03	237,980	00 1.0	BE8-W1	0.70	0.05	241	00 0.7
AIRA	1.40	(0.09)	10	00 1.4	PROS-W1	0.08	0.01	13,943	00 0.0	BVG	1.90	(0.03)	669	00 1.9
ASN	0.94	(0.07)	60	00 0.9	PSG	0.18	-	132,081	00 0.1	COMAN	0.63	(0.01)	403	00 0.6
BTC	0.33	(0.01)	24,907	00 0.3	QTCC	0.14	(0.01)	6,338	00 0.1	I2	1.04	(0.01)	607	00 1.0
BTC-W7	0.10	0.01	1,058	00 0.0	SENX	0.23	-	11,746	00 0.2	IIG	3.00	0.04	80	00 2.9
GCAP	0.22	0.01	1,761	00 0.2	SK	0.62	0.01	26,654	00 0.6	IRCP	0.40	-	3,694	00 0.3
KCC	1.76	(0.04)	180	00 1.7	SMART	0.65	-	6,722	00 0.6	ITNS	1.37	0.01	59	00 1.3
LIT	0.45	0.02	5,712	00 0.4	STC	0.49	(0.02)	855	00 0.4	NAT	3.78	(0.04)	265	00 3.7
MTSIB	0.50	(0.03)	5,045	00 0.5	STX	1.21	-	1,013	00 1.2	NETBAY	19.00	-	8,024	00 18.6
SGF	0.16	0.01	1,896	00 0.1	SVR	0.63	(0.01)	2,457	00 0.6	PIS	4.72	(0.08)	5,373	00 4.7
SGF-P1	-	-	-	00 0.0	TAPAC	-	-	-	00 0.0	PLANET	1.86	-	5,633	00 1.8
SGF-Q1	-	-	-	00 0.0	THANA	0.99	(0.03)	421	00 0.9	PLANET-W2	0.78	(0.02)	1,597	00 0.7
TQR	4.92	(0.02)	495	00 4.8	TIGER	0.42	0.01	172	00 0.4	PROEN	1.20	-	42,997	00 1.1
Industrials														
ADB	0.56	-	115	00 0.5	TITLE	4.02	(0.02)	729	00 3.9	PROEN-W2	0.36	(0.02)	8,771	00 0.3
BM	2.68	(0.06)	8,194	00 2.7	WELL	-	-	-	00 0.0	READY	4.76	0.04	252	00 4.6
BM-W3	1.08	0.04	2,309	00 1.0	YONG	1.02	0.01	74,355	00 1.0	SECURE	11.60	0.10	234	00 11.4
BPS	0.51	-	11,838	00 0.5	Resources					SICT	3.26	(0.04)	1,168	00 3.2
CHO	0.03	-	14,736	00 0.0	ABM	0.71	(0.02)	13	00 0.7	SIMAT	1.06	(0.02)	5,488	00 1.0
CHO-W4	0.01	-	1	00 0.0	ABM	0.71	(0.02)	13	00 0.7	SIMAT-W3	-	-	-	00 0.0
CHOW	1.30	(0.02)	815	00 1.2	GTV	0.08	0.01	48,988	00 0.0	SPVI	1.39	(0.01)	1,221	00 1.3
CIG	0.04	-	2,557	00 0.0	PSTC	0.46	0.01	7,617	00 0.4	SRS	3.84	0.10	528	00 3.8
CIG-W10	-	-	-	00 0.0	PSTC-W2	-	-	-	00 0.0	TBN	6.15	(0.05)	101	00 6.1
CIG-W9	-	-	-	00 0.0	PSTC-W3	0.10	(0.01)	2,238	00 0.0	TERA	1.21	(0.02)	523	00 1.2
COLOR	1.08	-	22	00 1.0	PTC	0.97	(0.03)	81	00 0.9	TPS	3.96	0.02	1,286	00 3.9
CPR	2.88	-	278	00 2.8	SAAM	6.30	(0.10)	969	00 6.2	VCOM	2.24	(0.02)	2,537	00 2.2
FPI	1.65	(0.02)	95	00 1.6	SR	0.50	-	2	00 0.5		-	-	-	-
GTB	0.74	(0.01)	699	00 0.7	STOWER	0.05	-	8,431	00 0.0		-	-	-	-
HARN	2.12	-	124	00 2.1	TAKUNI	0.39	-	6,948	00 0.3		-	-	-	-
KCM	0.19	(0.01)	836	00 0.1	TPCH	2.96	(0.04)	488	00 2.9		-	-	-	-
KJL	6.80	0.05	130	00 6.7	UMS	0.36	0.02	20	00 0.3		-	-	-	-
KUMWEL	1.06	(0.01)	684	00 1.0	Services						-	-	-	-
KWM	1.04	(0.03)	5,459	00 1.0	ADD	3.74	(0.06)	359	00 3.7		-	-	-	-
MBAX	1.60	(0.03)	884	00 1.5	AKP	0.69	(0.01)	2,490	00 0.6		-	-	-	-
MGT	1.75	(0.01)	310	00 1.7	AMA	4.06	0.04	1,032	00 4.0		-	-	-	-
MTW	1.09	0.01	93,740	00 1.1	AMARC	1.20	(0.02)	320	00 1.2		-	-	-	-
MTW-W1	-	-	-	00 0.0	ARIP	0.39	-	1,095	00 0.3		-	-	-	-
NDR	1.23	(0.11)	131	00 1.2	ATP30	0.89	-	290	00 0.8		-	-	-	-
PACO	1.41	(0.01)	5,363	00 1.4	AUCT	7.75	(0.05)	1,655	00 7.7		-	-	-	-
PACO-W1	0.03	-	311	00 0.0	BIS	2.72	(0.02)	565	00 2.7		-	-	-	-
PDG	2.60	(0.04)	1,374	00 2.6	BOL	5.00	-	908	00 4.9		-	-	-	-
PHOL	2.88	-	1,014	00 2.8	CEYE	2.20	(0.04)	23	00 2.2		-	-	-	-
PIMO	1.26	-	3,395	00 1.2	CHIC	0.36	0.01	276	00 0.3		-	-	-	-
PMC	0.75	-	1,912	00 0.7	CMO	0.63	-	73	00 0.6		-	-	-	-
PPM	1.80	(0.05)	10	00 1.7	D	2.22	(0.02)	1,768	00 2.2		-	-	-	-
PRAPAT	1.13	(0.01)	1,339	00 1.1	DEXON</									